

KIDDE INC WALTER KIDDE DIV AEROSPACE OPNS -- BROMOTRIFLUOROMETHANE (HALON 1301)
-- 1680-00-831-1629

=====
===== Product Identification =====

Product ID:BROMOTRIFLUOROMETHANE (HALON 1301)

MSDS Date:04/08/1986

FSC:1680

NIIN:00-831-1629

Kit Part:Y

MSDS Number: CCCCCF

=== Responsible Party ===

Company Name:KIDDE INC WALTER KIDDE DIV AEROSPACE OPNS

Address:2500 AIRPORT DRIVE

City:WILSON

State:NC

ZIP:27893-960

4

Country:US

Info Phone Num:919-237-7004

Emergency Phone Num:919-237-7004

CAGE:61423

=== Contractor Identification ===

Company Name:KIDDE INC WALTER KIDDE DIV AEROSPACE OPNS

Address:2500 AIRPORT DRIVE

Box:City:WILSON

State:NC

ZIP:27893-9604

Country:US

Phone:252-237-7004

CAGE:61423

=====
===== Composition/Information on Ingredients =====

Ingred Name:BROMOTRIFLUOROMETHANE

CAS:75-63-8

Fraction by Wt: >99%

Other REC Limits:NONE RECOMMENDED

Ozone Depleting Chemical:1

=====

==== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL RAT IS NOT APPLICABLE.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:BROMOTRIFLUOROMETHANE IS SLIGHTLY TOXIC BY INHALATION.AT XONCENTRATIONS OF 10% OR HIGHER,MAY CAUSE ARRYTHMIAS OR NARCOSIS.HMIS WARNS THAT THE DECOMPOSITION PRODUCTS ARE QUITE TOXIC.

Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS P RODUCT IS

LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:INHALATION:

DIZZINESS,LIGHTHEADEDNESS,GIDDINESS,SHORTNESS OF BREATH.

Medical Cond Aggravated by Exposure:UNLIKELY TO AGGRIVATE EXISTING MEDICAL CONDITIONS UNDER NORMAL CONDITIONS OF USE.

=====
===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIF

ICIAL RESPIRATION IF NEEDED.INGEST:UNLIKELY TO OCCUR;THIS ITEM IS A GAS.NOTE:DO NOT GIVE EPINEPHRINE OR SIMILAR DRUGS.

=====
===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:NON-FLAMMABLE. HALON 1301 IS A FIRE EXTINGUISHANT.

Fire Fighting Procedures:EVACUATE PERSONNEL. IMMEDIATELY DELUGE CONTAINERS WITH WATER SPRAY FROM MAXIMUM DISTANCE UNTIL COOL, THEN MOVE CONTAINERS AWAY FROM FIRE AREA IF WITHOUT RISK.

Unusual Fire/Explosion Ha

zard:FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.

=====
===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA,ESPECIALLY LOW AREAS WHEN VAPORS MAY ACCUMULATE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE CONTAINERS BELOW 125F IN A CLEAN,DRY AREA.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Prot

ection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN
ENCLOSED SPACES USE A SELF-CONTAINED BREATHING APPARATUS.
Ventilation:MECHANICAL (GENERAL) VENTILATION AND/OR LOCAL EXHAUST AS
NECESSARY(ESP.LOW AREAS WHERE VAPORS MAY ACCUMULATE).
Protective Gloves:PVA OR PVC
Eye Protection:CHEMICAL WORK GOGGLES
Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY
SHOWER.
Work Hygienic Practices:GOOD HYGENIC PRACTICES.
Supplemental Safety and Health
KEY1;G3.THIS RECORD GOES WITH
PNIND-A UNDER THIS NSN/CAGE.

===== Physical/Chemical Properties =====

HCC:G3
Boiling Pt:B.P. Text:-72F,-58C
Vapor Pres:12152@-72F
Vapor Density:8.71
Spec Gravity:1.538
Solubility in Water:NEGLIGIBLE
Appearance and Odor:COLORLESS GAS AND LIQUID,SLIGHTLY ETHEREAL ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
ALKALI,ALKALINE EARTH METALS,POWDERED ALUMINUM,ZINC,BERYLLIUM.
Stability Condition to Av
oid:HIGH HEAT ABOVE 1000F,SOURCES OF IGNITION.
Hazardous Decomposition Products:BROMINE,FLUORINE,HALOGEN ACIDS AND
CARBONYL HALIDES.

===== Disposal Considerations =====

Waste Disposal Methods:EVAPORATE OUT OF DOORS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants thi

s information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.