

HUGHES AIRCRAFT CO RADAR SYSTEMS GROUP -- THERMAL RECEIVER UNIT,12599972,PART A  
-- 1240-01-293-9706

===== Product Identification =====

Product ID:THERMAL RECEIVER UNIT,12599972,PART A

MSDS Date:12/04/1992

FSC:1240

NIIN:01-293-9706

Kit Part:Y

MSDS Number: CCCGZ

=== Responsible Party ===

Company Name:HUGHES AIRCRAFT CO RADAR SYSTEMS GROUP

Address:BLDG C1 MS A142

Box:92426

City:LOS ANGELES

State:CA

Z

IP:90009

Country:US

Info Phone Num:213-568-7200 / FAX 213-568-6942

Emergency Phone Num:213-568-7200

Preparer's Name:D. L. COLLINS

CAGE:82577

=== Contractor Identification ===

Company Name:AIRCO INC, AIRCO INDUSTRIAL GASES DIV.

Address:575 MOUNTAIN AVE

Box:City:MURRAY HILL

State:NJ

ZIP:07974-2006

Country:US

Phone:800-424-9300(CHEMTREC)

CAGE:00741

Company Name:HUGHES AIRCRAFT CO RADAR SYSTEMS GROUP

Address:BLDG C1 MS A142

Box:92426

City:LOS ANGELES

State:CA

ZIP:90009

Country:US

Phone:213-568-7200

CAGE:82577

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HELIUM  
CAS:7440-59-7  
RTECS #:MH6520000  
Fraction by Wt: 100%  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NOT RELEVANT  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS:LUNG, BRAIN. ACUTE-  
EYES/SKIN:NO EVIDENCE OF ADVERS  
E EFFECTS FROM AVAILABLE  
INFORMATION. INHALATION:ASPHYXIANT. MODERATE CONCENTRATIONS MAY  
CAUSE HEADACHE, DROWSINESS, DIZZINESS, EXCESS SALIVATION, NAUSEA,  
VOMITING, UNCONSCIOUSNESS, DEATH. INGESTION:UNLIKELY. THIS PRODUCT  
IS A GAS. CHRONIC- NONE.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:HEADACHE, DROWSINESS, DIZZINESS, EXCESS  
SALIVATION, NAUSEA, VOMITING, UNCONSCIOUSNESS, DEATH  
Medical Cond Aggravated by Exposure:NONE EXPECTED

=====  
Fir  
st Aid Measures  
=====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH  
AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER. SKIN:WASH  
WITH SOAP & WATER. ORAL:UNLIKELY.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEMICAL FOR SURROUNDING FIRE. HELIUM CANNOT CATCH FIRE.  
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED  
SELF-CO

CONTAINED BREATHING APPARATUS. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY. MOVE CONTAINERS AWAY FROM FIRE. Unusual Fire/Explosion Hazard:CONTAINER MAY RUPTURE DUE TO HEAT OF FIRE. THIS GAS IS NON-FLAMMABLE.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR RESPIRATORY PROTECTION. STOP LEAK IF POSSIBLE. VENTILATE AREA OR MOVE LEAKING CONTAINER OUTSIDE OR TO A WELL-VENTILATED PLACE. TEST AREA, ESPECIALLY CONFINED AREA, FOR SUFFICIENT OXYGEN CONTENT PRIOR TO PERMITTING RE-ENTRY OF PERSONNEL.  
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY AREA BELOW 125F (52C). KEEP OUT OF REACH OF CHILDREN.  
Other Precautions:NEVER WORK ON A PRESSURIZED SYSTEM. READ AND UNDERSTAND THE MANUFACTURER'S INSTRUCTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS TO AN ACCEPTABLE LEVEL, WEAR A NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OR AIR-SUPPLIED RESPIRATOR. ASSURE COMPLIANCE WITH OSHA STANDARD 29 CFR 1910.134.  
Ventilation:USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET TLV REQUIREMENTS.  
Protective Gloves:LEATHER RECOMMENDED  
Eye Protection:SAFETY GLASSES RECOMMENDED  
Other Protective Equipment:SAFETY SHOES RECOMMENDED  
Work Hygienic Practices:WASH HANDS THOROUGHLY BEFORE EATING OR DRINKING.  
Supplemental Safety and Health  
KEY1:G3. THIS KIT HAS HELIUM (PNI A) AND RADIOACTIVE MATERIAL (PNI B), SAME NSN.

===== Physical/Chemical Properties =====

HCC:A2  
NRC/State Lic Num:NOT RELEVANT  
Boiling Pt:B.P. Text:-452F,-269C  
Melt/Freeze Pt:M.P/F.P Text:-457F,-272C  
Vapor Pres:GAS  
Vapor Density:0.14  
Spec Gravity:GAS  
Viscosity:NOT RELEVANT  
Evaporation Rate & Reference:NOT RELEVANT (GAS)  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:COLORLESS

ESS GAS - ODORLESS  
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
NONE. HELIUM IS CHEMICALLY INERT.  
Stability Condition to Avoid: EXCESSIVE HEAT (TEMPERATURES ABOVE  
125F/52C)  
Hazardous Decomposition Products: NONE

===== Disposal Considerations =====

Waste Disposal Methods: SLOWLY RELEASE INTO THE ATMOSPHERE. DISCARD ANY  
PRODUCT, RESIDUE, DISPOSABLE CONTAINER OR  
LINER IN AN  
ENVIRONMENTALLY ACCEPTABLE MANNER, IN FULL COMPLIANCE WITH LOCAL,  
STATE AND FEDERAL REGULATIONS.

=====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.