View NSN Online: https://aerobasegroup.de/nsn/1377-01-084-9358 SCOT INC. -- 6010600 CARTRIDGE BOOSTER -- 1377-01-084-9358 ============= Product Identification ======================== Product ID:6010600 CARTRIDGE BOOSTER MSDS Date:05/08/1991 FSC:1377 NIIN:01-084-9358 MSDS Number: CCGJL === Responsible Party === Company Name: SCOT INC. Address:2525 CURTISS ST City: DOWNERS GROVE State:IL ZIP:60515-0705 Country:US Info Phone Num:708-969-0620 Emergency Phone Num:800-535-5053 Preparer's Name :NICHOLAS F TURCIC CAGE:93455 === Contractor Identification === Company Name: SCOT INC Address:2525 CURTISS ST Box:City:DOWNERS GROVE State:IL ZIP:60515-0705 Country:US Phone:630-969-0620 CAGE:93455 ======= Composition/Information on Ingredients ========

Ingred Name: HERCULES 4831.3C PROPELLANT

Fraction by Wt: 0.100%

Ingred Name: ALUMINUM CASE

========== Hazards Identification =============

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carc

| inogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE, SKIN & MUCOUS MEMBRANE IRRITANT. Explanation of Carcinogenicity:NONE  |
|--|
| Effects of Overexposure:EYE, SKIN & MUCOUS MEMBRANE IRRITANT.  |
| ======================================   |
| First Aid:OBTAIN MEDICAL ATTENTION IN ALL CASES.   |
| ======================================   |
| Extinguishing Media:USE WATER ONLY. LARGE: FLOOD AREA W/WATER FROM A DISTANCE. Fire Fighting Proce dures:MOVE CONTAINER W/O RISK. APPLY COOLING WATER TO SIDES. IN CARGO AREA, USE UNMANNED HOSE HOLDER/MONITOR NOZZLES IF NOT POSSIBLE WITHDRAW & LET FIRE BURN. Unusual Fire/Explosion Hazard:USE FLOODING QUANTITIES OF WATER AS FOG. COOL W/WATER, APPLY FROM AS FAR A DISTANCE AS POSSIBLE. EVACUATE TO A RADIUS OF 1500 FEET. (SEE SUPP) |
| ======================================   |
| Handling and Storage Precautions:KEEP FIRE AWAY. Other Precautions:HERMETICALLY S EALED UNITS-AVOID FIRE.  |
| ====== Exposure Controls/Personal Protection ========  |
| Supplemental Safety and Health FIRE & EXPLOSION CONT'D: MINIMAL NOXIOUS GASES LIBERATED IF HERMETIC SEAL SHOULD RUPTURE DUE TO FIRE.   |
| ========= Stability and Reactivity Data ==========   |
| Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:HEAT, FLAME Hazardous Decomposition Products:NOXIOUS GAS.  |
| ======== Disposal Considerations =============   |
|  |

Waste Disposal Methods:DISPOSAL OF WASTE IS PERFORMED BY QUALIFIED DEMOLITION PERSONNEL IAW/FEDERAL, STATE & LOCAL REGULATIONS. UN 0014.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document

should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.