View NSN Online: https://aerobasegroup.de/nsn/1377-01-241-7982

OEA AEROSPACE INC. -- 51325-3 TRANSFER CONNECTOR -- 1377-01-241-7982

Product ID:51325-3 TRANSFER CONNECTOR MSDS Date:01/12/1996 FSC:1377 NIIN:01-241-7982 **MSDS Number: CCGLS** === Responsible Party === Company Name: OEA AEROSPACE INC. Address: HWY 12 AND ET RD Box:KK City:FAIRFIELD State:CA ZIP:94533-0659 Country:US Info Phone Num:707-422-1880 **Emergency Phone Num:707-**422-1880 Preparer's Name:S SCHOOLFIELD/J KOHRING CAGE:17610 === Contractor Identification === Company Name: OEA AEROSPACE INC Address:3530 BRANSCOMBE RD Box:KK City:FAIRFIELD State:CA ZIP:94533-0659 Country:US Phone:707-422-1880 CAGE:17610

Ingred Name: HEXANITROSTILBENE I

Ingred Name: HEXANITROSTILBENE II

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:HEXANITROTILBENE I & II IS POSITIVE BIOLOGICAL ACTIVITY IN THE AMES MUTAGENICITY TEST. INHALATION: IRRITATION TO NOSE, THROAT, MUCOUS MEMBRANES, NAUSEA & ALLERGIC REACTIONS. SKIN: IRRITATION, ALLERGIC REACTIONS. EYES: IRRITATION. INGESTION: TOXIC. Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, NAUSEA, REDNESS.
======================================
First Aid:EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.
======================================
Extinguishing Media:DON'T ATTEMPT TO EXTINGUISH. Fire Fighting Procedures:EVACUATE AREA. USE SCBA W/FULL FACE. Unusual Fire/Explosion Hazard:IF EXPOSED TO FIRE, UNIT MAY ACTUATE/EXPLODE.
======================================
Spill Release Procedures:CALL LOCAL HAZARDOUS MATERIALS TEAM. REMOVE IGNITION SOURCES. COVER/EXPOSE MATERIAL W/VEGETABLE OIL & REMOVE FOR APPROVED DISPOSAL. USE FLAME RETARDANT CLOTHING, SAFETY GLASSES & NON-SPARKING TOOLS.
======================================

Handling and Storage Precautions:DON'T STORE AT TEMP >200F. ANTI-STATIC BAGS SHALL BE USED FOR STORAGE & SHIPPING.

======= Exposure Controls/Personal Protection ==========

Respiratory

Protection:WEAR NIOSH APPROVED HEPA RESPIRATOR IF PEL/TLV ARE EXCEEDED. Ventilation:LOCAL EXHAUST: REQUIRED FOR TEST FIRING. Protective Gloves:POLY-BENZ-IMMIEAZOLE Eye Protection:SAFETY GLASSES Other Protective Equipment:FLAME RETARDANT COAT & GROUNDING STRAPS TO PREVENT ELECTROSTATIC DISCHARGE. Supplemental Safety and Health

Solubility in Water:LOW/SLIGHT Appearance and Odor:YELLOW POWDER W/NO ODOR.

Stability Indicator/Materials to Avoid:YES
ALKALIS, COPPER, BRONZE, CORROSIVES & OXIDIZERS.
Stability Condition to Avoid:MECHANICAL SHOCK, STATIC ELECTRICITY, HEAT, FLAME/SPARKS.
Hazardous Decomposition Products:CO, NITROGEN, NITROUS OXIDES, HYDROGEN, CARBON, CO2, WATER.

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS. UNFIRED UNITS/WAST E, DISPOSE AS REACTIVE HAZARDOUS

WASTE, D003.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitabili ty of this information to their particular situation.