View NSN Online: https://aerobasegroup.de/nsn/1377-01-250-1293

Product ID:51655-752 IGNITION TRANSFER ASSEMBLY MSDS Date:03/17/1995 FSC:1377 NIIN:01-250-1293 **MSDS Number: CCGMC** === Responsible Party === Company Name: OEA AEROSPACE INC. Address: HWY 12 AND ET RD Box:KK City:FAIRFIELD State:CA ZIP:94533-0659 Country:US Info Phone Num:707-422-1880 Emer gency Phone Num:707-422-1880 Preparer's Name:S SCHOOLFIELD/J KOHRING CAGE:17610 === Contractor Identification === Company Name: OEA AEROSPACE INC Address:3530 BRANSCOMBE RD Box:KK City:FAIRFIELD State:CA ZIP:94533-0659 Country:US Phone:707-422-1880 CAGE:17610

Ingred Name: HEXANITROSTILBENE I ACGIH TLV:10 MG/CUM

Ingred Name:HEXANITROSTILBENE II ACGIH TLV:10 MG/CUM

Ingred Name:HETEROCYCLIC AMINE

Ingred Name:ALUMINUM \*96-3\* CAS :7429-90-5 RTECS #:BD0330000 OSHA PEL:15 MG/CUM ACGIH TLV:10 MG/CUM (DUST)

Ingred Name:LEAD AZIDE CAS:13424-46-9 RTECS #:OF8650000 OSHA PEL:0.05 MG/CUM

Ingred Name: IGNITION STRAND

Ingred Name: POTASSIUM PICRATE CAS: 573-83-1

Ingred Name:POTASSIUM PERCHLORATE CAS:7778-74-7 RTECS #:SC9700000

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Ch ronic:INHALATION: IRRITATION TO THE NOSE, THROAT, MUCOUS MEMBRANE & ALLERGIC REACTIONS. LEAD CAN CAUSE CNS **DISORDERS. SKIN: IRRITATION & POSSIBLE ALLERGIC REACTIONS. EYES: IRRITATION. INGESTION: TOXIC.** Explanation of Carcinogenicity:NONE Effects of Overexposure: IRRITATION, NAUSEA, DROWSINESS, SEIZURES, COMA, HEADACHE, REDNESS, DIZZINESS, FATIGUE, HYPERSENSITIVITY, YELLOW HAIR. First Aid: EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES. Extinguishing Media: DON'T ATTEMPT TO EXTINGUISH. Fire Fighting Procedures: EVACUATE AREA. USE SCBA TO CONTAIN RESULTING FIRE. Unusual Fire/Explosion Hazard: IF EXPOSED TO FIRE, THE UNIT MAY ACTUATE/EXPLODE. 

Spill Release Procedures:

CALL LOCAL HAZARDOUS MATERIALS TEAM. REMOVE IGNITION SOURCES. MOISTEN W/FINE WATER SPRAY. USE FLAME RETARDANT CLOTHING, SAFETY GLASSES & NON SPARKING TOOLS.
======================================
Respiratory Protection:USE NIOSH APPROVED HEPA RESPIRATOR IF PEL/TLV IS EXCEEDED. Ventilation:LOCAL EXHAUST: REQUIRED FOR TEST FIRING. Protective Gloves:POLY-BENZ-IMMIDAZOLE/LEATHER Eye Protection:SAFETY GLASSES AS A MINIMUM Other Protective Equipment:FLAME RET ARDANT COAT & GROUNDING STRAPS TO PREVENT ELECTROSTATIC DISCHARGE. Supplemental Safety and Health LEAD AZIDE: CRYSTALLINE WHITE TO BUFF. IGNITION STRAND: YELLOW.
======================================
Solubility in Water:LOW Appearance and Odor:HNS: OFF WHITE POWDER ODORLESS. HMX: WHITE GRANULAR SOLID W/METHANOL ODOR (SUPP
======================================
<ul> <li>Stability Indicator/Materials to Avoid:YES</li> <li>ALKALIS, ACIDS, COPPER</li> <li>, BRONZE, CORROSIVES &amp; OXIDIZERS, WATER.</li> <li>Stability Condition to Avoid:MECHANICAL SHOCK, STATIC ELECTRICITY, HEAT, FLAME/SPARKS.</li> <li>Hazardous Decomposition Products:CO, NITROGEN, NITROUS OXIDES, HYDROGEN, CARBON, CO2, LEAD, LEAD OXIDE, POTASSIUM OXIDES.</li> </ul>
======================================
Waste Disposal Methods:UNFIRED UNITS/WASTE SHOULD BE DISPOSED AS REACTIVE HAZARDOUS WASTE(D003)&/(D008)/FIRE CORD UNITS SHOULD BE DISPOSED OF AS LEAD(D008)HAZARDOUS WASTE IAW/FEDERAL, STATE & LOCAL REGULATIONS. UN 0367.
Disclaimer (provided with this information by the compiling agencies):

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.