## View NSN Online: https://aerobasegroup.de/nsn/2910-01-063-5646

\_\_\_\_\_

### QUICK START PRODUCTS LTD -- STARTING FLUID CYLINDER, QK-1104-554

MSDS Safety Information

FSC: 2910 NIIN: 01-063-5646 MSDS Date: 06/26/1996 MSDS Num: CCHXV Product ID: STARTING FLUID CYLINDER,QK-1104-554 MFN: 02 Responsible Party Cage: 78280 Name: QUICK START PRODUCTS LTD Address: HIGHWAY 251 SOUTH City: ROC HELLE IL 61068 Info Phone Number: 815-895-4545; 815-562-5414 Emergency Phone Number: 815-562-5414 Preparer's Name: UNKNOWN Proprietary Ind: Y Published: Y
Contractor Summary
Cage: 78280 Name: QUICK START PRODUCTS LTD Address: HIGHWAY 251 SOUTH City: ROCHELLE IL 61068 Phone: 815-562-5414 Item Description Information
Item Manager: S9C Item Name: STARTING AID, DIESEL Specification Number: NONE Type/Grade/Class: NONE Unit of Issue: EA UI Container Qty: 0 Type of Container: AEROSOL CAN
Ingredients
Name: *** PROPRIETARY ***
Health Hazards Data

\_\_\_\_\_ LD50 LC50 Mixture: TLV FOR DIETHYL ETHER IS 400 PPM. Route Of Entry Inds - Inhalation: YES Skin: NO Ingestion: NO Carcinogenicity Inds - NTP: NO IARC: NO OSHA: NO Effects of Exposure: TARGET ORGANS: EYE, SKIN, RESPIRATORY. ACUTE- EYES: MAY CAUSE IRRITATION/REDNESS. SKIN: IRRITATION & amp; DEFATTING WITH PROLONGED/REPEATED CONTACT. INHALE:MAY CAUSE DIZZINESS, INTOXICATION, UNCONCIOUSNESS, M AY CAUSE NARCOTIC EFFECTS, ORAL: HIGHLY UNLIKELY TO OCCUR. CHRONIC- UNKNOWN. F xplanation Of Carcinogenicity: NONE Signs And Symptions Of Overexposure: IRRITATION, TEARING, REDNESS, DRYNESS OF SKIN AND DEFATTING, DIZZINESS, HEADACHE, UNCONSCIOUSNESS Medical Cond Aggravated By Exposure: PERSONS WITH CHRONIC RESPIRATORY OR SKIN DISEASES MAY BE AT AN INCREASED RISK FROM EXPOSURE. First Aid: GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED: REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES: FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & am p; WATER. ORAL:GET MEDIC AL ATTENTION IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. PROPER TREATMENT IS DEPENDENT ON CONDITION OF PATIENT AND AMOUNT INGESTED. \_\_\_\_\_ Handling and Disposal Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENTILATE AREA. CONTAIN AND PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND, EARTH, V ERMICULITE. CARBON DIOXIDE MAY BE USED AS A PRECA UTIONARY VAPOR BLANKET. AVOID FLUSHING TO SEWERS. Neutralizing Agent: NOT RELEVANT Waste Disposal Methods: DISPOSAL OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT PUNCTURE, MUTILATE OR INCINERATE CONTAINERS. AVOID CONTAMINATION OF ANY GROUND WATER. Handling And Storage Precautions: STORE IN COOL, WELL VENTILATED AREA AWAY FROM SPARKS, FLAME, OTHER SOURCES OF IGNITION & amp; INCOMPATIBLE MATERIALS. DO NOT

STORE ABO

VE 120F.

Other Precautions: PROTECT CONTAINER FROM PHYSICAL DAMAGE. AVOID BREATHING VAPOR/MIST. AVOID CONTACT WITH EYES/SKIN. FOR INDUSTRIAL USE ONLY. VAPORS CAN BE IGNITED EASILY. KEEP OUT OF REACH OF CHILDREN. DO NOT SPRAY IN DIRECTION OF BODY. READ LABEL CAREFULLY.

\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_

Flash Point Method: TCC Flash Point Text: <-56F,&lt;-49C Lower Limits: 1.8% Upper Limits: 48% Extinguishing Media: USE WATER FOG/MIST, CARBON DIOXIDE (CO2), ALCOHOL FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. RUN OFF TO SEWERS MAY CREATE FIRE OR EXPLOSION. Unusual Fire/Explosion Hazard: EXTREMELY FLAMMABLE. OVERHEATED AEROSOL CANS COULD EXPLODE DUE TO INTERNAL PRESSURE BUILDUP. VAPORS MAY TRAVEL TO AN **IGNITION SOURCE AND FL** ASH BACK. \_\_\_\_\_\_ **Control Measures** \_\_\_\_\_ Respiratory Protection: NONE NORMALLY REQUIRED. IF TLV IS EXCEEDED OR FOR SYMPTOMS OF OVER EXPOSURE, WEAR NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR OR AIR-PURIFYING RESPIRATOR. IN EMERGENCY, WEAR A NIOSH-APPROVED POSITIVE-PRES SURE SELF-CONTAINED BREATHING APPARATUS. Ventilation: MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S). Protective Gloves: NITRILE FOR PROLONGED CONTACT Eve Protection: SAFETY GLASSES/GOGGLES RECOMMENDED Other Protective Equipment: SAFETY SHOWER AND EYE WASH FOUNTAIN SHOULD BE LOCATED NEARBY. WEAR APPROPRIATE PROTECTIVE CLOTHING FOR RISK OF EXPOSURE. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health: FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN. \_\_\_\_\_

\_\_\_\_\_

#### Physical/Chemical Properties

\_\_\_\_\_

HCC: G2 NRC/State LIC No: NOT RELEVANT B.P. Text: 94F (ET2O) M.P/F.P Text: UNKNOWN Decomp Text: UNKNOWN Vapor Pres: 8515 @ 70F Vapor Density: 2.5 Spec Gravity: 0.70 Viscosity: UNKNOWN Evaporation Rate & amp; Reference: 6 (N-BUTYL ACETATE=1) Solubility in Water: 6% @ 70F Appearance and Odor: PALE YELLOW TO CLEAR LIQUID - STRONG ETHEREAL ODOR Percent Volatiles by Volume: 86 Corrosi on Rate: UNKNOWN \_\_\_\_\_ Reactivity Data Stability Indicator: YES Stability Condition To Avoid: SPARKS, HOT SURFACES, FLAME, DRYNESS. TENDS TO PRODUCE EXPLOSIVE PEROXIDE ON LONG STANDING IN PRESENCE OF AIR & LIGHT. Materials To Avoid: STRONG OXIDIZING AGENTS Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE Hazardous Polymerization Indicator: NO **Conditions To Avoid Polymeriz** ation: NOT RELEVANT Toxicological Information \_\_\_\_\_ \_\_\_\_\_ Ecological Information \_\_\_\_\_ \_\_\_\_\_ **MSDS** Transport Information \_\_\_\_\_\_ \_\_\_\_\_\_

Regulator

y Information \_\_\_\_\_\_ Other Information \_\_\_\_\_ \_\_\_\_\_\_ Transportation Information \_\_\_\_\_ Responsible Party Cage: 78280 Trans ID NO: 104468 Product ID: STARTING FLUID CYLINDER, QK-1104-554 MSDS Prepared Date: 06/26/1996 Review Date: 03/04/2000 MFN: 2 Tech Entry NOS Shipping Nm: (ETHYLENE, DIETHYLETHER) Net Unit Weight: 18 OZ (MFR) Multiple KIT Number: 0 **Review IND: Y** Unit Of Issue: EA Container QTY: 0 Type Of Container: AEROSOL CAN \_\_\_\_\_ Detail DOT Information \_\_\_\_\_ DOT PSN Code: DQH Symbols: G DOT Proper Shipping Name: COMPRESSED GASES, FLAMMABLE, N.O.S. Hazard Class: 2.1 UN ID Num: UN1954 Label: FLAMMABLE GAS **Special Provision: B13** Non Bu lk Pack: 302,305 Bulk Pack: 314,315 Max Qty Pass: FORBIDDEN Max Qty Cargo: 150 KG Vessel Stow Req: D Water/Ship/Other Reg: 40 \_\_\_\_\_ Detail IMO Information \_\_\_\_\_ IMO PSN Code: EQB IMO Proper Shipping Name: COMPRESSED GAS, FLAMMABLE, N.O.S. o IMDG Page Number: 2124 UN Number: 1954 UN Hazard Class: 2(2.1) IMO Packaging Group: -Subsidiary Risk Label: -EMS Number: 2-02 MED First Aid Guide NUM: 620

=

**Detail IATA Information** \_\_\_\_\_ IATA PSN Code: HDE IATA UN ID Num: 1954 IATA Proper Shipping Name: COMPRESSED GAS, FLAMMABLE, N.O.S. \* IATA UN Class: 2.1 IATA Label: FLAMMABLE GAS Packing Note Passenger: FORB Max Quant Pass: FORB Max Quant Cargo: 150KG Packaging Note Cargo: 200 Exceptions: A1 \_\_\_\_\_ Detail AFI Information \_\_\_\_\_ \_\_\_\_\_ AFI PSN Code: HDE AFI Symbols: \* AFI Proper Shipping Name: COMPRESSED GAS, FLAMMABLE, N.O.S. AFI Hazard Class: 2.1 AFI UN ID NUM: UN1954 **Special Provisions: P4** Back Pack Reference: A6.3, A6.5 \_\_\_\_\_ HAZCOM Label \_\_\_\_\_\_ Product ID: STARTING FLUID CYLINDER, QK-1104-554 Cage: 78280 Company Name: QUICK START PRODUCTS LTD Street: HIGHWAY 251 SOUTH City: ROCHELLE IL Zipco de: 61068 Health Emergency Phone: 815-562-5414 Label Required IND: Y Date Of Label Review: 11/20/1996 Status Code: C MFG Label NO: UNKNOWN Label Date: 11/20/1996 Year Procured: 1997 Origination Code: G Signal Word: DANGER Health Hazard: Moderate Contact Hazard: Slight Fire Hazard: Severe Reactivity Hazard: None Hazard And Precautions: TARGET ORGANS:EYE, SKIN, RESPIRATORY. ACUTE- EYES:MAY

CAUSE IRRITATION. SKIN: IRRITATION & amp; DEFATTING WITH PROLONGED/REPEATED CONTACT. INHALE: MAY CAUSE DIZZI

# NESS, INTOXICATION, UNCONCIOUSNESS. ORAL:HIGH

LY UNLIKELY TO OCCUR. CHRONIC- UNKNOWN.STORE IN COOL, WELL VENTILATED AREA AWAY FROM SOURCES OF IGNITION & amp; OXIDIZERS. PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT. FIRST AID- GET MEDICAL HELP IF SYMPTOM S PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & amp; WATER. ORAL:GET MEDICAL ATTENTION IMMEDIATELY. N EVER GIVE ANYTHING BY MOUTH TO A

Ν

## UNCONSCIOUS ONE

\_\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracti

ng with any instrumentality of the United

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.