

VICTOR AUTOMOTIVE PRODUCTS INC -- BATTERY WASHERS -- 5330-01-217-1854

=====
Product Identification
=====

Product ID: BATTERY WASHERS

MSDS Date: 09/25/1989

FSC: 5330

NIIN: 01-217-1854

MSDS Number: CCJBQ

=== Responsible Party ===

Company Name: VICTOR AUTOMOTIVE PRODUCTS INC

Address: 3512 N. KOSTNER

City: CHICAGO

State: IL

ZIP: 60641

Country: US

Info Phone Num: 312-298-8870

Emergency Phone Num: 517-463-1164

CAGE

: 0YE50

=== Contractor Identification ===

Company Name: BALKAMP INC

Address: 2601 S HOLT ROAD

Box: City: INDIANAPOLIS

State: IN

ZIP: 46241

Country: US

Phone: 317-244-7241

CAGE: 70842

Company Name: NAPA, A DIVISION OF LINCOLN AUTOMOTIVE

Address: ONE LINCOLN WAY

Box: City: ST. LOUIS

State: MO

ZIP: 63120-1578

Country: US

Phone: 414-255-5520

CAGE: 050Q3

Company Name: VICTOR AUTOMOTIVE PRODUCTS INC

Address: 501 S WOLF RD

Box: City: DES PLAINES

State: IL

ZIP: 60016

Country: US

Phone: 800-423-4201

CAGE: 0YE50

=====
Comp

osition/Information on Ingredients =====

Ingred Name:DISTILLATES, HYDRODESULFURIZED MIDDLE; (MINERAL SEAL OIL)
CAS:64742-80-9
RTECS #:JN9202000
Other REC Limits:NONE RECOMMENDED

Ingred Name:PARAFFINS
Fraction by Wt: 57.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:OLEFINS
Fraction by Wt: 1.4%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 (OIL MIST)
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:AROMATICS
Fraction by Wt: 15.6%
Other REC Limits:NONE RECOMMENDED

Ingred Name:NAPHTHEN
ES
Fraction by Wt: 26.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 (OIL MIST)
ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHAL:HEADACHE & STUPOR. SKIN:IRRIT.
EYES:BLURRING, WATERING & IRRIT. INGEST:NAUSEA, VOMITING. DO NOT
INDUCE VOMI
TING. GET MED ATTN.
Explanation of Carcinogenicity:CARCINOGENICITY:NONE.
Effects of Overexposure:HEADAHCE, STUPRO, SKIN IRRIT, BLURRING OF EYES,
WATERING, IRRIT. NAUSEA, VOMITING.
Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:INHAL:MOVE TO VAPOR-FREE AREA. SKIN:WASH W/SOAP/WATER.
EYES:FLUSH W/COPIOUS AMTS OF WATER. INGEST:GET MED ATTN. DO NTO
INDUCE VOMIT.

===== Fire Fighting Measures

=====
Flash Point Method:COC
Flash Point:265F,129C
Autoignition Temp:Autoignition Temp Text:NP
Lower Limits:0.7
Upper Limits:5.0
Extinguishing Media:COW, FOG, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:AVOID USE OF WATER.
Unusual Fire/Explosion Hazard:WILL REACT W/STRONG OXIDZING AGENTS.

=====
Accidental Release Measures
=====

Spill Release Procedures:NO SPILLAGE OR RELEASING WILL OCCUR AS THE
CHEMICAL IS PART OF THE WASHER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AWAY FROM HIGH TEMPERATURES OR
OPEN FLAME.
Other Precautions:PRODUCT IS NOT BIODEGRADABLE & SHOULD NEVER BE
DISPOSED OF IN A DRAIN GOING TO SEWER. IT DOES CONTAIN AN OIL.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE NEEDED.
Ventilation:LOC EXHAU:UNLIKELY BUT SHOULD BE USED IF AN EXTREMELY LARGE
AMT OF THE WASTERS ARE PRESENT IN UNPAKAGED STATE.
Work Hygienic Practices:WASH HANDS IF SKIN CONTACT HAS BEEN MADE.
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:N1
Boiling Pt:B.P. Text:470F,243C
Melt/Freeze Pt:M.P/F.P Text:NA
Decomp Temp:Decomp Text:NP
Vapor Pres: