View NSN Online: https://aerobasegroup.com/nsn/8030-00-081-2328

CHEMENCE, INC. -- ANAEROBIC COMPOUNDS SEALING LOCKING & RETAINING MIL-S-22473E -- 8030-00-081-2328

Product ID: ANAEROBIC COMPOUNDS SEALING LOCKING & RETAINING MIL-S-22473E MSDS Date:02/26/1996 FSC:8030 NIIN:00-081-2328 MSDS Number: CCJPD === Responsible Party === Company Name: CHEMENCE, INC. Address:6425 INDUSTRIAL WAY 9 MCFARLAND IND PARK City:ALPHARETTA State:GA ZIP:30201 Country:US Info Phone Num:404-664-6624/FAX 664-6620 Emergency Phone Num:404-664-6624 Preparer's Name: JAY TATE CAGE: JO969 === Contractor Identification === **Company Name: CHEMENCE INC** Address:6425 INDUSTRIAL WAY City:ALPHARETTA State:GA ZIP:30201 Country:US Phone:404-664-6624 CAGE:0ZDS4 Company Name: CHEMENCE, INC. Address:6425 INDUSTRIAL WAY 9 MCFARLAND IND PARK Box:City:ALPHARETTA State:GA ZIP:30201 Country:US Phone:404-664-6624/FAX 664-6620 CAGE: JO969

======= Composition/Inform

Ingred Name:POLYGLYCOL DIMETHACRYLATE CAS:25852-47-5 Fraction by Wt: 93.0% Other REC Limits:NONE RECOMMENDED

Ingred Name:CUMENE HYDROPEROXIDE (SARA 313) (CERCLA) CAS:80-15-9 RTECS #:MX2450000 Fraction by Wt: 3.0% Other REC Limits:NONE RECOMMENDED EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:SACCHARIN (SARA 313) (CERCLA) CAS:81-07-2 RTECS #:DE4200000 Fraction by Wt: 3.0% Other REC Limits:NONE RECOMMENDED EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred N ame:N,N-DIALKYLTOLUIDINE CAS:613-48-9 Fraction by Wt: 1.0% Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC = 134.5 G/L RTECS #:9999999VO Fraction by Wt: NA Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PROLONGED SKIN CONTACT MAY RESULT IN DERMATITI

## S IN SENSITIVE PEOPLE. WILL IRRITATE EYES ON CONTACT.

First Aid:SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/PLENTY OF WATER. INGESTION: DO NOT INDUCE VOMITING. CONTACT DR.

Flash Point Method:COC Flash Point:>212F,>100C Autoignition Temp:Autoignition Temp Text:NA Lower Limits:NA Upper Limits:NA Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER Fire F ighting Procedures:USE SCBA. Unusual Fire/Explosion Hazard:IRRITATING ORGANIC VAPORS.

Spill Release Procedures: SOAK UP W/INERT ABSORBENT.

Handling and Storage Precautions: STORE IN A COOL DRY PLACE & OUT OF DIRECT SUNLIGHT.

Other Precautions: KEEP AWAY FROM CHILDREN.

Respiratory Protecti on:NONE NEEDED FOR NORMAL USE. Ventilation:MECHANICAL VENTILATION NOT NORMALLY REQUIRED. ENSURE ADEQUATE ROOM VENTILATION FOR COMFORTABLE WORKING CONDITIONS. Protective Gloves:POLYETHYLENE OR RUBBER GLOVES Eye Protection:SAFETY GLASSES Other Protective Equipment:BARRIER CREAMS RECOMMENDED Supplemental Safety and Health NK

Boiling Pt:B.P. Text:>400F,>204C Melt/Freeze Pt:M.P/F.P Text:NA Decomp Temp:Decomp Text:NA Vapor Pres :0.01 Vapor Density:1.01 Spec Gravity:1.1 pH:NA Viscosity:10-25 CPS Evaporation Rate & amp; Reference:VERY LOW Solubility in Water:INSOLUBLE Appearance and Odor:PURPLE, MILD ORGANIC ODOR Percent Volatiles by Volume:12.5 Corrosion Rate:NONE

Stability Indicator/Materials to Avoid:YES AVOID CONTAMINATION. Stability Condition to Avoid:TEMPERATURES IN EXCESS OF 150F. Hazardous Decomposition Products:NONE

Waste Disposal Methods:LANDFILL OR INCINERATE IN ACCORDANCE W/EPA & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek c ompetent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.