

CREST INDUSTRIAL CHEMICALS INC -- CREST PAINT STRIPPER 7 -- 8010-00-181-7568

=====
Product Identification
=====

Product ID:CREST PAINT STRIPPER 7

MSDS Date:03/25/1994

FSC:8010

NIIN:00-181-7568

MSDS Number: CCJRB

=== Responsible Party ===

Company Name:CREST INDUSTRIAL CHEMICALS INC

Address:6341 BEVERLY HILL

Box:42242

City:HOUSTON

State:TX

ZIP:77242

Country:US

Info Phone Num:713-780-8169/1828

Emerg

ency Phone Num:713-780-1828/800-255-3924

Preparer's Name:J.D. BENNETT

CAGE:77513

=== Contractor Identification ===

Company Name:CREST INDUSTRIAL CHEMICALS INC

Address:6341 BEVERLY HILL

Box:42242

City:HOUSTON

State:TX

ZIP:77057-6500

Country:US

Phone:713-780-1828

CAGE:77513

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYLENE CHLORIDE (SARA 313) (CERCLA)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: >36.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:500 PPM

A

CGIH TLV:50 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:PHENOL (SARA 302/313) (CERCLA)
CAS:108-95-2
RTECS #:SJ3327000
Fraction by Wt: >16.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 PPM
ACGIH TLV:5 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM CHROMATE (SARA 313) (CERCLA)
CAS:7775-11-3
RTECS #:GB2955000
Fraction by Wt: >1.8%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1 PPM
ACGIH TLV:0.05 PPM
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:VOC = 1.7LB/G
L
RTECS #:9999999VO
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT EST.

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:EXCESSIVE AMOUNTS MAY COLLAPSE/DAMAGE
HEART. INHALATION IN CONTAINED/POORLY VENTILATED AREAS VAPORS CAN
CAUSE UNCONSCIOUSNESS/DEATH. LEVELS >1000PPM CAN CAUSE
DIZZINESS/DRUNKENNESS. 10000PPM CAN CA
USE UNCONSCIOUSNESS/DEATH.
THESE HIGH LEVELS MAY ALSO CAUSE CARDIAC ARRHYTHMIA. EXCESSIVE
EXPOS MAY IRRIT UPPER RESP TRACT.
Explanation of Carcinogenicity:CHROMIUM AND CERTAIN CHROMIUM COMPOUNDS
ARE CARCINOGENS. USE CAUTION WHEN MIXING W/OTHER CHEMICALS
(HEXAVALENT CHROME).
Effects of Overexposure:MAY CAUSE CNS EFFECTS. EXCESSIVE EXPOSURE MAY
CAUSE CARBOXYHEMOGLOBINEMIS, IMPAIRING BLOOD'S ABILITY TO TRANSPORT
OXYGEN. EARLY TO MODERATE CNS DEPRESSION EVIDENT BY
GIDDIN

ESS/HEADACHE/DIZZINESS/NAUSE A. EXTREME CASE
UNCONSCIOUS/DEATH. KIDNEY DAMAGE EVIDENT BY CHANGES IN URINE
OUTPUT. LIVER DAMAGE EVIDENT BY LOSS**

Medical Cond Aggravated by Exposure:PREEXISTING SKIN/EYE/RESP
DISORDERS. IMPAIRED KIDNEY/LIVER/HEART FUNCTIONS.

**APETITE/JAUNDIS/SOMETIMES UPPER ABDOM PAIN ON RIGHT SIDE. HEART
DAMAGE EVIDENT BY SHORTNESS BREATH.

=====
===== First Aid Measures =====

First Aid:EYES: IMMED FLUSH W/LG AMTS H2O >15 MIN.
GET MED AID IMMED.

VAPORS MAY IRRIT EYES.SKIN: IMMED FLUSH W/H2O 15 MIN REMOVE/WASH
CONTAM CLOTHES.DESTROY LEATHER GOODS.GET MED AID.INHAL: GET FRESH
AIR.GIVE OXYGEN IF TROUBLE BREATHING/ARTIF RESP IF NO BREATH.GET
IMMED MED AID.INGEST: DON'T INDUCE VOMITING.DON'T GIVE LIQ TO
DROWSY/CONVULSING/UNCONSCIOUS PERSON.GIVE LG AMTS H2O.IF VOMITING
GIVE MORE LIQ.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:NONE TO BO
IL

Autoignition Temp:Autoignition Temp Text:NA

Extinguishing Media:CARBON DIOXIDE, CHEMICAL, FOAM, WATER MIST.

Fire Fighting Procedures:THERMAL DEOMP PRODUCES TOXIC OXIDES
CHLORINE/CARBON.DON'T ENTER CONFINED SPACE W/O HELMET/FACE
SHIELD/BUNKER COAT/GLOVES/RUBBER BOOTS/POS PRESSURE NIOSH SCBA.*

Unusual Fire/Explosion Hazard:OXIDES CARBON/CHLORINE DANGEROUS.COOL
CNTNRS EXPOSED TO INTENSE HEAT/FLAME W/WATER TO PREVENT VAPOR
BUILD-UP RESULTING IN CNTNR RUPTURE/WEAKENING CNTNR.

=====
===== Accidental Release Measures =====

Spill Release Procedures:HIGHLY CORROSIVE.PREVENT BODY CONTACT.WEAR
APPROPRIATE RESPIRATOR/FULL PROTECT CLOTHES.CAREFULIAREA MAY BE
SLIPPERY.SHUR OFF LEAK SOURCE IF SAFE.DIKE/CONTAIN. REMOVE W/VACUUM
TRUCK OR PUMP TO STORAGE/ SALVAGE. SOAK UP RESIDUE
W/ABSORBENT.PLACE IN***

=====
===== Handling and Storage =====

Handling and Storage Precautions:DON'T STORE IN DIRECT SUNLIGHT. STORE

