

UNI-KEM INTERNATIONAL CORPORATION/MFR OXYCHEM -- VV-P-236A (PETROLATUM MEETING FEDERAL SPECIFICATION) -- 9150-00-250-0926

===== Product Identification =====

Product ID:VV-P-236A (PETROLATUM MEETING FEDERAL SPECIFICATION)

MSDS Date:09/05/1996

FSC:9150

NIIN:00-250-0926

MSDS Number: CCJRZ

=== Responsible Party ===

Company Name:UNI-KEM INTERNATIONAL CORPORATION/MFR OXYCHEM

Address:513 HICKORY AVENUE

City:NEW ORLEANS (FORMALLY HARAHAN)

State:LA

ZIP:70123

Country:US

Info Phone Num:504-738-1623/713-623-2246

Emergency Phone Num:504-738-1623/800-533-2246

Preparer's Name:J.M.INCHASTEGRI (?)

CAGE:4S446

=== Contractor Identification ===

Company Name:UNI-KEM INTERNATIONAL

Address:1001 HARIMAW COURT EAST

Box:City:METAIRIE

State:LA

ZIP:70001

Country:US

Phone:504-835-7600/FAX:504-835-7608

CAGE:4S446

===== Composition/Information on Ingredients =====

Ingred Name:PETROLATUM

CAS:8009-0

3-8

RTECS #:SE6780000

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:IRRITATION.

Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO B

E

CARCINOGENIC.

Effects of Overexposure:EYE:IRRITATION.

Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION OF MSDS.

=====  
First Aid Measures  
=====

First Aid:INGESTION:GIVE LARGE AMOUNTS OF MILK OR WATER. CONTACT PHYSICIAN. SKIN:WASH THOROUGHLY AFTER HANDLING. EYES:IMMEDIATELY FLUSH EYES W/PLENTY OF WATER. CONTACT PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC

Flash Point:199F,93

C MIN.

Autoignition Temp:Autoignition Temp Text:N/D

Extinguishing Media:FOAM, CARBON DIOXIDE OR DRY CHEMICAL.

Fire Fighting Procedures:RESPIRATORY PROTECTION WHEN FIGHTING FIRES WHERE EXPOSURE TO VAPORS OR GASES IS POSSIBLE.

Unusual Fire/Explosion Hazard:TOXIC GASES CAN BE EVOLVED IN FIRES OF THIS PRODUCT, AS W/ALL PETROLEUM DERIVATIVES.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:PICK UP EXCESS W/SHOVEL & PLACE IN SEPARATE CONTAINER

Neutralizing Agent:MFR GAVE NO INFORMATION OF MSDS.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE AWAY FROM HEAT, SPARKS, FIRE OR FLAMES. KEEP OUT OR REACH OF CHIL(DREN)

Other Precautions:NONE

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE

Ventilation:NONE

Protective Gloves:MFR GAVE NO INFORMATION OF MSDS.

Eye Protection:NONE

Other Protective Equipment:NONE REQUIRED

Work Hygien

ic Practices:MFR GAVE NO INFORMATION OF MSDS.  
Supplemental Safety and Health  
MSDS WAS DATED BY HAND & SIGNED BY THE "PREPARER". NAME WAS VERY  
DIFFICULT TO DECIPHER & MAY BE MISPELLED.

===== Physical/Chemical Properties =====

HCC:V4  
NRC/State Lic Num:NONE  
Solubility in Water:NIL  
Appearance and Odor:SEMI-SOLID, SOFT PETROLATUM, ALMOST NO ODOR  
Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/M  
aterials to Avoid:YES  
MFR GAVE NO INFORMATION OF MSDS.  
Stability Condition to Avoid:NONE  
Hazardous Decomposition Products:CARBON DIOXIDE, SMOKE, SOOT  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:MATERIAL SHOULD BE PLACED IN A CONTAINER &  
DISPOSED OF I/A/W FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated  
for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.