

FRANTZ COMPANY, INC. -- WAX BASE SWEEPING COMPOUND -- 7930-00-291-0410

=====
Product Identification
=====

Product ID:WAX BASE SWEEPING COMPOUND

MSDS Date:03/13/1995

FSC:7930

NIIN:00-291-0410

MSDS Number: CCJSW

=== Responsible Party ===

Company Name:FRANTZ COMPANY, INC.

Country:US

Info Phone Num:414-462-8700

Emergency Phone Num:414-462-8700

CAGE:2R642

=== Contractor Identification ===

Company Name

:FRANTZ COMPANY, INC

Box:City:BUTLER

State:WI

ZIP:53007-9998

Country:US

Phone:414-462-8700

CAGE:2R642

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDROTREATED HEAVY NAPHTHENIC DISTILLATE (OIL)

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5MG/M3 8HR

Ingred Name:WAX (PETROLEUM DEVRIVED HYDROCARBON).

Other REC Limits:NIOSH 2MG/M3 8HR

Ingred Name:SAWDUST

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5MG/M3 8HR TWA

=====
Hazards Identification
==

=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE INHAL:IRRIT TO RESP SYSTEM
(COUGH/SHORTNESS OF BREATH/WHEEZING/CHEST PAIN) PENETRATING ULCERS
MUCOUS MEMBRANE/NOSE PERFERATION OF CARTILAGINOUS NASAL SEPTUM.
PAINLESS PENETRATING ULCERS OF SKIN, SENSITIZATION, DERMATITIS IN
INDIVIDS W/CONTACT DERMATITIS. EYE: SWELLING, DISCOMFORT *
Effects of Overexposure:NK *(
SUBSTANCE WITHIN EYE). SKIN: MILD IRRIT &
SWELLING. INGEST: MILD DISCOMFORT, VOMITING.

===== First Aid Measures =====

First Aid:INHAL: GET FRESH AIR. IF NEEDED CALL DR. OBSERVE FOR 72 HRS
TO BE CERTAIN THERE IS NO DELAYED ONSET OF PULMONARY EDEMA. MONITOR
FOR LEAD ABSORPTION/ACUTE LEAD COLIC/ANEMIA. EYE: FLUSH W/WATER
CALL DR. SKIN: WASH W/SOAP & WATER, IF NECESSARY CALL
DERMATOLOGIST. INGEST:INDUCE VOMITING. CONSULT DR IMMED.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:345F,174C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:WATER FOAM, CO2.
Fire Fighting Procedures:NIOSH/MSHA SCBA SHOULD BE PROVIDED FOR
CONFINED AREAS. DO NOT ENTER ENCLOSED FIRE SPACE W/O PROPER
PROTECTIVE EQUIPMENT.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP INTO PROPER RECEPTICLE. AVOID AIRBORNE
DUST. WEAR PERSONAL PROT
EQPT.

===== Handling and Storage =====

Handling and Storage Precautions:STORE MATL IN DRY AREA W/CONTNRS
TIGHTLY CLOSED. AVOID PHYSICAL DAMAGE TO CONTNRS, AVOID CREATING
AIRBORNE DUST.
Other Precautions:ALWAYS CHANGE CLOTHES, WASH HANDS/FACE AFTER HANDLING
MATL, AVOID CREATING AIRORNE DUST. DO NOT STORE PROD W/FOOD/TOBACCO
PRODUCTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED DUS

T RESPIRATOR.

Protective Gloves:CHEM. RESISTANT SUGGESTED.

Eye Protection:SAFETY GLASSES REQUIRED.

Other Protective Equipment:PROTECTIVE COVERALL OPTIONAL.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:1551F,844C

Spec Gravity:1.5

Solubility in Water:NA

Appearance and Odor:SAWDUST-WAX-OIL MIXTURE, SLIGHT OIL & LEMON ODOR.

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS, ALKALIES & OXIDIZERS.

Hazardous Decomposition Products:BURNING/EXCESSIVE HEAT MAY PRODUCE CO
& OTHER HARMFUL SUBSTANCES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE W/LOCAL, STATE, & FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of De

fense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.