View NSN Online: https://aerobasegroup.de/nsn/9150-00-448-5009

A T & T NETWORK SYSTEMS -- KS-7470 OIL L1, PRODUCT CODE 400289211 -- 9150-00-448-5009

Product ID:KS-7470 OIL L1, PRODUCT CODE 400289211 MSDS Date:03/18/1991 FSC:9150 NIIN:00-448-5009 **MSDS Number: CCJTN** === Responsible Party === Company Name: A T & T NETWORK SYSTEMS Address:1 OAK WAY City:BERKLEY HEIGHTS State:NJ ZIP:07922 Country:US Info Phone Num:908-204-8243 Eme rgency Phone Num:908-204-8243 OR 800-424-9300 CAGE:0PWA9 === Contractor Identification === Company Name: AT AND T NETWORK SYSTEMS Address:1 OAK WAY Box:City:BERKLEY HEIGHTS State:NJ ZIP:07922 Country:US CAGE:0PWA9 

Ingred Name:NO. 2 DIESEL FUEL (CALLED "PETROLEUM BASED OIL" ON MSDS) CAS:68334-30-5 RTECS #:HZ1800000 Other REC Limits:NONE RECOMMENDED

LD50 LC50

Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT MAY NOT HAVE BEEN FULLY INVESTIGATED. PROLONGED &/OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION & DERMATITIS. EYE CONTACT MAY CAUSE IRRITATION. INHALATION OF CONCENTRATED MISTS OR VAPORS MAY CAUSE INTOXICATION, HEADACHE, NAUSEA & POSSIBLE COMA. Exp

Ianation of Carcinogenicity:MFR GAVE THE ABOVE LISTINGS ON THE MSDS BUT NO OTHER COMMENTS ABOUT CARCINOGENICITY WERE RECORDED.
Effects of Overexposure:PROLONGED &/OR REPEATED SKIN CONTACT:IRRITATION & DERMATITIS. EYE CONTACT:IRRITATION. INHALATION OF CONCENTRATED MISTS OR VAPORS:INTOXICATION, HEADACHE, NAUSEA & POSSIBLE COMA.
Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION OF MSDS.

First Aid:IF ANY IRR

ITATION PERSISTS OR SEVERE, GET MEDICAL ATTENTION. EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. INHALED:REMOVE FROM CONTAMINAT ED AREA. AID OR RESTORE BREATHING AS NEEDED. INGESTED:IF CONSCIOUS, GIVE LARGE AMOUNTS OF WATER & INDUCE VOMITING. NOTHING BY MOUTH IF UNCONSCIOUS.

Flash Point:>400F,>204C Autoignition Temp:Autoignition Temp Text:N.D. Lower Limits:1 Upper Limits:6 Extinguishing Media:CARBON DIOXIDE, DRY CHEMCIAL, FOAM Fire Fighting Procedures:DO NOT USE WATER STREAM AS IT WILL SPREAD BURNING MATERIAL. USE SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: ABSORB SPILLS W/INERT MATERIAL & PLACE IN APPROPRIATE SEALED CONTAINER FOR DISPOSAL. Neutralizing Agent: MFR GAVE NO INFORMATION OF MSDS.

\_\_\_\_\_

Handling and Storage Precautions: KEEP CONTAINERS CLOSED WHEN NOT IN USE. NO SMOKENG IN AREAS OF STORAGE& USE. STORE AWAY FROM HEAT & SOURECES OF IGNITION. Other Precautions: MFR GAVE NO INFORMATION OF MSDS.

Respiratory Protection:RESPIRATORS ARE NOT REQUIRED UNDER NORMAL CONDITIONS OF USE. USE APPROPRIATE RESPIRATOR IF TLV FOR MINERAL OIL IS EXCEEDED. Ventil ation:MECHANICAL (GENERAL) VENTILATION SHOULD BE ADEQUATE. Protective Gloves:NEOPRENE, NITRILE, POLYVINYL ALCOHOL Eye Protection:SAFETY GLASSES W/SIDE SHIELDS Other Protective Equipment:MFR GAVE NO INFORMATION OF MSDS. Work Hygienic Practices:USE GOOD HYGIENIC PRACTICES. Supplemental Safety and Health MSDS RECEIVED FROM THE NAVY (FOCAL POINT N). NSN IDENTIFIED BY FOCAL POINT N.

HCC:V6 NRC/State Lic Num:NONE Boiling Pt:B.P . Text:>400F,>204C Vapor Pres:0.001 MM Spec Gravity:0.88 pH:N.D. Evaporation Rate & amp; Reference:0.001 (N-BUAC = 1) Solubility in Water:INSOLUBLE Appearance and Odor:CLEAR ODORLESS LIQUID. Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:AVOID FIRE, SPARKS, OTHER SOURCES OF IGNITION, HIGHLY OXIDATIVE CONDITIONS Hazardous Decomposition Products:CA

## RBON MONOXIDE, CARBON DIOXIDE Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:DISPOSE OF I/A/W FEDERAL, STATE & LOCAL RULES & REGULATIONS. INCINERATION AT A PERMITTED, APPROVED SITE MAY BE APPROPRIATE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no ma nner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.