

DEXTER AEROSPACE MATERIAL DIVI -- HYSOL EA 9309.3NA (AS9186009) PART A

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 01-382-5841
MSDS Date: 06/01/1995
MSDS Num: CCKPX
Product ID: HYSOL EA 9309.3NA (AS9186009) PART A
MFN: 03
Kit Part: Y
Responsible Party
Cage: 33564
Name: DEXTER AEROSPACE MATERIAL DIVISION
Address: 285
0 WILLOW PASS ROAD
Box: 312
City: PITTSBURG CA 94565-0031
Info Phone Number: 510-458-8000
Emergency Phone Number: 800-424-9300(CHEMTREC)
Proprietary Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 33564
Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS
Address: 2850 WILLOW PASS ROAD
Box: 312
City: BAY POINT CA 94565-3299
Phone: 202-483-7616
Cage: 3D523
Name: WATKINS AND ASSOCIATES
INC
Address: 5395 WEBB PKY
City: LILBURN GA 30047
Phone: 770-279-9200

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: KT
UI Container Qty: 0

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

=====
Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: BRIEF CONTACT MAY IRRIT SKIN OR CAUSE A RASH. REPEATED OR PROLONGED SKIN CONTACT MAY RESULT IN ALLERGIC SENSITIZATION.

Signs And Symptoms Of Overexposure: SKIN RASH, IRRITATION.

Medical Cond Aggravated By Exposure: SKIN SENSITIZATION.

First Aid: EYE:FLUSH W/WAT

ER FOR 15MINS. IF IRRIT PERSISTS GET MED ATTN.

SKIN:WASH THOROUGHLY W/SOAP & WATER. IF IRRIT PERSISTS GET MED ATTN.

INHAL:REMOVE VICTIM TO FRESH AIR. IF SYMPTOMS PERSIST GET MED ATTN. I

NGEST:DRINK PLENTY OF WATER. GET MED ATTN IMMED.

=====
Handling and Disposal
=====

Spill Release Procedures: WEAR PROTECTIVE CLOTHING, GLOVES & SAFETY GLASSES. SCRAPE UP OR SHOVEL INTO DOT APPROVED WASTE CONTAINERS.

Waste Disposal Methods: NOT RCRA HAZ WASTE. DISPOSAL TO EPA APPROVED WASTE INCINERATOR IS PREFERRED.CHEM ADDITIONS/PROCESSING/OTHERWISE ALTERING MATL MAY MAKE WASTE MANAGEMENT INFO HEREIN INCOMPLETE/INACCURATE/INAPPROPRIATE. CONSULT STATE/LOC REGULATIONS.

Handling And Storage Precautions: REFRIGERATED STORAGE IS RECOMMENDED TO MAINTAIN PRODUCT QUALITY. THIS PRODUCT MAY BE STORED @ ROOM TEMP (77F) FOR UP TO 12 MONTHS.

Other Precautions: FOLLOW CURING SCHEDULE AS RECOMMENDED IN PRODUCT

LITERATURE.DON'T CUT/GRIND/WELD/DRILL ON/NEAR CONTAINER.

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: NOT EST

Autoignition Temp Text: NE

Lower Limits: NOT EST.

Upper Limits: NOT EST.

Extinguishing Media: DRY CHEMICAL, OR HALON FIRE EXTINGUISHER, OR WATER SPRAY, FOAM OR FOG.

Fire Fighting Procedures: WEAR SCBA & FULL PROTECTIVE CLOTHING, SUCH AS TU

RN-OUT GEAR. CARTRIDGE RESP DO NOT PROVIDE ADEQUATE PROTECTION FOR FIREFIGHTERS OR EXOTHERM MITIGATION.

Unusual Fire/Explosion Hazard: MAY LIBERATE LARGE QUANTITIES OF DENSE FOUL-SMELLING SMOKE WHICH MAY CONTAIN UNIDENTIFIED TOXIC GASES.

=====
Control Measures
=====

Respiratory Protection: IF LOCAL EXHAUST VENTILATION ADEQUATE UNNECESSARY.

Ventilation: LOCAL EXHAUST VENTILATION AT THE POINT OF USE.

Protective Gloves: BUTYL RUBBER, PVC, NITRILE RUBBER GLOVES

Eye Protection: SAFETY GLASSES W/SIDE SHIELD;CHEM GOGGLE

Other Protective Equipment: AN EYEWASH AND SAFETY SHOWER SHOULD BE NEARBY AND READY FOR USE.

Supplemental Safety and Health: NK *FAILURE TO OBSERVE PRECAUTIONS IN MIXING/HEATING MAY RESULT IN EXCESSIVE HEAT BUILD-UP CAUSING AN EXOTHERM. THE EXOTHERM HAS POTENTIAL FOR RELEASE OF TOXIC GASES.

=====
Physical/Chemical Properties
=====

B.P. Text: NOT EST.

Decomp Text: NOT EST.

Vapor Pres: NIL

Vapor Density: >1

Spec Gravity: NOT EST.

PH: NE

VOC Grams/Liter: 10

Viscosity: 1800-3800 BRK

Solubility in Water: NEGLIGIBLE.

Appearance and Odor: VISCOUS PINK PASTE, SLIGHT ODOR

Corrosion Rate: NA

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To

Avoid: AVOID MIXING PARTS A & B IN BATCHES >1.0 LB

UNLESS IMMEDIATELY USING. AVOID HEATING MIXTURE >75F UNLESS CURING SURFACES.*

Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS.

Hazardous Decomposition Products: CO, NOX, ALDEHYDES, ACIDS & UNDETERMINED ORGANICS.

Hazardous Polymerization Indicator: YES

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Other Information: VOC = <10 G/L (ESTIMATE)
=====

=====
Transportation Information
=====

Responsible Party Cage: 33564
Trans ID NO: 132173
Product ID: HYSOL EA 9309.3NA (AS9186009) PART A
MSDS Prepared Date: 06/01/1995
Review Date: 09/30/1996
MFN: 3
Multiple KIT Number: 0
Kit Part IND: Y
Review IND: Y
Unit Of Issue: KT
Container QTY: 0
Additional Data: REGULATED DUE TO PART B.
=====

=====
Detail DOT Information
=====

DOT PSN Code: AJH
Symbols: G
DOT Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. OR POLYAMINES,
LIQUID, CORROSIVE, N.O.S.
Hazard Class: 8
UN ID Num: UN2735
DOT Packaging Group: II
Label: CORROSIVE
Special Provision: B2,T8
Non Bulk Pack: 202
Bulk Pack: 242
Max Qty Pass: 1 L
Max Qty Cargo: 30 L
Vessel Stow Req: A
=====

=====

Detail IMO Information

=====

IMO PSN Code: AQA
IMO Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. o
IMDG Page Number: 8109-2
UN Number: 2735
UN Hazard Class: 8
IMO Packaging Group: I/II/III
Subsidiary Risk Label: -
EMS Number: 8-05
MED First Aid Guide NUM: 320

=====

Detail IATA Information

=====

IATA PSN Code: AWR
IATA UN ID Num:
2735
IATA Proper Shipping Name: ALKYLAMINES, N.O.S. (POLYALKYLAMINES, N.O.S.)
IATA PSN Modifier: * CORROSIVE
IATA UN Class: 8
Subsidiary Risk Class: -
IATA Label: CORROSIVE
UN Packing Group: II
Packing Note Passenger: 808
Max Quant Pass: 1L
Max Quant Cargo: 30L
Packaging Note Cargo: 812

=====

Detail AFI Information

=====

AFI PSN Code: AWR
AFI Proper Shipping Name: ALKYLAMINES, N.O.S., OR POLYALK
YLAMINES, N.O.S.
AFI PSN Modifier: ,CORROSIVE
AFI Hazard Class: 8
AFI UN ID NUM: UN2735
AFI Packing Group: II
AFI Label: CORROSIVE
Special Provisions: N34
Back Pack Reference: A12.3

=====

HAZCOM Label

=====

Product ID: HYSOL EA 9309.3NA (AS9186009) PART A
Cage: 33564
Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS
Street: 2850 WILLOW PASS ROAD
PO Box: 312
City: BAY POINT CA
Zipcod

e: 94565-3299

Health Emergency Phone: 800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 10/12/1999

Status Code: A

Origination Code: G

Hazard And Precautions: BRIEF CONTACT MAY IRRIT SKIN OR CAUSE A RASH. REPEATED OR PROLONGED SKIN CONTACT MAY RESULT IN ALLERGIC SENSITIZATION.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.