

RADIATOR SPECIALTY COMPANY -- S-C SUPER CONCENTRATE DEGREASER, PN:SC-(ALL SIZES)  
-- 7930-00-992-7411

===== Product Identification =====

Product ID:S-C SUPER CONCENTRATE DEGREASER, PN:SC-(ALL SIZES)

MSDS Date:11/01/1994

FSC:7930

NIIN:00-992-7411

MSDS Number: CCLVG

=== Responsible Party ===

Company Name:RADIATOR SPECIALTY COMPANY

Address:1400 W. INDEPENDENCE BLVD.

City:CHARLOTTE

State:NC

ZIP:28208

C

Country:US

Info Phone Num:704-377-6555

Emergency Phone Num:704-377-6555

Preparer's Name:K. PHILLIPS-CHEMIST

CAGE:77628

=== Contractor Identification ===

Company Name:RADIATOR SPECIALTY CO

Address:600 RADIATOR RD

Box:159

City:INDIAN TRAIL

State:NC

ZIP:28079-0159

Country:US

Phone:704-377-6555

CAGE:26965

Company Name:RADIATOR SPECIALTY COMPANY

Address:1900 WILKINSON BLVD.

Box:34689

City:CHARLOTTE

State:NC

ZIP:28208

Country:US

Phone:704-377-6555/303-623-5716

CAGE:77628

===== Composition/Inf

ormation on Ingredients =====

Ingred Name:ALIPHATIC PETROLEUM DISTILLATE  
CAS:68476-34-6  
Fraction by Wt: 54-56%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ALIPHATIC PETROLEUM OIL  
CAS:64742-06-9  
Fraction by Wt: 29-30%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:2-BUTOXYETHANOL  
CAS:111-76-2  
RTECS #:KJ8575000  
Fraction by Wt: 2-3%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:S, 50 PPM  
ACGIH TLV:S, 25 PPM; 9596

Ingred Name:PETROSUL 2729; (SODIUM PETROLEUM SULFONATE)  
CAS:68608-26-4  
RTEC  
S #:WR7150000  
Fraction by Wt: 5-10%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:NONYLPHENOL POLYETHOXATE  
CAS:9016-45-9  
RTECS #:MD0900000  
Fraction by Wt: 5-10%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:TLV:100PPM(AIR)ALIPHATIC PETRO DISTILLAT  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE:MODERATE IRRIT. SKIN:IRRIT.  
PROL  
EXPO MAY CAUSE DERM & DEFATTING. INHAL:LUNG IRRIT ON PROL EXPO.  
INGEST:HARMFUL OR FATAL IF SWALLOWED. NAUSEA,VOMITING & LUNG DAMAGE  
IF ASPIRATED.  
Effects of Overexposure:MODERATE EYE IRRIT, SKIN IRRIT, DERMATITIS,  
DEFATTING. LUNG IRRIT. INGEST HARMFUL OR FATAL. NAUSEA, VOMITING,  
LUNG DAMAGE IF ASPIRATED.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYE:FLUSH W/WAER FOR

@LEASAT 15MINS THOROUGHLY WHILE LIFTING  
EYELIDS.CONSULT PHYSICIAN IF ADVERSE EFFECTS PERSIST. SKIN:WASH  
W/SOAP/WATER THOROUGHLY.REMOVE CONTAMIN CLOTH. INHAL:MOVE TO FRESH  
AIR IMME D.IF ADVERSE EFFECTS PERSIST CONSULT PHYSICIAN. INGEST:DO  
NOT INDUCE VOMIT.DO NTO ADMINISTER ADRENALIN OR EPINEPHRINE.GET MED  
HELP IMMED.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:159F,71C  
Autoignition Temp:Autoignition Temp Text:NP  
Lo  
wer Limits:NP  
Upper Limits:NP  
Extinguishing Media:FOAM, CO2, DRY CHEMICAL. CAUTION! COMBUSTIBLE!!  
Fire Fighting Procedures:WEAR SELF-CONTAINED, POSITIVE PRESSURE  
BREATHING APPARATUS & PROTECTIVE CLOTHING.  
Unusual Fire/Explosion Hazard:NONE KNOWN. CAUTION! COMBUSTIBLE!!

===== Accidental Release Measures =====

Spill Release Procedures:OBSERVING HEALTH HAZARDS DESCRIBED IN MSDS  
VENTILATE AREA,REMOVE IGN SOURCES. CONFINE SPILL. WIPE UP W/RAGS &  
TRANSFER TO W  
ASTE DRUM.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL PLACE BELOW 120F AWAY  
FROM IGNITION SOURCES & OXIDZING AGENTS.  
Other Precautions:WEARING CONTACT LENSES IS INADVISABLE. KEEP AWAY FROM  
CHILDREN AND ANIMALS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:CONSUMER:NA. BULK HNDLG:IF TLV IS EXCEEDED WEAR  
NIOSH APPOR  
VED RESP.  
Ventilation:CONSUMER:USE W/ADEQUATE VENTILATION. BULK HNDLG:GENERAL.  
Protective Gloves:BULK HNDLG:NEOPRENE GLOVES.  
Eye Protection:CONSUMER:NA. BULK HNDLG:GOGGLES.  
Other Protective Equipment:CONSUMER:NA. BULK HNDLG:NEOPRENE  
GLOVES,APRON.  
Work Hygienic Practices:LAUNDER CONTAMIN CLOTHING BEFORE REUSE.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V4  
Boiling Pt:B.P. Text:>300F,>149C  
Melt/Freeze Pt:M.P/F.P Text:N/DETERMINE  
Dec

omp Temp:Decomp Text:NP  
Vapor Pres:N/DETERMIN  
Vapor Density:N/DETERMIN  
Spec Gravity:0.83-0.86  
pH:9-10  
Viscosity:NP  
Evaporation Rate & Reference:N/DETERMINED.  
Solubility in Water:EMULSIFIES  
Appearance and Odor:DARK AMBER LIQUID WITH PETROLEUM ODOR.  
Percent Volatiles by Volume:>80  
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:FIRE:NORMAL PRODUCTS OF COMBUSTION;  
CARBON DIOXIDE, CARBON MONOXIDE & ACRID SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH APPLICABLE  
GOVERNMENT LAWS & REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.