

RADIATOR SPECIALTY COMPANY -- S-C SUPER CONCENTRATE DEGREASER, PN:SC-(ALL SIZES)
-- 7930-00-992-7411

===== Product Identification =====

Product ID:S-C SUPER CONCENTRATE DEGREASER, PN:SC-(ALL SIZES)

MSDS Date:11/01/1994

FSC:7930

NIIN:00-992-7411

MSDS Number: CCLVG

=== Responsible Party ===

Company Name:RADIATOR SPECIALTY COMPANY

Address:1400 W. INDEPENDENCE BLVD.

City:CHARLOTTE

State:NC

ZIP:28208

C

Country:US

Info Phone Num:704-377-6555

Emergency Phone Num:704-377-6555

Preparer's Name:K. PHILLIPS-CHEMIST

CAGE:77628

=== Contractor Identification ===

Company Name:RADIATOR SPECIALTY CO

Address:600 RADIATOR RD

Box:159

City:INDIAN TRAIL

State:NC

ZIP:28079-0159

Country:US

Phone:704-377-6555

CAGE:26965

Company Name:RADIATOR SPECIALTY COMPANY

Address:1900 WILKINSON BLVD.

Box:34689

City:CHARLOTTE

State:NC

ZIP:28208

Country:US

Phone:704-377-6555/303-623-5716

CAGE:77628

===== Composition/Inf

ormation on Ingredients =====

Ingred Name:ALIPHATIC PETROLEUM DISTILLATE
CAS:68476-34-6
Fraction by Wt: 54-56%
Other REC Limits:NONE RECOMMENDED

Ingred Name:ALIPHATIC PETROLEUM OIL
CAS:64742-06-9
Fraction by Wt: 29-30%
Other REC Limits:NONE RECOMMENDED

Ingred Name:2-BUTOXYETHANOL
CAS:111-76-2
RTECS #:KJ8575000
Fraction by Wt: 2-3%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9596

Ingred Name:PETROSUL 2729; (SODIUM PETROLEUM SULFONATE)
CAS:68608-26-4
RTEC
S #:WR7150000
Fraction by Wt: 5-10%
Other REC Limits:NONE RECOMMENDED

Ingred Name:NONYLPHENOL POLYETHOXATE
CAS:9016-45-9
RTECS #:MD0900000
Fraction by Wt: 5-10%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:TLV:100PPM(AIR)ALIPHATIC PETRO DISTILLAT
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE:MODERATE IRRIT. SKIN:IRRIT.
PROL
EXPO MAY CAUSE DERM & DEFATTING. INHAL:LUNG IRRIT ON PROL EXPO.
INGEST:HARMFUL OR FATAL IF SWALLOWED. NAUSEA,VOMITING & LUNG DAMAGE
IF ASPIRATED.
Effects of Overexposure:MODERATE EYE IRRIT, SKIN IRRIT, DERMATITIS,
DEFATTING. LUNG IRRIT. INGEST HARMFUL OR FATAL. NAUSEA, VOMITING,
LUNG DAMAGE IF ASPIRATED.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYE:FLUSH W/WAER FOR

@LEASAT 15MINS THOROUGHLY WHILE LIFTING EYELIDS. CONSULT PHYSICIAN IF ADVERSE EFFECTS PERSIST. SKIN: WASH W/ SOAP/WATER THOROUGHLY. REMOVE CONTAMIN CLOTH. INHAL: MOVE TO FRESH AIR IMMEDIATELY. IF ADVERSE EFFECTS PERSIST CONSULT PHYSICIAN. INGEST: DO NOT INDUCE VOMIT. DO NOT ADMINISTER ADRENALIN OR EPINEPHRINE. GET MEDICAL HELP IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point Method: TCC
Flash Point: 159F, 71C
Autoignition Temp: Autoignition Temp Text: NP
Lower Limits: NP
Upper Limits: NP
Extinguishing Media: FOAM, CO2, DRY CHEMICAL. CAUTION! COMBUSTIBLE!!
Fire Fighting Procedures: WEAR SELF-CONTAINED, POSITIVE PRESSURE BREATHING APPARATUS & PROTECTIVE CLOTHING.
Unusual Fire/Explosion Hazard: NONE KNOWN. CAUTION! COMBUSTIBLE!!

=====
===== Accidental Release Measures =====

Spill Release Procedures: OBSERVING HEALTH HAZARDS DESCRIBED IN MSDS VENTILATE AREA, REMOVE IGN SOURCES. CONFINE SPILL. WIPE UP W/ RAGS & TRANSFER TO WASTE DRUM.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions: STORE IN COOL PLACE BELOW 120F AWAY FROM IGNITION SOURCES & OXIDIZING AGENTS.
Other Precautions: WEARING CONTACT LENSES IS INADVISABLE. KEEP AWAY FROM CHILDREN AND ANIMALS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection: CONSUMER: NA. BULK HANDLING: IF TLV IS EXCEEDED WEAR NIOSH APPROVED RESP.
Ventilation: CONSUMER: USE W/ ADEQUATE VENTILATION. BULK HANDLING: GENERAL.
Protective Gloves: BULK HANDLING: NEOPRENE GLOVES.
Eye Protection: CONSUMER: NA. BULK HANDLING: GOGGLES.
Other Protective Equipment: CONSUMER: NA. BULK HANDLING: NEOPRENE GLOVES, APRON.
Work Hygienic Practices: LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC: V4
Boiling Pt: B.P. Text: >300F, >149C
Melt/Freeze Pt: M.P/F.P Text: N/DETERMINE
Dec

omp Temp:Decomp Text:NP
Vapor Pres:N/DETERMIN
Vapor Density:N/DETERMIN
Spec Gravity:0.83-0.86
pH:9-10
Viscosity:NP
Evaporation Rate & Reference:N/DETERMINED.
Solubility in Water:EMULSIFIES
Appearance and Odor:DARK AMBER LIQUID WITH PETROLEUM ODOR.
Percent Volatiles by Volume:>80
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:FIRE:NORMAL PRODUCTS OF COMBUSTION;
CARBON DIOXIDE, CARBON MONOXIDE & ACRID SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH APPLICABLE
GOVERNMENT LAWS & REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.