

PARKWAY GROUP THE, SUB OF GREAT AMERICAN IND. INC. -- T80K/NV -- 4220-01-039-1962

===== Product Identification =====

Product ID:T80K/NV

MSDS Date:01/01/1987

FSC:4220

NIIN:01-039-1962

MSDS Number: CCLVX

=== Responsible Party ===

Company Name:PARKWAY GROUP THE, SUB OF GREAT AMERICAN IND. INC.

Address:300 G CAMPUS DR. W

City:MORGANVILLESOUTH AMBOY

State:NJ

ZIP:07751

Country:US

Info Phone Num:OUT-OF-B

USINESS

Emergency Phone Num:OUT-OF-BUSINESS

Preparer's Name:DGSC-VBA

CAGE:MO690

=== Contractor Identification ===

Company Name:PARKWAY FABRICATORS INC

Address:241 RARITAN STREET

Box:City:SOUTH AMBOY

State:NJ

ZIP:08879-1324

Country:US

Phone:201-721-5300

CAGE:22209

Company Name:PARKWAY GROUP THE, SUB OF GREAT AMERICAN IND. INC.

Address:300 G CAMPUS DR. W

Box:City:MORGANVILLESOUTH AMBOY

State:NJ

ZIP:07751

Country:US

Phone:OUT-OF-BUSINESS

CAGE:MO690

===== Composition/Information on Ingredi

ents =====

Ingred Name: AIR, COMPRESSED
CAS: 25635-88-5
Fraction by Wt: 100%
Other REC Limits: NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture: LD50 (ORAL RAT) IS NOT APPLICABLE.
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: PHYSICAL INJURY DUE TO
RUPTURE/EXPLOSION OF CONTAINER.
Explanation of Carcinogenicity: NONE
Effects of Overexposure: NONE
Medical Cond Aggravated by Exposure: NONE

=====

===== First Aid Measures =====

First Aid: GET IMMEDIATE MEDICAL CARE FOR THOSE INJURED BY EXPLODING
CYLINDERS OR IF AIR IS SUSPECTED TO HAVE BEEN INJECTED INTO THE
BLOOD STREAM.

===== Fire Fighting Measures =====

Flash Point: NON-FLAMMABLE
Extinguishing Media: PRODUCT IS NON FLAMMABLE. EXTINGUISH FIRE WITH
MEDIA APPROPRIATE FOR SOURCE OF FIRE.
Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED
CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard: CONTAINS AIR UNDER PRESSURE. CONTAINERS
EXPOSED TO HEAT MAY RUPTURE OR EXPLODE.

===== Accidental Release Measures =====

Spill Release Procedures: NONE
Neutralizing Agent: NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions: PROTECT CYLINDERS FROM PHYSICAL
DAMAGE. STORE

AWAY FROM EXTREME HEAT (BELOW 125F). KEEP CYLINDER
VALVES CLOSED WHEN NOT IN USE AND WHEN EMPTY.

Other Precautions:DO NOT DEFACE CYLINDERS OR LABELS. USE ALL
RECOMMENDED SAFETY PROCEDURES WHEN HANDLING CYLINDERS. READ AND
OBEY ALL INSTRUCTIONS ON LABEL.

===== Exposure Controls/Personal Protection =====

Protective Gloves:WORK GLOVES FOR HANDLING CYLINDERS.

Eye Protection:APPROVED SAFETY GLASSES OR FACE SHIELD.

Other Protective Equipment:SAFETY SHOES AND HEARING PRO
TECTION.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES. USE PROPER CARE WHEN HANDLING AND STORING
CYLINDERS.

Supplemental Safety and Health

THIS IS BREATHING AIR. THIS MSDS HAS BEEN GENERATED FOR A TECHNICAL
SUPPORT REQUEST. THE INFORMATION IN THE MSDS IS DEVELOPED BASED ON
BEST AVAILABLE INFORMATION.

===== Physical/Chemical Properties =====

HCC:G3

Solubility in Water:1.87%

Appearance and Odor:COLORLESS, O
DORLESS GAS.

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NOT RELAVENT

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:RELEASE PRESSURE SAFELY BEFORE DISPOSAL OF
CYLINDER. DISPOSEM I/A/W FEDERAL,STATE,LOCAL REGULATIONS.

Disclaimer (provided with this informat

ion by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.