View NSN Online: https://aerobasegroup.com/nsn/6850-00-592-3283

Product ID:SAFECARE OPTICAL LENSE CLEANER

MSDS Date:01/31/1994

FSC:6850

NIIN:00-592-3283

MSDS Number: CCMHY === Responsible Party === Company Name:GEMTEK

Address:1118 E. MISSOURI AVE. SUITE B-2

City:PHOENIX

State:AZ ZIP:85014 Country:US

Info Phone Num:602-265-8586

CAGE:LO642

=== Contractor Identificati

on ===

Company Name: GEMTEK

Address:1118 E. MISSOURI AVE. SUITE B-2

Box:City:PHOENIX

State:AZ ZIP:85014 Country:US

Phone:602-265-8586

CAGE:LO642

Company Name: SALECO MFG INC

Address:4747 N 12TH ST

Box:City:PHOENIX

State:AZ ZIP:85014 Country:US

Phone:602-265-8586\ FAX: 602-265-7241

CAGE:0WEM8

======= Composition/Information on Ingredients ========

Ingred Name: NON-HAZARDOUS INGREDIENTS Other REC Limits: NONE RECOMMENDED

OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

================

= Hazards identification =============
LD50 LC50 Mixture:440 PPM @ 25C OSHA, 400 PPM TLV INHAL Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: POISONING. SKIN: NO EVIDENCE OF ADVERSE EFFECTS FROM AVAILABLE INFORMATION. SLIGHTLY IRRITATING. CHRONIC: NO EVIDENCE OF ADVERSE EFFECTS FROM AVAILABLE INFORMATION.
======================================
First Aid:INGEST: INDUCE VOMITING. DRINK PLENTY OF WATER, SEE DR. SKIN: RINSE W/WATER. INHAL: GET FRESH AIR. EYES: FLUSH W/WATER. DR'S. NOTE: NO SPECIFIC ANTEDOTE. TREATMENT OF OVEREXPOSURE SHOULD BE DIRECTED A T THE CONTROL OF SYMPTOMS & THE CLINICAL CONDITION.
======================================
Flash Point:NONE Lower Limits:NA Upper Limits:NA Extinguishing Media:NA Fire Fighting Procedures:NA Unusual Fire/Explosion Hazard:NA
Accidental Release Measures ====================================
Spill Release Procedures:EVACUATE AREA AS FLOOR MAY BE SLIPPERY. USE CARE TO PREVENT FALLING. FLUSH AREA W/WATER INTO SEWER SYSTEM.
======================================
Handling and Storage Precautions:LOW TEMP STORAGE CAN CAUSE HANDLING PROBLEMS. VISCOSITY OF MATERIAL WILL INCREASE. Other Precautions:NONE
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NONE REQ

UIRED. Ventilation:GENERAL (MECHANICAL) ROOM VENTILATION IS SATISFACTORY Protective Gloves:RUBBER GLOVES SUGGESTED. Eye Protection:SAFETY GLASSES RECOMMENDED. Other Protective Equipment:NONE REQUIRED. Supplemental Safety and Health NK
========= Physical/Chemical Properties ==========
Boiling Pt:B.P. Text:194F,90C Melt/Freeze Pt:M.P/F.P Text:-20F,-29C Vapor Pres:17 @ 20C Spec Gravity:.992 pH:7.8 Evaporation Rate & mp; Reference:0.6 (BUAC) Solubility in Water:COMPLETE
Appeara nce and Odor:SLIGHTLY VISCOUS, BLUE COLOR PLEASANT ODOR.
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE
======= Disposal Considerations ==========
Waste Disposal Methods: IN ACCORDANCE W/LOCAL/STATE/FEDERAL LAWS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by el ements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.