

VALVOLINE OIL CO SUBSIDIARY OF ASHLAND OIL INC. -- NAPA MV MOTOR OIL SAE 10W40 --
9150-00-116-0506

===== Product Identification =====

Product ID:NAPA MV MOTOR OIL SAE 10W40

MSDS Date:05/20/1993

FSC:9150

NIIN:00-116-0506

MSDS Number: CCMNR

=== Responsible Party ===

Company Name:VALVOLINE OIL CO SUBSIDIARY OF ASHLAND OIL INC.

Address:200 E MAIN ST

Box:14000

City:LEXINGTON

State:KY

ZIP:40512

Country

:US

Info Phone Num:606-264-7000/7616;FAX 601-429-0537

Emergency Phone Num:800-ASHLAND/800-274-5263

CAGE:72527

=== Contractor Identification ===

Company Name:BALKAMP INC

Address:2601 S HOLT ROAD

Box:City:INDIANAPOLIS

State:IN

ZIP:46241

Country:US

Phone:317-244-7241

CAGE:70842

Company Name:NAPA, A DIVISION OF LINCOLN AUTOMOTIVE

Address:ONE LINCOLN WAY

Box:City:ST. LOUIS

State:MO

ZIP:63120-1578

Country:US

Phone:414-255-5520

CAGE:050Q3

Company Name:VALVOLINE OIL CO

Address:3499 BLAZER PKY

Box:14000

City:LEXINGTON
State:KY
ZIP:40512
Country:US
Phone:606-357-7206 / 800-274-5263
CAGE:72527

=====
Composition/Information on Ingredients
=====

Ingred Name:DETERGENT & DISPERSANT ENGINE OIL PACKAGE, CONTAINS INGRED
#2.

Fraction by Wt: 10-15%
Other REC Limits:NONE RECOMMENDED

Ingred Name:ZINC COMPOUND
Fraction by Wt: 10%
Other REC Limits:NONE RECOMMENDED

Ingred Name:LUBE OIL ADDITIVE
Fraction by Wt: 10-15%
Other REC Limits:NONE RECOMMENDED

Ingred Name:PETROLEUM LUBE OIL
CA
S:64742-65-0
RTECS #:PY8038500
Fraction by Wt: 70-85%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:NOT ESTABLISHED FOR PRODUCT.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PRODUCT NOT HAZ AS DEFINED BY
OSHA(29CFR1910.1200)BASED ON TESTING OF SIMILAR PRODUCTS &/OR
COMPONENTS.EYE:NOT EXPECTED TO CAUSE IRRIT DURING NO
RMAL CONDITIONS
OF USE.SKIN:PROL/REP CONTACT MAY BE MILD LY IRRIT,MAY CAUSE
DERM.INGEST:NOT EXPECTED TO BE TOXIC.PROD HAS LAXATIVE
PROPERTIES,MAY CAUSE NAU,ABD CRAMPS,(SUPPLEM)
Explanation of Carcinogenicity:SEE OTHER PRECAUTION SEC OF MSDS.
Effects of Overexposure:MILDLY SKIN IRRIT, DERMATITIS. LAXATIVE
PROPERTIES, NAUSEA, ABDOMINAL CRAMPS, DIARRHEA, RESP IRRIT,
DISCOMFORT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Ai
=====

d Measures =====

First Aid:SKIN:THOROUGHLY WASH W/SOAP/WATER.REMOVE CONTAMIN CLOTH.EYE:FLUSH W/LG AMTS OF WATER LIFTING LIDS.IRRIT PERSISTS GET MED ATTN.INGEST:DO NOT INDUCE VOMIT.KEEP WARM/QUIET.GET MED ATTN.INHAL:REMOVE TO FR ESH AIR.BREATH DIFFI ADMIN OXYGEN.STOP BREATH GIVE ART RESP.KEEP WARM/QUIET.GET MED ATTN.

===== Fire Fighting Measures =====

Flash Point:>400F,>204C
Autoignition Temp:Autoignition Temp Text:NP
Lower L
imits:UNAVAI
Upper Limits:UNAVAI
Extinguishing Media:REGULAR FOAM OR CARBON DIOXIDE OR DRY CHEMICAL.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS W/FULL FACEPIECE OPERATED IN POSITIVE PRESSURE DEMAND MODE.WATER/FOAM MAY CAUSE FROTHING-VIOLENT/POSSIBLY ENDANGER(SUPP)
Unusual Fire/Explosion Hazard:NEVER USE WELD/CUT TORCH ON/NEAR DRUM(EVEN EMPTY)BECAUSE PRODUCT(EVEN JUST RESIDUE)CAN IGN EXPLOSIVELY.

===== Accidental Release Measures =====

=====

Spill Release Procedures:SM:ABSORB ON VERMI/FLOOR ABSORB/OTHER ABSORB.LG:PREVENT RUNOFF TO SEWER/STREAM/BODIES OF WATER.IF SO NOTIFY PROPER AUTHORITIE.EXCLUDE PERSON W/O PPE FRM AREA TIL CLEANUP COMPLETE.STOP SPILL.DIKE-PREVE NT SPREAD.PUMP LIQ TO SALVAGE TK.REMAINLIQ(SUPPL)
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:CNTNR OF MATL MAY BE HAZ WHEN EMPTIED.SINCE EMPTIED CONTNRS RETAIN PROD RESIDUES(VAP/LIQ/SOLID)ALL HAZ PRECAUT GIVEN IN MSDS MUST BE OBSERVED.
Other Precautions:CAUTION:USED MOTOR OIL HAS BEEN SHOWN TO CAUSE SKIN CANCER IN CERTAIN LAB ANIMALS CONTINUALLY EXPO TO USED MOTOR OIL BY REPEATED APPLICATIONS.AVOID PROLONGED/REPEATED CONTACT TO SKIN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNDER NORMAL CONDITIONS OF USE.HOWEVER IF OIL MISTS GENERATED ABOVE RECO

MMENDED PEL/TLV OF

5MG/M3 NIOSH/MSHA APPROVED RESP ADVISED IN ABSENCE OF PROPER ENVIRO CONTROL.(SEE YOUR INDUSTRIAL HYGIENIST).

Ventilation:NOT REQUIRED UNDER NORM USE CONDITIONS.HOWEVER UNUSUAL OPERATING CONDITIONS EXIST PROVIDE SUFF MECH(GEN,LOC EXHAU)VENTI.

Protective Gloves:NOT NORM REQUIRE;NITIRLE RUBB FOR CONTAC

Eye Protection:NOT NORM REQUIRE;SAF GLASS,CHEM SPLA GOG

Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS/LEGS.

Work Hygienic Practices:LAUNDER CONTAMIN CL

OTH BEF REUSE.

Supplemental Safety and Health

VAP PRESS:PETRO LUB OIL. FIREFIGHT:FIREFIGHTER LIFE ESPECIALLY IF SPRAY INTO CNTNR OF HOT BURNING LIQ.DENSE SMOKE MAY BE GENERATED WHILE BURNING. HEALTH HAZ:DIARR.INHAL:NOT EXPECTED TO BE HAZ @NORM RM TEMP.EXPO EXCEED OIL MIST PEL/TLV,MISTMAY RESULT IN RESP IRRIT,POSSIBLE DISCOMFT. SPILL:TAKEUP W/SAND/EARTH/ETC.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:570F,299C

Melt/Freeze Pt

:M.P/F.P Text:NP

Decomp Temp:Decomp Text:NP

Vapor Pres:AIR

Spec Gravity:0.877 @60F

pH:NP

Viscosity:NP

Evaporation Rate & Reference:SLOWER THAN ETHER.

Solubility in Water:NP

Appearance and Odor:LIGHT AMBER LIQUID, HOMO SOLN.

Percent Volatiles by Volume:NA

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT W/STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardou

s Decomposition Products:MAY FORM TOXIC MATLS:CARBON
DIOXIDE,CARBON MONOXIDE,VARIOUS HYDROCARBONS,OXIDES OF
SULFUR,NITROGEN & PHOSPHORUS,ETC.

===== Disposal Considerations =====

Waste Disposal Methods:SM/LG SPILLS:DISPOSE OF IN ACCORDANCE WITH ALL
APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense.

The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.