View NSN Online: https://aerobasegroup.com/nsn/6140-00-738-2550

SAFT AMERICA INC, POWER SOURCES DIV -- NICKEL-CADMIUM SEALED CELL BATTERY -- 6140-00-738-2550

Product ID:NICKEL-CADMIUM SEALED CELL BATTERY MSDS Date:02/28/1991 FSC:6140 NIIN:00-738-2550 MSDS Number: CCMQX === Responsible Party === Company Name:SAFT AMERICA INC, POWER SOURCES DIV Address:711 INDUSTRIAL BLVD Box:1886 City:VALDOSTA State:GA ZIP:31603 Country:US In fo Phone Num:912-247-2331 Emergency Phone Num:912-247-2331 CAGE:09052 === Contractor Identification === Company Name: PLAINVIEW BATTERIES INC Address:23 NEWTOWN RD Box:City:PLAINVIEW State:NY ZIP:11803 Country:US Phone:516-249-2873 CAGE:0LEJ1 Company Name: SAFT AMERICA INC. Address:711 INDUSTRIAL BLVD Box:1886 City:VALDOSTA State:GA ZIP:31602 Country:US Phone:912-247-2331 CAGE:09052

Ingred Name:CADMIUM (SARA III) CAS:7440-43-9 RTECS #:EU9800000 Fraction by Wt: 8-20% Other REC Limits:NONE SPECIFIED OSHA PEL:SEE 1910.1027 ACGIH TLV:0.01 MG/M3 DUST;9394 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:NICKEL (SARA III) CAS:7440-02-0 RTECS #:QR5950000 Fraction by Wt: 15-35% Other REC Limits:NONE SPECIFIED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9192

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OS HA:YES

Health Hazards Acute and Chronic:ACUTE:CADMIUM AND ITS DUSTS, FUMES OR COMPOUNDS MAY CAUSE RESPIRATORY IRRITATION IF INHALED; G/I DISTRESS, NAUSEA, VOMITING, DIARRHEA. NICKEL MAY SENSITIZE CONTACT DERMATITIS AND IF INGESTED CAUSE ABD OMINAL CRAMPS. CHRONIC:LUNG INJURY, KIDNEY DISFUNCTION, BONE LESIONS.

Explanation of Carcinogenicity:CADMIUM AND NICKEL AND THEIR COMPOUNDS ARE LISTED AS CARCINOGENS BY NTP & IARC. SEE INDIVIDUAL REPORTS FOR DETAILS.

Effects of Overexp

osure: IRRITATION OF NOSE AND THROAT, SWEATING,

CHILLS, SHORTNESS OF BREATH, WEAKNESS, LOCAL DERMATITIS, NAUSEA, COUGHING, CHEST PAINS.

Medical Cond Aggravated by Exposure:RESPIRATORY DISORDERS, PROSTATE DISORDERS, LIVER

First Aid:INHALATION: REMOVE TO FRESH AIR. SEE PHYSICIAN. EYES/SKIN: FLUSH WITH WATER FOR 15 MINUTES. SEE PHYSICIAN IF SYMPTOMS DEVELOP. INGESTION: INDUCE VOMITING IF CONSCIOUS, SEE A PHYSI CIAN.

HCC:N1 NRC/State Lic Num:NONE Spec Gravity:1.6 Solubility in Water:L

EFT BLANK BY MFR Appearance and Odor:LEFT BLANK BY MFR.

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:GENERAL STORAGE CONDITIONS FOR HAZARDOUS MATERIALS ARE ACCEPTABLE.

Hazardous Decomposition Products:METAL OXIDE FUMES MAY BE EVOLVED AT TEMPERATURES ABOVE MELTING POINT.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH L OCAL, STATE AND FEDERAL REGULATIONS. IF DISCARDED TREAT AS HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume re sponsibility for the suitability of this information to their

particular situation.