View NSN Online: https://aerobasegroup.de/nsn/6750-01-012-7068

Product ID:METAL PLATE FIXER MSDS Date:12/06/1996 FSC:6750 NIIN:01-012-7068 MSDS Number: CCMRY === Responsible Party === Company Name: VARICHEC CORP DBA CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET **City:LOS ANGELES** State:CA ZIP:90061 Country:US Info Phone Num:310-538-9530 Em ergency Phone Num:708-640-4800/800-424-9300(CHEMTREC) CAGE:KO056 === Contractor Identification === Company Name: CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET Box:City:LOS ANGELES State:CA ZIP:90061 Country:US Phone:310-538-9530/800-424-9300(CHEMTREC) CAGE:61803 Company Name: VARICHEC CORP DBA CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET Box:276-Z **City:LOS ANGELES** State:CA ZIP:90061 Country:US Phone:310-538-9530 CAGE:KO056

======== Composition/Information on Ingredients =

============

Ingred Name:AMMONIUM THIOSULFATE CAS:7783-18-8 RTECS #:XN6465000 Fraction by Wt: 10-15% Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 1-2% Other REC Limits:NONE RECOMMENDED

Ingred Name:ACETIC ACID (CERCLA) CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 1-2% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 PPM ACGIH TLV:10 PPM/15 STEL; 9596 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE:MAY CAUSE IRRIT.SKIN:MAY CAUSE IRRIT &/OR ALLERGIC SKIN REACTION.INHAL:NORMALLY NO PROBLEM BUT INHAL OF MIST COULD CAUSE RESPIRATORY IRRIT.INGEST:MAY CAUSE IRRIT OF MUCOUS MEMBRANES OR DIGESTIVE T RACT. Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY

LISTING:NTP/IARC/OSHA:NO.

Effects of Overexposure:EYE IRRIT. SKIN IRRIT, ALLERGIC SKIN REACTION. RESPIRATORY IRRIT. IRRIT OF MUCOUS MEMBRANE OR DIGESTIVE TRACT. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYE:IMMED FLUSH W/PLENTY OF RUNNING WATER FOR @LEAST 15MINS.OBTAIN MED ATTN.SKIN:FLUSH PROMPTLY W/WATER FOR 15MINS.REMOVE CONTAMIN CLOTH.INCASE OF CONTINUED IRRIT CONSULT P HYSICIAN.INHAL:FOR OVEREXPO REMOVE TO FRESH AIR.INGEST:DRINK MILK OR WATER.INDUCE VOMIT.OBTAIN IMMED MED ATTN.

Flash Point:NOT FLAMMABLE

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:NONE

Upper Limits:NONE

Extinguishing Media: ANY EXTINGUISHING MEDIA APPLICABLE TO SURROUNDING AREA.

Fire Fighting Procedures: EVACUATE PERSONNEL TO SAFE AREA. KEEP PERSONNEL REMOVED & UPWIND OF FIRE. WEAR SELF-CONTAINED BREA THING

APPARATUS.

Unusual Fire/Explosion Hazard:WHEN HEATED TO DECOMPOSITION EMISSION OF TOXIC FUMES IS POSSIBLE.

Spill Release Procedures:REVIEW FIRE/EXPLO & PROTECTION SEC OF MSDS BEF CLEANUP.USE APPROPRIATE PPE DURING CLEANUP.DIKE/PREVENT LIQ FROM ENTERING SEWERS/WATERWAYS/LOW AREAS.SOAK UP W/SAND/OIL DRY/OTHER ABSORBENT MATLS.SPILL M AY BE NEUTRALIZED W/POWDERED SODIUM CARBONATE. Neutralizing Agent:P

OWDERED SODIUM CARBONATE.

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA.KEEP
CNTNR TIGHTLY CLOSED.DO NOT STORE W/INCOMPATIBLE MATLS.
Other Precautions:DO NOT STORE/CONSUME FOOD/DRINK/USE TOBACCO IN AREAS
WHERE THEY MAY BECOME CONTAMINATED W/THIS MATL.

Respiratory Protection:SUFFICIENT ROOM VENTILATION. Ventilation:NONE SPECIFIED BY M ANUFACTURER. Protective Gloves:GLOVES. Eye Protection:SPLASH PROT-EYEGLASSES W/SIDE SHIELDS. Other Protective Equipment:APRONS. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health

HCC:C3 Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:NA Decomp Temp:Decomp Text:NP Vapor Pres:NA Vapor Density:NA Spec Gravity:1.271 pH:4.82 Viscosity:NP Evaporation Rate & amp; Reference:NA Solubilit y in Water:100% COMPLETE. Appearance and Odor:CLEAR AND COLORLESS, SLIGHT AMMONIA ODOR. Percent Volatiles by Volume:NA Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES STRONG ACIDS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE

Waste Disposal Methods:RECOVER NONUSABLE FREE LIQ &/OR CONTAM H2O;D ISPO

IN APPROVED/PERMITTED TREATMENT SYS.REMOVE NONUSABLE SOLID MATL &/OR CONTAM SOIL FOR DISPO IN APPROVED/PERMITTED LANDFILL.DISCHARGE TO SEWER REQUIRES A PPROVAL PERMITTING AUTHORITY/MAY REQUIRE PRETREAT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate a nd

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.