

POLY-CARB, INC. -- MARK-80, PART B, MIL-P-24441A(SH): COMPONENT 1 -- 8010-01-302-6838

=====
Product Identification
=====

Product ID:MARK-80, PART B, MIL-P-24441A(SH): COMPONENT 1

MSDS Date:11/25/1988

FSC:8010

NIIN:01-302-6838

Kit Part:Y

MSDS Number: CCMVF

=== Responsible Party ===

Company Name:POLY-CARB, INC.

Address:33095 BAINBRIDGE RD.

City:SOLOON

State:OH

ZIP:44139

Country:US

Info Phone Num:216

-248-1223

Emergency Phone Num:216-248-1223

Preparer's Name:DR. ARNEL POTTER

CAGE:11794

=== Contractor Identification ===

Company Name:POLY-CARB INC.

Address:33095 BAINBRIDGE

Box:City:SOLOON

State:OH

ZIP:44139-2834

Country:US

Phone:216-248-1223

CAGE:1T794

Company Name:POLY-CARB, INC.

Address:33095 BAINBRIDGE ROAD

City:SOLOON

State:OH

ZIP:44139

Country:US

Phone:216-248-1223

CAGE:11794

=====
Composition/Information on Ingredients
=====

Ingred Name:SUPER HIGH FLASH NAPHTHA

CAS:6474

2-95-6
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

Ingred Name:TRADE SECRET EXPOXY RESIN
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SENSITIZER, TOXIC AND CORROSIVE.
Medical Cond Aggravated by Exposure:ALLERGY; ECZEMA; SKIN CONDITIONS.

=====
First Ai
d Measures
=====

First Aid:INHALATION: MOVE TO FRESH AIR. IF REQUIRED, GIVE ARTIFICIAL RESPIRATION. EYES: FLUSH W/LUKEWARM WATER FOR 15 MIN. OBTAIN PHYSICIAN. SKIN: WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING. INGESTION: GIVE WATER. DO NOT INDUCE VOMITING. IMMEDIATELY OBTAIN PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:SCC
Flash Point:121F,49C
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICALS OR FOA
M
Fire Fighting Procedures:WEAR SCBA. HIGH TEMPERATURES REQUIRED TO IGNITE. WATER MAY BE USED TO COOL CONTAINERS.
Unusual Fire/Explosion Hazard:DENSE SMOKE EXPECTED. USE SCBA.
DECOMPOSITION AND COMBUSTION PRODUCTS ARE TOXIC.

=====
Accidental Release Measures
=====

Spill Release Procedures:USE ABSORBENT MATERIAL TO AID IN CLEAN UP. USE SHOVELS TO PLACE IN CLOSEABLE CONTAINERS.

=====
Handling and Storage
=====

Handling

and Storage Precautions:STORE IN COOL, DRY AREA WITH GOOD VENTILATION. DO NOT STORE WITH INCOMPATIBLE MATERIALS.
Other Precautions:SELF-CONTAINED BREATHING EQUIPMENT MAY BE REQUIRED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:CHEMICAL CARTRIDGE RESPIRATOR.
Ventilation:MAINTAIN GOOD VENTILATION.
Protective Gloves:SOLVENT RESISTANT
Eye Protection:CHEMICAL EYE GOGGLES.
Other Protective Equipment:CHEMICAL RESISTANT APRON OR COVERALL,
EYEWASH
STATION AND SAFETY SHOWER.
Work Hygienic Practices:AVOID SKIN CONTACT. WASH TO MINIMIZE ANY
RESIDUE.
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:>350F,>177C
Melt/Freeze Pt:M.P/F.P Text:NA
Spec Gravity:1.5
Solubility in Water:INSOLUBLE
Appearance and Odor:OPAQUE LIQUID, AROMATIC ODOR
Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability Indicator/
Materials to Avoid:YES
CONTACT WITH ACIDS, OXIDIZING AGENTS & AMINES.
Stability Condition to Avoid:HIGH TEMPERATURES AND OPEN FLAMES.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE &
PHENOLIC FUMES.
Conditions to Avoid Polymerization:HIGH TEMPERATURES.

===== Disposal Considerations =====

Waste Disposal Methods:REVIEW LOCAL, STATE, AND FEDERAL REGULATIONS FOR
DISPOSAL.

Disclaimer (provided with this information by the compiling agency)

s):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.