View NSN Online: https://aerobasegroup.de/nsn/4210-01-387-5658

FUEL BUSTER LABORATORIES INC -- FUEL BUSTER -- 4210-01-387-5658

Product ID:FUEL BUSTER MSDS Date:06/10/1996 FSC:4210 NIIN:01-387-5658 MSDS Number: CCMXL === Responsible Party === Company Name: FUEL BUSTER LABORATORIES INC Address:150 WALTER WAY City:FAYETTEVILLE State:GA ZIP:30214 Country:US Info Phone Num:770-719-5112 Emergency Phone Num:770-719-5112 CAGE:0YP92 = == Contractor Identification === Company Name: HAZARD CONTROL TECHNOLOGIES, INC Address:150 WALTER WAY Box:City:FAYETTEVILLE State:GA ZIP:30214 Country:US Phone:770-719-5112 CAGE:0YP92

Ingred Name:NON-HAZARDOUS INGREDIENTS Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity

<ul> <li>:NTP:NO IARC:NO OSHA:NO</li> <li>Health Hazards Acute and Chronic:INGESTION MAY CAUSE GASTRONITESTINAL IRRITATION/DIARRHEA. CONTACT WITH EYES MAY CAUSE EXESIIVE WATERING, REDNESS AND BURNING. PROLONGED CONTACT WITH SKIN MAY CAUSE MINOR IRRITATION AND DRYING OF SKIN.</li> <li>Explanation of Carcinogenicity:NOT CARCINOGENIC.</li> <li>Effects of Overexposure:SAME AS ABOVE. IF SKIN IRRITATION PERSISTS SEEK MEDICAL ATTENTION. IF PRODUCT IS INGESTED SEEK MEDICAL ATTENTION, IF NECESSARY.</li> <li>Medical Cond Aggra vated by Exposure:NONE KNOWN.</li> </ul>	
======================================	
First Aid:FLUSH EYES WITH LARGE AMOUNTS OF WATER, IF IRRITATION AND BURNING PERSISTS CONSULT PHYSICIAN.	
======================================	
Fire Fighting Procedures:FUEL BUSTER IS AN EXTINGUISHING PRODUCT. APPLICATION AT 3 AND 6% MIXTURE. NO HAZARD BY PRODUCT IS KNOWN. Unusual Fire/Explosion Hazard:NONE.	
======================================	
Spill Release Procedures:FLUSH WITH WATER, DISCARDED PRODUCT IS NOT A HAZARDOUS WASTE UNDER RCRA, 40 CFR 261. TREAT FUEL SPILLS WITH THIS PRODUCT THAT ARE LARGE, CONTACT EPA. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.	
======================================	
Handling and Storage Precautions:NORMAL HYGIENE AND GOOD HOUSEKEEPING. SLIPPERY CONDITIONS EXIST FROM SPILLED CONCENTRATE. FLUSH WITH WATER UNTIL AREA IS NON-SLIPPERY.	
Other Precautions:FOLLOW PROCEDURES SPECIFIED IN THE NATIONAL FIRE PROTECTION ASSOCIATION CODES AND STANDARDS. THIS PRODUCT DOES NOT CONTAIN MATERIALS GENERATED UNDER SARA TITLE III, SECTION 313.	
======================================	
Respiratory Protection:NONE SPECIFIED BY MANUFACTURER. Ventilation:LOCAL EXHAUST-NO SPECIAL REQUIREMENTS. Protective Gloves:IMPERVIOUS GLOVES. Eye Protection:CHEMICALLY TIGHT GOGGLES.	

Other Protective Equipment: IMPERVIOUS APRO

N. EYE WASH STATION IN WORK AREA, FULL FACESHIELD IN ADDITION IF SPALSHING. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health FIRE SUPPRESSANT.

HCC:N1 Boiling Pt:B.P. Text:212F,100C Spec Gravity:1.0 Solubility in Water:100% SOLUBLE Appearance and Odor:CRANBERRY RED.

Stability Indicator/Materials to Avoid:YES AVOID CO NTACT WITH STRONG OXIDIZING AGENTS. Stability Condition to Avoid:VERY STABLE.

Waste Disposal Methods:COPIOUS WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its us

e. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.