

COURTAULDS AEROSPACE INC -- P/S 870 C-12, ACCELERATOR -- 8030-01-395-2726  
===== Product Identification =====

Product ID:P/S 870 C-12, ACCELERATOR

MSDS Date:06/03/1994

FSC:8030

NIIN:01-395-2726

Kit Part:Y

MSDS Number: CCMXX

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-549-7586

E

mergency Phone Num:818-549-7586

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:HYDROGENATED TERPHENYLS

CAS:61788-32-7

RTECS #:WZ6535000

Fraction by Wt: 35%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.5 PPM

ACGIH TLV:0.5 PPM; 9596

Ingred

Name:MANGANESE DIOXIDE  
CAS:1313-13-9  
RTECS #:OP0350000  
Fraction by Wt: 40%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG MN/M3 CEILING  
ACGIH TLV:5 MG MN/M3

Ingred Name:MAGNESIUM DICHROMATE  
CAS:13423-61-5  
Fraction by Wt: 25%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:0.5 MG/M3  
ACGIH TLV:0.05 MG/M3 TWA

Ingred Name:1,3 DIPHENYL GUANIDINE,  
CAS:102-06-7  
RTECS #:MF0875000  
Fraction by Wt: 93.3C, 200.F  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER.  
Fire Fighting Procedures:USE AIR S  
UPPLIED RESPIRATOR. USE WATER TO COOL  
HEAT EXPOSED CONTAINERS.  
Unusual Fire/Explosion Hazard:EXCESSIVE HEAT MAY CAUSE DECOMPOSITION OF  
MAGNESIUM DIOXIDE, RESULTING IN OXIDATION AND POSSIBLE IGNITION OF  
HYDROCARBON VEHICLE.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH A  
SUITABLE SOLVENT.

===== Handling and Storage =====

Handling and Storage Precaution  
s:AVOID INGESTION.  
Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.  
Ventilation:GENERAL VENTILATION.  
Protective Gloves:SOLVENT RESISTANT GLOVES.  
Eye Protection:SAFETY GLASSES.  
Other Protective Equipment:NONE KNOWN.  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING  
OR EATING.  
Supplemental Safety and Health  
KEY 1: V5. THIS IS PART A OF A TWO PART KIT.

===== Physical/Chemical P

roperties =====

HCC:F2

Boiling Pt:=340.C, 644.F

Spec Gravity:1.801

Appearance and Odor:BLACK PASTE.

Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

EASILY OXIDIZABLE MATERIALS.

Stability Condition to Avoid:NOT KNOWN.

Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN.

MAGNESIUM AND CHROMIUM COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods:EPA NO. D-007 HAZARDOUS WASTE. DISPOSE OF IN COMPLIANCE WITH FEDERAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.