

CHEMENCE INC -- RITE-LOK EC100-28 -- 8040-00-142-9193

=====  
Product Identification  
=====

Product ID:RITE-LOK EC100-28

MSDS Date:05/10/1996

FSC:8040

NIIN:00-142-9193

MSDS Number: CCQRD

=== Responsible Party ===

Company Name:CHEMENCE INC

Address:6425 INDUSTRIAL WAY,9 MCFARLAND INDRL PK

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Info Phone Num:404-362-8319

Emergency Phone Num:404-664-6624/404-362-8319

Preparer's Name:JAY TATE

CAGE:0ZDS4

=== Contractor Identification ===

Company Name:CHEMENCE INC

Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Phone:404-664-6624

CAGE:0ZDS4

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHYL CYANOACRYLATE

CAS:7085-85-0

Fraction by Wt: 95-100%

Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYMETHYLMETHACRYLATE

CAS:9011-14-7

RTECS #:TR0400000

Fraction by Wt: 3-5%

Other REC Limits:NONE RECOMMEN

DED

Ingred Name:HYDROQUINONE (SARA III)

CAS:123-31-9

RTECS #:MX3500000

Fraction by Wt: 0.1-0.5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE: IRRITATION. INHALATION: MUCOUS  
MEMBRANE IRRITATION. CHRONIC: INHALATION: ALLE  
RGIC REACTION  
W/ASTHMA-LIKE SYMPTOMS IN SENSITIVE PEOPLE.

=====  
===== First Aid Measures =====

First Aid:SKIN: IMMERSE BONDED SURFACE IN WARM/SOAPY WATER. WEAL/ROLL  
SURFACE APART W/BLUNT EDGE. DON'T PULL APART. EYE: FLUSH W/WATM  
WATER. APPLY CAUSE PACKS. EYE WILL OPEN W/IN 1-4 DAYS. MOUTH: APPLY  
WARM WAT ER. PEAL/ROLL LIPS APART. BURNS: TREAT NORMALLY AFTER LUMP  
OF CYANOACRYLATE RELEASED FROM SKIN. INHALATION: MOVE TO FRESH AIR.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:>185F,>85C  
Autoignition Temp:Autoignition Temp Text:NA  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM.  
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:POSSIBLE EXOTHERMIC REACTION W/SUBSTRATE  
FUMING &/OR IGNITION

=====  
===== Accidental Release Measures =====

Spill Release Procedures:FLOOD WITH W

ATER TO POLYMERIZE. SOAK UP WITH  
INERT ABSORBENT.

===== Handling and Storage =====

Handling and Storage Precautions:STORE =