View NSN Online: https://aerobasegroup.de/nsn/8030-00-458-5666

CONAP INC. -- CONATHANE CE-1155 PART B CURATIVE -- 8030-00-458-5666

Product ID: CONATHANE CE-1155 PART B CURATIVE MSDS Date:08/10/1993 FSC:8030 NIIN:00-458-5666 Kit Part:Y MSDS Number: CCSSY === Responsible Party === Company Name: CONAP INC. Address:1405 BUFFALO STREET City:OLEAN State:NY ZIP:14760 Country:US Info Phone Num:716-372-9650 Emergency Phone Num:716-372-9650 Preparer's Name:MARVIN A. FRIEDMAN CAGE:16245 === Contractor Identification === Company Name: CONAP INC., WHOLLY OWNED SUBSIDIARY OF CYTEC INDUSTRIES INC. Address:1405 BUFFALO STREET Box:City:OLEAN State:NY ZIP:14760 Country:US Phone:716-372-9650 CAGE:16245

Ingred Name:TOLUENE (SARA 313) (CERCLA) LD50: (ORAL, RAT) 2.5 G/KG CAS:108-88-3 RTECS #:XS5250000 Fraction by Wt: 5,000 MG/KG Routes of Entry: Inhalation:YES Ski

n:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: DIRECT CONTACT WITH THIS MATERIAL MAY CAUSE MODERATE EYE AND MILD SKIN IRRITATION. INHALATION OVEREXPOSURE MAY CAUSE IRRITATION OF THE RESPIRATORY TRACT. CHRONIC: TOLUENE APPEARS ON THE NAVY LISTING O F OCCUPATIONAL CHEMICAL REPRODUCTIVE HAZARDS. SEEK CONSULTATION FROM APPROPRIATE HEALTH PROFESSIONALS (EFTS OF OVEREXP) Explanation of Carcinogenicity:NOT RELEVANT Effects o f Overexposure: HLTH HAZ: CONCERNING LATEST HAZARD LIST INFO AND SAFE HANDLING AND EXPOSURE INFO . Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid:INGEST: CALL MD IMMEDIATELY . INHAL: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE OXYGEN/ARTIFICIAL RESPIRATION) . SKIN: WASH AFFECTED AREAS OF SKIN WITH SOAP AND WATER. EYES: IMMEDIATELY **IRRIGATE WITH PLENTY OF WATER FOR AT LEAST 15 MI** NUTES. OBTAIN MEDICAL ATTENTION IF IRRITATION PERSISTS. Flash Point Method:TCC Flash Point:55.0F,12.8C Extinguishing Media: USE WATER SPRAY, ALCOHOL FOAM, CARBON DIOXIDE OR DRY CHEMICAL TO EXTINGUISH FIRES. WATER STREAM MAY BE INEFFECTIVE. Fire Fighting Procedures: USE NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . USE WATER TO KEEP CONTAINERS COOL. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Spill Release Procedures:REMOVE SOURCES OF IGNIT. WHERE EXPOS LEVEL IS NOT KNOWN, WEAR NIOSH APPRVD, POS PRESS, SELF-CONTAINED RESP. WHERE EXPOS LEVEL IS KNOWN, WEAR NIOSH APPRVD RESP SUITABLE FOR LEVEL OF EXPOS. IN ADDN TO P ROT CLTHG/EQUIP LISTED, WEAR IMPERVIOUS(SUPDAT) Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Pr

ecautions: KEEP AWAY FROM HEAT, SPARKS & FLAME. AVOID CONTACT W/EYES, SKIN & CLOTHING. KEEP CONTAINER CLOSED. USE W/ADEQ VENT. WASH THOROUGHLY AFTER HANDLING. Other Precautions: AREAS CONTIANING THIS MATERIAL SHOULD HAVE FIRE-SAFE PRACTICES AND ELECTRICAL EQUIPMENT IN ACCORDANCE WITH ELECTRIAL AND FIRE PROTECTION CODES (NFPA-30) GOVERNING CLASS I FLAMMABLE LIQUIDS. Respiratory Protection: WHERE EXPOS ARE BELOW THE PERMISSIBLE EXPOSURE LIMIT (PEL), NO RESPIRATORY PROT IS REQD. WHERE EXPOS EXCEED THE PEL, USE RESPIRATOR APPRVD BY NIOSH FOR MATERIAL & LEVEL OF EXPOS. SEE "GUIDE TO INDUSTR IAL RESPIRATORY PROTECTION" (NIOSH). Ventilation:WHERE THIS MATL IS NOT USED IN A CLOSED SYSTEM, GOOD ENCLOSURE & LOC EXHST VENT SHOULD BE PROVIDED TO CONTROL EXPOSURE. Protective Gloves: IMPERVIOUS GLOVES. Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES . Other Protective Equipment: ANSI APPROVED EYE WAS H & DELUGE SHOWER. APRON, WORKPANTS, LONG SLEEVE WORK SHIRT OR DISPOSABLE COVERALLS RECOMD. Work Hygienic Practices: FOOD, BEVERAGES & TOBACCO PRODS SHOULD NOT BE CARRED, STORED OR CONSUMED WHERE THIS MATL IS IN USE. BEFORE (SUPDAT) Supplemental Safety and Health SPILL PROC: BOOTS. COVER SPILLS/WSOME INTER ABSORB MATL; SWEEP UP & PLACE IN WASTE DISP CNTNR. FLUSH AREA W/WATER. HYGIENE PRACT: EATING, DRINKING OR SMOKING, WASH FACE & HANDS W/SOAP & WATER. AVOID S KIN CON TACT.

HCC:F2 Spec Gravity:0.95 Evaporation Rate & amp; Reference: