

TACC INTERNATIONAL CORP. -- ACCELERATOR #AC102 MIL-A-5540B TYPE 3 -- 8040-00-515-2246
===== Product Identification =====

Product ID:ACCELERATOR #AC102 MIL-A-5540B TYPE 3

MSDS Date:06/24/1994

FSC:8040

NIIN:00-515-2246

Kit Part:Y

MSDS Number: CDGZS

=== Responsible Party ===

Company Name:TACC INTERNATIONAL CORP.

Address:AIR STATION INDUSTRIAL PARK

Box:390

City:ROCKLAND

State:MA

ZIP:02370

Country:US

Info Phone Num:617-878-7015

Emergency Phone Num:617-878-7015

CAGE:0HZU1

=== Contractor Identification ===

Company Name:TACC INTERNATIONAL CORP

Address:AIR STATION INDUSTRIAL PARK

Box:City:ROCKLAND

State:MA

ZIP:02370

Country:US

Phone:781-878-7015

CAGE:0HZU1

===== Composition/Information on Ingredients =====

Ingred Name:ETHYL ALCOHOL (ETHANOL) (VP = 40.0)

CAS:64-17-5

RTECS #:KQ6300000

Fraction by Wt: 50-75%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM/STEL 250

ACGIH TLV:

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: REPEATED EXPOSURE MAY CAUSE IRRIT TO UPPER RESP TRACT & LIVER OR KIDNEY AFFECTS. EYES: IRRIT TO EYES, CORROSSIVE. SKIN: REDNESS, BURNING, SENTIZIATION/REPEATED EXP. INGEST: HARMFUL IF SWAL LOWED, COROSSIVE LIQUID.
Medical Cond Aggravated by
Exposure:PREEXISTING SKIN OR LUNG ALLERGIES
MAY INCREASE THE CHANCE OF DEVELOPING INCREASED ALLERGY SYMPTOMS FROM THIS PRODUCT.

=====
===== First Aid Measures =====

First Aid:INHALATION: GET FRESH AIR. EYES: IF NECESSARY CALL A PHYSICIAN. FLUSH WITH WATER FOR AT LEAST 15 MINUTES, IF NECESSARY, CALL A PHYSICIAN. SKIN: WASH WITH MILD SOAP AND WATER APPLY A MILD CREAM. INGEST ION: CALL POISON CENTER IMMEDIATELY.

=====
===== Fire Fig
hting Measures =====

Flash Point:50.0F,10.0C
Lower Limits:3.3
Upper Limits:19.0
Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER SPRAY OR FOG.
*GROUND ALL CONTAINERS DURING TRANSFER.
Fire Fighting Procedures:AVOID BREATHING SMOKE. USE AIR SUPPLIED RESCUE EQUIPMENT FOR ENCLOSED AREA. WATER TENDS TO SPREAD BURNING LIQUID IF LARGE AMOUNTS USED.
Unusual Fire/Explosion Hazard:FLAMMABLE. VAPORS MAY IGNITE AND CAUSE FLASH FIRES. REMOVE IGNITE SOURCES. USE ADEQUATE CR
OSS VENT
SUFFICIENT TO REMOVE ODOR OF SOLVENT/VAPORS.*

=====
===== Accidental Release Measures =====

Spill Release Procedures:SMALL QUANTITIES MAY BE ABSORBED INTO AN APPROPRIATE ABSORBENT.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE AT 60-95F OUT OF SUN. USE ADEQUATE VENTILATION TO AVOID BREATHING VAPOR WHEN COVER REMOVED.
Other Precautions:NONE

=====

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VAPORS EXCEED TLV, USE SELF CONTAINED ORGANIC MASK NIOSH APPROVED.

Ventilation:SUFFICIENT TO KEEP WORKROOM CONCENTRATION BELOW TLV.

Protective Gloves:CHEMICAL RESISTANT GLOVES.

Eye Protection:SAFETY GLASSES OR FACE SHIELD.

Other Protective Equipment:BARRIER CREAM FOR SENSITIVE SKIN.

Supplemental Safety and Health

KEY1:F3.

===== Physical/Chemical Properties =====

HCC:F2

Boili

ng Pt:B.P. Text:173F,78C

Vapor Density:>AIR

Spec Gravity:0.86194

Evaporation Rate & Reference:FASTER THAN BUAC

Appearance and Odor:BROWN AMONIA-LIKE ODOR.

Percent Volatiles by Volume:84.3

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG ACIDS AND BASES.

Stability Condition to Avoid:FIRE, SPARKS, STATIC ELECTRICITY.

Hazardous Decomposition Products:CO AND CO2.

===== Disposal Consid
erations =====

Waste Disposal Methods:MATERIAL IS DESIGNATED AS HAZARDOUS WASTE UNTIL ALL SOLVENTS AND VAPORS HAVE EVAPORATED. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DRIED ADHESIVE MAY BE DISPOSED OF AS ORDINA RY WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly

or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.