

DEXTER CROWN METRO AEROSPACE COATINGS -- STATIC CONDITIONER -- 8030-01-046-5065

=====
Product Identification
=====

Product ID:STATIC CONDITIONER

MSDS Date:05/19/1994

FSC:8030

NIIN:01-046-5065

MSDS Number: CDHCV

=== Responsible Party ===

Company Name:DEXTER CROWN METRO AEROSPACE COATINGS

Address:ECHELON, DONALDSON CTR

Box:5695

City:GREENVILLE

State:SC

ZIP:29606

Country:US

Info Phone Num:803-277-18

70

Emergency Phone Num:803-277-1870

Preparer's Name:SOUTH

CAGE:0S4B8

=== Contractor Identification ===

Company Name:CROWN

Box:350

City:GREENVILLE

State:SC

ZIP:29606

Country:US

Phone:803-277-1870

CAGE:06367

Company Name:CROWN METRO AEROSPACE COATINGS INC SUB OF DEXTER CORP THE

Address:315 ECHELON RD

Box:5695

City:GREENVILLE

State:SC

ZIP:29606

Country:US

Phone:803-277-1870

CAGE:0S4B8

=====
Composition/Information on Ingredients
=====

Ingred Name:SILICA, CRYSTALLINE - QUARTZ

CAS

:14808-60-7
RTECS #:VV7330000
Fraction by Wt: 40-50%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1 MG/M3
ACGIH TLV:0.1 MG/M3

Ingred Name:MENERAL SPIRITS (NAPHTHA, MEDIUM ALIPHATIC)
CAS:64742-88-7
Fraction by Wt: 20-30%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
ACGIH TLV:100 PPM

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: OVEREXPOSURE BY INHALATION MAY CAUSE
RESPIRATORY TRACT IRRITATION/HEADACHE/DIZZINESS/DROWSINESS. SKIN/EYES:
IRRITANT. CHRONIC EXPOSURE MAY AFFECT RESPIRATORY TRACT
AND CNS
Explanation of Carcinogenicity:CRYSTALLINE SILICA QUARTZ IS LISTED BY
EITHER NTP, IARC, OR OSHA AS A POTENTIAL OR KNOWN CARCINOGEN
Medical Conditions Aggravated by Exposure:UNKNOWN AT THIS TIME.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE FROM EXPOSURE. EYES: FLUSH
IMMEDIATELY
WITH LARGE AMOUNTS RUNNING WATER AT LEAST 15 MINUTES. SKIN: REMOVE CONTAMINATED
CLOTHES. WASH SKIN WITH SOAP & WATER. INGESTION: DRINK WATER. IF
NECESSARY CONSULT DOCTOR FOR ANY OF THESE CONDITIONS.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:102F,39C
Lower Limits:0.90
Extinguishing Media:WATER FOG, DRY FOAM, DRY CHEMICAL, CARBON DIOXIDE.

=====
===== Accidental Release Measures =====

Spill Release Procedure

ures:REMOVE ALL IGNIT SOURCES. AVOID BREATHING
VAPORS. VENTILATE AREA/REMOVE W/INERT ABSORBENT/NONSPARKING TOOLS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:GEN DILUTION/LOCAL EXHAUST FAILS TO ADEQUATELY
DILUTE THE TWA/PEL. IF LEVELS BECOME UNSAFE, RESPIRATORY PROTECTION
SHOULD BE USED. NIOSH/MSHA APPROVED AIRLINE TYPE RESPIRATORS OR
HOODS FOR CONFINED AR EAS. AIR PURRIFYING RSPRTRS FOR OTHER AR

Ventilation:GENERAL DILUTION OR LOC
AL EXHAUST.

Protective Gloves:REQUIRED FOR CHRONIC CONTACT.

Eye Protection:EYEWEAR THAT PROTECTS FROM SPLASH/LIQUID

Supplemental Safety and Health

DO NOT TAKE INTERNALLY. CONTAINER SHOULD BE GROUNDED WHEN POORING.

AVOID FREE-FALL OF LIQUID IN EXCESS OF A FEW INCHES. MAKE SURE DRUM
IS COMPLETELY EMPTY BEFORE ATTEMPTING TO WELD/BRAZE. DRUMS SHOULD
BE CLEANED PRIOR TO REUSE. DON'T CUT/BRAZE/WELD W/O NIOSH APPROVED
RESPIRATOR OR APPROPRIATE VENTILATION.

===== Physical
/Chemical Properties =====

Boiling Pt:B.P. Text:200 TO 450F

Vapor Density:>AIR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NK

Hazardous Decomposition Products:FUMES MAY CONTAIN CARBON MONOXIDE &
OXIDES OF NITROGEN. MAY PRODUCE HAZARDOUS FUMES WHEN HEATED TO
DECOMP AS IN WELDING.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/FEDERAL,
STATE, LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this informat

ion to their
particular situation.