

MORTON SALT -- THIOKOL MC-215 BASE COMPOUND POLYSULFIDE SEALANT CLASS B-1/2 --  
8030-00-152-0022

=====  
Product Identification  
=====

Product ID:THIOKOL MC-215 BASE COMPOUND POLYSULFIDE SEALANT CLASS B-1/2

MSDS Date:07/09/1992

FSC:8030

NIIN:00-152-0022

Kit Part:Y

MSDS Number: CDPFN

=== Responsible Party ===

Company Name:MORTON SALT

Address:7341 ANACONDA AVE.

City:GARDEN GROVE

State:CA

ZIP:92641

Info

Phone Num:714-373-2837

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:KO151

=== Contractor Identification ===

Company Name:MORTON INTERNATIONAL AEROSPACE POLYMER SYSTEMS

Address:7341 ANACONDA AVENUE

Box:City:GARDEN GROVE

State:CA

ZIP:92641

Country:US

Phone:714-373-2837

CAGE:0U317

Company Name:MORTON SALT

Address:100 N RIVERSIDE PLASA

Box:City:CHICAGO

State:IL

ZIP:60606-1597

Country:US

Phone:312-807-2000

CAGE:KO151

=====  
Composition/Information on Ingredients  
=====

Ingred N

ame:CALCIUM CARBONATE (LIMESTONE)

CAS:471-34-1

RTECS #:FF9335000

Fraction by Wt: 30-60%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 1-5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:10 MG/M3 TDUST

Ingred Name:SILICA, CRYSTALLINE - QUARTZ

CAS:14808-60-7

RTECS #:VV7330000

Fraction by Wt: 0.33%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.1 MG/M3

ACGIH TLV:0.1 MG/M3

=====

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO

Health Hazards Acute and Chronic:EYES: MECHANICAL IRRIT SKIN: IRRIT.

INGESTION: NAUSEA/VOMIT/GI UPSET. MAY AFFECT RESP/IMMUNE SYSTEM (ALERGIC REACTION). CAN CAUSE PNEUMOCONIOSIS, MECHANICAL IRRIT TO EYES/SKIN/GI TRACT. SILICOSIS (COUGH/WHEEZ/CHEST PAIN/PROGRESSIVE IMPAIRMENT OF PULMONARY FUNCTION).

Explanation o

f Carcinogenicity:QUARTZ CRYSTALLINE SILICA IS LISTED IN THE NTP ANNUAL REPORT.

Medical Cond Aggravated by Exposure:NONE EXPECTED

===== First Aid Measures =====

First Aid:EYES:FLUSH W/H2O >15 MIN. CALL DR. SKIN: REMOVE CONTAM CLOTHES/SHOES, WASH BEFORE REUSE. WASH W/SOAP/WATER. CALL DR. INHAL: GET FRESH AIR. CALL DR IMMED. IF NOT BREATH GIVE ARTIF RESP PREFERABLY MOUTH -TO-MOUTH. INGEST: CALL DR. INDUCE VOMITING BY GIVING IPECAC & 2 GLAS

SES H2O, OR STICK FINGER DOWN THROAT. NEVER  
GIVE ANYTHING BY MOUTH TO UNCONSCIOUS/DROWSY/NO GAG REFLEX PERSON.

===== Fire Fighting Measures =====

Flash Point Method:SCC

Flash Point:>200F,>93C

Autoignition Temp:Autoignition Temp Text:NE

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:USE AGENTS APPROVED FOR CLASS A HAZARDOUS E.G.  
HALOGENATED AGENTS, FOAM, STEAM OR WATER FOG.

Fire Fighting Procedures:FIREFIGHTERS AND OTHERS EXPOSED TO PROD OF  
COM

BUSTION SHOULD BE EQUIPED WITH NIOSH APPROVED POSITIVE PRESSURE  
SCBA & FULL PROTECTIVE CLOTHING.

===== Accidental Release Measures =====

Spill Release Procedures:SHOVEL OR VACUUM, PUT IN CLOSED CONTAINERS FOR  
HANDLING/DISPOSAL. DO NOT FLUSH TO SEWER, STREAM, OTHER BODIES  
WATER. EVACUATE/VENTILATE AREA. USE SCBA FOR ENCLOSED/UNVENTED  
SPACES.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN  
COOL DRY WELL VENTED AREA.

CNTNR CAN RETAIN RESIDUE DONT REUSE FOR FOOD/CLOTHES/PRODUCTS FOR  
HUMAN OR ANIMAL CONSUMPTION.\*

Other Precautions:\*FORMALDEHYDE MAY ACCUMULATE IN HEAD SPACE OF SEALED  
CONTAINERS & EXCEED 1 PPM PEL, 2 PPM STEL, 1 PPM ACGIH, 2 PPM STEL.  
APPROPRIATE RESPIRATORY PROTECTION SHOULD BE WORN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT USUALLY REQUIRED. IF >LIMITS USE NIOSH/MSHA  
APPROVED EQPT. USE SCBA O

R SUPPLIED AIR RESPIRATOR FOR HIGH AIR  
CONCENTRATIONS.

Ventilation:MAINTAIN AIRBORNE CONCENTRATIONS < LIMITS. LOCAL EXHAUST  
RECOMMENDED.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEM GOGGLES/SAFETY GLASSES/SIDE SHIELDS

Other Protective Equipment:EYEWASH FACILITY & PROTECTIVE CLOTHING.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING/BEFORE  
EATING/DRINKING/SMOKING/USING TOILET. CLEAN CONTAM CLOTHES/SHOES  
BEFORE REUSE.

Supplemental Safety and Health  
MORE INFORMATION ON FIL

E.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA  
Vapor Pres:NA  
Vapor Density:NA  
Spec Gravity:1.54  
pH:NA  
Viscosity:6000/12000POI  
Evaporation Rate & Reference:NA  
Solubility in Water:INSOLUBLE.  
Appearance and Odor:RED COLORED PASTE, SULFIDE ODOR  
Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NK  
Hazardous Decomposition Products:PHENOLICS, OXIDES OF NI  
TROGEN/SULFUR,  
SMOKE, SOOT, TOXIC FUMES (E.G. CARBON DIOXIDE & CARBON MONOXIDE),  
HYDROGEN SULFIDE

===== Disposal Considerations =====

Waste Disposal Methods:IF DISCARDED IN ORIGINAL UNUSED FORM MANAGE AT  
AUTHORIZED FACILITY IN COMPLIANCE W/LOCAL/FEDERAL/STATE REGS.  
CONTACTING APPROPRIATE GOVERNMENT/ENVIRONMENTAL AGENCIES FOR  
FURTHER DISPOSAL GUIDANCE IS R EQUIRED. RECYCLE, TREAT, OR  
INCINERATE MATERIAL.

Disclaimer (provided with this in  
formation by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.