

SYNKOLOID OF FLORIDA INC -- SPACKLE, INT & EXT #N100 -- 5610-00-926-4562

===== Product Identification =====

Product ID:SPACKLE, INT & EXT #N100

MSDS Date:10/02/1991

FSC:5610

NIIN:00-926-4562

MSDS Number: CDPHS

=== Responsible Party ===

Company Name:SYNKOLOID OF FLORIDA INC

Address:40 ENTERPRISE BLVD SW

City:ATLANTA

State:GA

ZIP:30331

Country:US

CAGE:52615

=== Contractor Identification ===

Company

Name:SYNKOLOID OF FLORIDA INC

Address:40 ENTERPRISE BLVD SW

Box:City:ATLANTA

State:GA

ZIP:30331

Country:US

CAGE:52615

===== Composition/Information on Ingredients =====

Ingred Name:SOY BEAN PROTEIN

CAS:68513-95-1

Other REC Limits:NONE RECOMMENDED

Ingred Name:CASIEN

CAS:9000-71-9

Other REC Limits:NONE RECOMMENDED

Ingred Name:ALKYD RESIN

CAS:68554-99-4

Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Other REC Limits:NONE RECOMMENDED

Ingre

d Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)  
CAS:1317-65-3  
RTECS #:EV9580000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:VOC = 1.3 LB/GL  
RTECS #:9999999VO  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT RELEVANT  
ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and C  
hronic:INHALATION: HEADACHE, NAUSEA,  
IRRITATION OF NOSE/THROAT/LUNGS. EYE: IRRITATION. SKIN: IRRITATION.

===== First Aid Measures =====

First Aid:INHALATION: MOVE TO FRESH AIR. EYE: FLUSH W/LARGE AMTS WATER.  
CALL DR. SKIN: WASH W/SOAP & WATER. CALL DR. INGESTION: GIVE 2  
GLASSES WATER. CALL DR. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS  
PERSON.

===== Fire Fighting Measures =====

Flash Point:NA  
Autoignitio  
n Temp:Autoignition Temp Text:NA  
Extinguishing Media:NA  
Fire Fighting Procedures:COOL EXPOSED CONTAINERS W/WATER.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNIT SOURCES. ABSORB W/ABSORBENT.  
SWEEP/SCOOP UP. VENTILATE AREA.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, OPEN FLAME. USE  
ADEQUATE VENTILATION.  
Other Precautions:AVOID CHRONIC VAPOR BREATHING

OR SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Ventilation: AIR-SUPPLIED RESCUE EQUIPMENT IN ENCLOSED AREAS.  
Protective Gloves: YES  
Eye Protection: GLASSES  
Other Protective Equipment: FULL LENGTH CLOTHING.  
Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: 212F, 100C  
Vapor Pres: NA  
Evaporation Rate & Reference: SLOWER THAN ETHER  
Percent Volatiles by Volume: NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
NK  
Hazardous Decomposition Products: ACRYLIC MONOMERS, CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods: ACCORDING TO FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.