

DEXTER AEROSPACE MATERIAL DIVISION -- EPK 0151 RESIN, #AA0151 -- 8040-00-061-8303

=====
===== Product Identification =====

Product ID:EPK 0151 RESIN, #AA0151

MSDS Date:09/20/1993

FSC:8040

NIIN:00-061-8303

Kit Part:Y

MSDS Number: CDVDM

=== Responsible Party ===

Company Name:DEXTER AEROSPACE MATERIAL DIVISION

Address:2850 WILLOW PASS ROAD

Box:312

City:PITTSBURG

State:CA

ZIP:94565-0031

Country:US

Info Pho

ne Num:510-458-8000

Emergency Phone Num:800-424-9300(CHEMTREC)

Preparer's Name:KEN DECOSTA

CAGE:33564

=== Contractor Identification ===

Company Name:DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

=====
===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN

CAS:25068-38-6

Fraction by Wt: 60-100%

Other REC Limits:NONE RECOMMENDED

=====

==== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: MODERATELY IRRITATING. THERMAL
BURNS. SKIN: MODERATELY IRRITATING, SKIN SENSITIZATION. THERMAL
BURNS. INGESTION: LOW ORDER OF ACUTE ORAL TOXICITY.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN AND EYE
DISORDERS. PRE-EXISTING SKIN OR LUNG ALLERGIES MAY INCREASE.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH W/H2O 15 MIN, LIFT LIDS. IF BURN: IMMED FLUSH
W/COOL H2O 15 MIN. SKIN: REMOVE CONTAM CLOTH/SHOES. WIPE EXCESS
FROM SKIN. WASH W/SOAP/H2O. IF BURN: IMMED FLUSH W/COOL WATER FOR
15 MIN. IF CL OTHES ARE STUCK TO BURN DONT PULL THEM OFF, CUT
AROUND. COVER BURN W/CLEAN MATERIAL. INHAL: REMOVE TO FRESH AIR.
GIVE OXYGEN IF BREATH DIFFICULT. INGEST: DONT INDUCE VOMIT. GET MED
AID IN ALL CASES.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:155F,68C
Lower Limits:0.4
Upper Limits:1.3
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL FOR SMALL FIRES. FOAM
FOR LARGE FIRES.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:CLEANUP AND DISPOSAL SHOULD BE IN ACCORDANCE
WITH FEDERAL, STATE, AND LOCAL ENVIRONMENTAL CONTROL REGULATIONS

===== Handling and Storage =====

Other Precautions:USE ONLY WITH ADEQUATE VENTILATION, PARTICULARLY IF
HEATED OR SPRAYED. AVOID CONTACT WITH SKIN OR EYES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR SUPPLIED MASK IN CONFINED SPACE.
Ventilation:LOCAL EXHAUST PREFERRED, MECHANICAL EXHAUST ACCEPTABLE.
Protective Gloves:RUBBER OR PLASTIC GLOVES
Eye Protection:SAFETY GLASSES OR GOGGLES
Other Protective Equ

ipment:SAFETY SHOWER AND EYE BATH. USE COVERALLS OR
APRON TO PROTECT AGAINST SKIN OR CLOTHING CONTAMINATION.
Work Hygienic Practices:WASH CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health
MORE INFORMATION ON FILE.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:284F,140C
Vapor Pres:2.0
Vapor Density:3.8
Spec Gravity:1.14
Evaporation Rate & Reference:>1.0
Solubility in Water: