

GRIGGS PAINT -- MIL-R-3043B BLUED RESIN COATING #700L88 -- 8030-00-200-6946

=====
Product Identification
=====

Product ID:MIL-R-3043B BLUED RESIN COATING #700L88

MSDS Date:05/01/1995

FSC:8030

NIIN:00-200-6946

MSDS Number: CDVGC

=== Responsible Party ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

City:PHOENIX

State:AZ

ZIP:85040

Country:US

Info Phone Num:602-243-3293

Emergency Phone Num:80

0-424-9300 CHEMTREC

Preparer's Name:ROBERT COMMSSO

CAGE:DO312

=== Contractor Identification ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

Box:City:PHOENIX

State:AZ

ZIP:85040

Country:US

Phone:602-243-3293

CAGE:58963

Company Name:GRIGGS PAINT

Address:3602 S 16TH PL

City:PHOENIX

State:AZ

ZIP:85040-1319

Phone:602-243-3293

CAGE:DO312

=====
Composition/Information on Ingredients
=====

Ingred Name:PHENOL (SARA 313) (CERCLA)

CAS:108-95-2

RTECS #:SJ3327000

Fraction by Wt: 1-

5.0%
Other REC Limits:NIOSH 5PPM/STEL15.6
OSHA PEL:5 PPM
ACGIH TLV:5 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:FORMALDEHYDE (SARA 313) (CERCLA)

CAS:50-00-0

RTECS #:LP8925000

Fraction by Wt: 15 MIN. SKIN: REMOVE CONTAM

CLOTHES, WAS BEFORE REUSE. WASH THOROUGHLY W/SOAP/WATER, GET MED AID. INHAL: GET TO FRESH AIR, IF BREATH HAS STOPPED, GIVE ARTIF RESP, MOUTH TO MOUTH, IF BREATH DIFFICULT, GIVE OXYGEN, GET MED AID IMMED. INGEST: DONT INDUCE VOMIT, GIVE GLASS WATER/MI LK, GET MED AID IMMED. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:23.0F,-5.0C

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR FOAM

Fire Fighting Procedures:WEAR COMPLETE PROTECTIVE EQUIPMENT (FULL FACE PEICE MSHA/NIOSH APPROVED EQUIPMENT OR SCBA). USE WATER TO COOL FIRE EXPOSED CONTAINERS, PROTECT PERSONNEL

Unusual Fire/Explosion Hazard:CAN RELEASE EXPLOSIVE VAPORS, CLOSED

CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT, MAY RELEASE TOXIC VAPORS. EMPTY CONTAINERS RETAIN RESIDUE.

===== Accidental Release Measures =====

Spill Release Procedures:STOP SPILL IF SAFE, DONT BREATHE VAPOR, NO IGNITS, VENT AREA, ADD ABSORBENT.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN AREA/BUILDING COMPLYING W/OSHA 1910.106, KEEP IN CLOSED/LABELED CNTNR

IN COOL, DRY, VENTED
AREA, DONT DAMAGE CNTNR, KEEP CLOSED WHEN NOT USED

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MAY BE REQUIRED.
Ventilation:NORMALLY REQUIRED.
Protective Gloves:HEAVY DUTY, NEOPRINE OR EQUAL.
Eye Protection:GOGGLES, FACE SHIELD/SIDE SHIELD.
Other Protective Equipment:EYEWASH FACILITY, INDUSTRIAL TYPE WORK
CLOTHING & SAFETY FOOTWEAR/APRONS/JACKETS/PANTS/COVERALLS/BOOTS,
ETC.
Supplemental Safety and Health
(MORE INFORMATION ON FILE).

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NE
Vapor Pres:NE
Vapor Density:>1.0
Spec Gravity:1.054
VOC Pounds/Gallon:680
pH:NA
Viscosity:NE
Evaporation Rate & Reference: