

GRIGGS PAINT -- TT-P-1952D TYPE 1 WHITE #700WR7 -- 8010-01-017-1512

=====
Product Identification
=====

Product ID:TT-P-1952D TYPE 1 WHITE #700WR7

MSDS Date:02/19/1996

FSC:8010

NIIN:01-017-1512

MSDS Number: CDVNV

=== Responsible Party ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

City:PHOENIX

State:AZ

ZIP:85040

Country:US

Info Phone Num:602-243-3293

Emergency Phone Num:800-424-9300 CHEMT

REC

Preparer's Name:ROBERT COMMISSO

CAGE:DO312

=== Contractor Identification ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

Box:City:PHOENIX

State:AZ

ZIP:85040

Country:US

Phone:602-243-3293

CAGE:58963

Company Name:GRIGGS PAINT

Address:3602 S 16TH PL

City:PHOENIX

State:AZ

ZIP:85040-1319

Phone:602-243-3293

CAGE:DO312

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYLENE GLYCOL (SARA 313) (CERCLA) VP = 0.1 @ 68F

CAS:107-21-1

RTECS #:KW2975000

Fraction

by Wt: 5.0%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:2.0 MG/M3

Ingred Name:AMORPHOUS SILICA
CAS:68855-54-9
Fraction by Wt: 10.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA 313) (CERCLA) VP = 5.9 @
68F
CAS:67-56-1
RTECS #:PC1400000
Fraction by Wt: 3.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHAL: IRRIT OF NOSE, THROAT,
RESPIRATORY TRACT. HEADACHE & NAUSEA. SKIN: IRRIT. EYE: IRRIT.
INGEST: IRRIT, DAMAGE TO MUCOUS MEMNBRANES.

=====
===== First Aid Measures =====
=====

First Aid:INHALATION: REMOVE TO FRESH AIR AND GIVE ARTIFICIAL
RESPIRATION OR OXYGEN IF NEEDED. CALL A PHYSICIAN. INGESTION: DO
NOT INDUCE VOMITING. CALL A PHYSICIAN. EYE: FLUSH EYES WITH WATER
FOR 15 MINUTES. C ALL A PHYSICIAN. SKIN CONTACT: WASH SKIN WITH
SOAP AND CALL DR IF IRRIT PERSISTS.

=====
===== Fire Fighting Measures =====
=====

Flash Point:NA
Lower Limits:3.2
Upper Limits:NA
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:PRODUCT WILL NOT BURN BUT MAY SPATTER IF
TEMPERATURE EXCEEDS BOILING POINT. POLYMER FILMS ARE CAPABLE OF
BURNING GIVING OFF OXIDES OF CA

RBON/NITROGEN.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. DIKE AND CONTAIN SPILL WITH INERT MATERIAL. TRANSFER LIQUID TO CONTAINERS. KEEP SPILLS AND RUNOFFS OUT OF MUNICIPAL SEWERS AND OPEN BODIES OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID FREEZING. AVOID CONTACT WITH MICROORGANISMS. KEEP CONTAINER CLOSED WHEN NOT IN USE.

E.

Other Precautions:CAUTION - MAY BE HARMFUL IF SWALLOWED. BREATHING VAPOR OR MIST MAY BE HARMFUL. USE WITH ADEQUATE VENTILATION. AVOID EYE AND SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE EXCEEDS PERMISSIBLE EXPOSURE LIMITS, USE APPROPRIATE NIOSH APPROVED RESPIRATORY EQUIPMENT.

Ventilation:LOCAL EXHAUST RECOMMENDED. MECHANICAL VENTILATION RECOMMENDED.

Protective Gloves:IMPERMEABLE GLOVES-MINIMIZE SKIN CONTACT

Eye Protection:CHEM SPLSH GOGGLES,SFTY GLASSES,FACESHLD

Other Protective Equipment:EYE WASH FOUNTAIN, SAFETY SHOWER

Work Hygienic Practices:WASH HANDS BEFORE EATING.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:147F,64C

Vapor Density:> AIR

Spec Gravity:1.7 (H2O=1)

VOC Grams/Liter:.81

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:100%

Appearance and Odor:VISCOUS LIQUID WITH SLIGHT AMMONI

A ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NK

Stability Condition to Avoid: FREEZING TEMPERATURES

===== Disposal Considerations =====

Waste Disposal Methods: OBEY RELEVANT LOCAL, STATE, AND FEDERAL LAWS. DO NOT CONTAMINATE ANY LAKES, PONDS, STREAMS, OR UNDERGROUND WATER SUPPLIES. TREAT AS HAZARDOUS WASTE. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

=
===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.