

DEVOE COATINGS COMPANY -- DEVFLEX 601 595A24516 CLIPPER BLUE #601S5916 --  
8010-01-208-7773

=====  
===== Product Identification =====

Product ID:DEVFLEX 601 595A24516 CLIPPER BLUE #601S5916

MSDS Date:10/08/1996

FSC:8010

NIIN:01-208-7773

MSDS Number: CDVRX

=== Responsible Party ===

Company Name:DEVOE COATINGS COMPANY

Address:4000 DUPONT CIRCLE

Box:7600

City:LOUISVILLE

State:KY

ZIP:40207

Country:US

Info Pho

ne Num:502-897-9861

Emergency Phone Num:800-424-9300 (CHEMTREC)

Preparer's Name:LOUIS F HOLZKNECHT

CAGE:1HK86

=== Contractor Identification ===

Company Name:DEVOE COATINGS CO

Address:4000 DUPONT CIRCLE

Box:7600

City:LOUISVILLE

State:KY

ZIP:40207-4802

Country:US

Phone:502-897-9861

CAGE:1HK86

=====  
===== Composition/Information on Ingredients =====

Ingred Name:ACRYLIC RESIN

Fraction by Wt: 5.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:ANTIMONY TRIOXIDE (SARA III)

CAS:1309-64-4

RTECS #:CC5650000  
Fraction by Wt: 5.0%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:0.5 MG/M3  
ACGIH TLV:0.5 MG/M3  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:CHLOROHYDROCARBON POLYMER  
CAS:9002-86-2  
RTECS #:KV0350000  
Fraction by Wt: 5.0%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 MG/M3 TDUST

Ingred Name:DIPROPYLENE GLYCOL MONO METHYL ETHER (VAPOR PRESSURE 15 MINUTES.  
CONSULT A PHYSICIAN FOR MEDICAL  
TREATMENT. SKIN: REMOVE WITH SOAP AND WATER. REMOVE SOILED  
CLOTHING. INGEST :  
DRINK 1 OR 2 GLASSES OF WATER. DONT INDUCE  
VOMIT. CALL DR. TREAT SYMPTOMATICALLY.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE  
Lower Limits:1.1  
Extinguishing Media:IN CASE OF FIRE USE CO2, DRY CHEMICAL, FOAM, OR  
OTHER NFPA APPROVED METHOD FOR TREATING A CLASS B FIRE.  
Fire Fighting Procedures:FULL PROTECTIVE EQUIPMENT INCLUDING SCBA.  
WATER SPRAY MAY BE INEFFECTIVE, USE TO COOL FIRE EXPOSED CNTNR (FOG  
NOZZLES PREFERABLE)  
Unusual Fire/Explo  
sion Hazard:CLOSED CNTNR MAY EXPLODE W/HEAT. DURING  
EMERGENCY CONDITIONS, DECOMPOSITION PRODUCTS ARE HEALTH HAZARD.  
SYMPTOMS ARENT IMMED APPARENT. GET MED AID.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WASH WITH WATER. CONTAIN SPILLED MATERIAL AND  
REMOVE WITH INERT ABSORBENT. STORE IN CLOSED CONTAINER UNTIL  
PROPERLY DISPOSED OF.

=====  
===== Handling and Storage =====

Handling and Storage Precautio

ns:STORE BELOW 110F AND KEEP FROM  
FREEZING. KEEP CONTAINER CLOSED WHEN NOT IN USE. DO NOT REUSE EMPTY  
CONTAINERS.

Other Precautions:DO NOT TRANSFER CONTENTS TO BOTTLES OR OTHER  
UNLABELLED CONTAINERS. KEEP OUT OF REACH OF CHILDREN.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO VAPOR/SPRAY/DUST BREATHING. FOR OUTDOOR OR  
SANDING/GRINDING: MECHANICAL FILTER RESPIRATOR. IN RESTRICTED VENT  
AREAS: CHEMICAL/MECHANICAL FILTERS, (PARTIC

ULATE/VAPORS). IN

CONFINED AREAS: AIR SUPPLI ED RESPIRATOR/HOOD. USE NIOSH/MSHA EQUIP

Ventilation:GENERAL DILUTION OR LOCAL EXHAUST VENT TO KEEP BELOW  
LIMITS.

Protective Gloves:RECOMMENDED

Eye Protection:SPLASH GUARD W/SIDESHIELD.

Other Protective Equipment:NONE REQUIRED

Work Hygienic Practices:REMOVE AND WASH SOILED CLOTHING BEFORE REUSE.

WASH HANDS BEFORE EATING, SMOKING OR USING WASHROOM.

Supplemental Safety and Health

NK

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212 TO 356F

Vapor Density:>AIR

Spec Gravity:1.2 - 1.3

VOC Pounds/Gallon:231

pH:5-8

Solubility in Water:APPRECIABLE

Appearance and Odor:CLIPPER BLUE VISCOUS LIQUID, MILD ODOR

Percent Volatiles by Volume:59.87

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NK

Hazardous Decomposition Products:CO, CO2, OXIDES OF NITROGEN, CHLORINE  
OR HCL, OXIDES & CHLORIDES OF ANTIMONY.

=====  
===== Dispo

sal Considerations =====

Waste Disposal Methods:IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. INCINERATE ONLY IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.