

FISHER SCIENTIFIC -- 1,2-DICHLOROETHANE, E-175 -- 6810-00-003-3043

=====  
Product Identification  
=====

Product ID:1,2-DICHLOROETHANE, E-175

MSDS Date:12/07/1994

FSC:6810

NIIN:00-003-3043

MSDS Number: CDWZB

=== Responsible Party ===

Company Name:FISHER SCIENTIFIC

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ

ZIP:07410

Country:US

Info Phone Num:201-796-7100

Emergency Phone Num:800-424-9300(CHEMTREC)

CAGE:1B464

=== Contractor Identification ===

Company Name:FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address:1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802

Country:US

Phone:201-796-7100

CAGE:1B464

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHANE, 1,2-DICHLORO-; (1,2-DICHLOROETHANE) (SARA 313)  
(CERCLA)

CAS:107-06-2

RTECS #:KI0525000

Fraction by Wt: 100%

OSHA PEL:50 PPM

ACGIH TLV:10 PPM

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:SUPDA

T:AWAY FROM ENDS OF TANKS. FOR MASSIVE FIRE IN CARGO  
AREA, USE UNMANNED HOSE HOLDER/MONITOR NOZZ; IF THIS IS(ING 3)  
RTECS #:9999999ZZ

Inged Name:ING 2:IMPOSS, W/DRAW FROM AREA & LET FIRE BURN. W/DRAW  
IMMED IN CASE OF RISING SOUND FROM VENTING SFTY DEVICE/ANY(ING 4)  
RTECS #:9999999ZZ

Inged Name:ING 3:DISCOLORATION OF TANK DUE TO FIRE. ISOLATE FOR 1/2  
MILE IN ALL DIRECTIONS IF TANK, RAIL CAR/TANK TRUCK IS (ING 5)  
RTECS #:9999999ZZ

Inged Name:ING 4:INVOLVED IN FIRE. EXTING ONLY IF  
FLOW CAN BE STOPPED;  
USE FLOODING AMTS OF WATER AS A FOG, SOLID STREAMS (ING 6)  
RTECS #:9999999ZZ

Inged Name:ING 5:MAY BE INEFFECTIVE. KEEP UPWIND.  
RTECS #:9999999ZZ

Inged Name:EFTS OF OVEREXP:MAY CAUSE BURNING SENSATION IN MOUTH,  
THROAT & STOM. SYSTEMIC TOX, INCL CNS DEPRESS, HEPATOTOX & (ING 8)  
RTECS #:9999999ZZ

Inged Name:ING 7:NEPHROTOXICITY, MAY OCCUR AS DETAILED IN ACUTE INHAL.  
INGEST OF 5 ML MAY BE LETHAL TO MAN. CHRONIC:INHAL: (ING 9)  
RTECS #:9999999ZZ

Inged Name:ING  
8:EXPOS TO 10-37 PPM HAS CAUSED NAUS, VOMIT, DIZZ &  
ADVERSE NERV SYS & LIVER EFTS. RPTD/PRLNG EXPOS MAY ALSO(ING 10)  
RTECS #:9999999ZZ

Inged Name:ING 9:RSLT IN IRRIT OF MUC MEMBS, ACUTE BRONCH INFLAMM,  
LOSS OF APPETITE, WT LOSS, ANEMIA, CONSTIP, INSOM, (ING 11)  
RTECS #:9999999ZZ

Inged Name:ING 10:EPIGASTRIC DISTRESS, NYSTAGMUS, LIVER & KIDNEY DMG,  
ELEVATED UREBILINOGEN & CARD PAIN. NEUROLOGIC EFTS (ING 12)  
RTECS #:9999999ZZ

Inged Name:ING 11:MAY OCCUR. DEATH MAY RSLT FROM RESP

CIRCULATORY,  
HEPATIC/RENAL FAILURE. REPRO EFTS HAVE BEEN REPORTED IN (ING 13)  
RTECS #:9999999ZZ

Ingred Name:ING 12:ANIMALS. SKIN:RPTD/PRLNG CONT W/LIQ CAN PRDCE DRY,  
SCALY, FISSURED DERM DUE TO DEFAT ACTION. SYSTEMIC (ING 14)  
RTECS #:9999999ZZ

Ingred Name:ING 13:EFTS MAY ENSUE. ADMIN TO MICE BY SKIN APPLICATION  
RESULTED IN STATISTICALLY SIGNIFICANT INCR IN INCIDENCE(ING 15)  
RTECS #:9999999ZZ

Ingred Name:ING 14:OF NEOPLASTIC TUMORS OF RESP TRACT & SKIN.  
EYES:RPTD/PRLNG CONT MA  
Y CAUSE CONJ. INGEST:MAY CAUSE SYSTEMIC(ING  
16)  
RTECS #:9999999ZZ

Ingred Name:ING 15:EFTS. IN MICE, IT PRDCD BENIGN & MALIGNANT TUMORS OF  
LUNG & MALIGNANT LYMPHOMAS IN ANIMALS OF BOTH SEXES;(ING 17)  
RTECS #:9999999ZZ

Ingred Name:ING 16:HEPATOCELLULAR CARCINOMAS IN MALES & MAMMARY &  
UTERINE ADENOCARCINOMAS IN FEMALES. IN RATS, IT PRDCD (ING 18)  
RTECS #:9999999ZZ

Ingred Name:ING 17:CARCINOMAS OF FORESTOMACH IN MALES, BENIGN &  
MALIGNANT MAMMARY TUMORS IN FEMALES & HEMANGIOSARCOMA  
S IN (ING 19)  
RTECS #:9999999ZZ

Ingred Name:ING 18:ANIMALS OF BOTH SEXES.  
RTECS #:9999999ZZ

Ingred Name:FIRST AID PROC:(MINS). GET MED ATTN. INGEST:IF VOMIT OCCURS,  
KEEP HEAD LOWER THAN HIPS TO HELP PVNT ASPIR. TREAT (ING 21)  
RTECS #:9999999ZZ

Ingred Name:ING 20:SYMPTOMATICALLY & SUPPORTIVELY. GET MEDICAL  
ATTENTION.  
RTECS #:9999999ZZ

Ingred Name:OTHER PREC:RUPTURE & TRAVEL A CONSIDERABLE DISTANCE IN HEAT  
OF FIRE.  
RTECS #:9999999ZZ

Ingred Name:RESP PROT:SUPPLIED AIR RESP W/FULL FA

CEPIECE OPERATED IN  
PRESS-DEMAND/OTHER POS-PRESS MODE IN COMBINATION W/ (ING 24)  
RTECS #:9999999ZZ

Ingred Name:ING 23:AUXILIARY SCBA OPERATED IN PRESS-DEMAND/OTHER  
POS-PRESS MODE. ESCAPE-ANY AIR-PURIFYING, FULL-FACEPIECE (ING 25)  
RTECS #:9999999ZZ

Ingred Name:ING 24:RESP (GAS MASK) W/CHIN-STYLE, FRONT- OR BACK-MOUNTED  
ORGANIC VAPOR CANISTER; ANY APPROP ESCAPE-TYPE, SCBA.  
RTECS #:9999999ZZ

===== Hazards Identification =====

LD50 LC50 Mixture:LD50:  
(ORAL,RAT) 670 MG/KG.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:ACUTE:INHAL:MAY CAUSE IRRIT OF UPPER  
RESP TRACT, HDCH, NAUS & VOMIT, DIARR & INTEST CRAMPS. CNS EFTS  
INCL LT HEAD, WEAK, ANXIETY, DROW, DELIRIUM, COLLAPSE & COMA MAY  
APPEAR W/IN SEVERAL HRS AFTER EXPO S. THERE MAY BE QUIESCENT PERIOD  
& THEN, IF INDIVIDUAL SURVIVES, OLIGURIA, JAUN & ANEMIA MAY RSLT.  
(EFTS OF OV

EREXP)

Explanation of Carcinogenicity:ETHYLENE DICHLORIDE:IARC MONO, SUPP, VOL  
7, PG 56, 1987:GRP 2B. NTP 7TH ANNUAL RPT ON CARCINS, 1994:ANTIC TO  
BE (SUPDAT)

Effects of Overexposure:HLTH HAZ:DEATH MAY OCCUR FROM RESP/CARD ARREST.  
SKIN:LIQ MAY CAUSE IRRIT. PRLNG CONT MAY RSLT IN SEV IRRIT, MOD  
EDEMA & NECROSIS. MAY BE ABSORBED & CAUSE SYSTEMIC TOX. EYE:HIGH  
VAP CONCS/LIQ MAY CAUSE IMMED DISCOMFORT, LACRIM, HYPEREMIA OFCONJ  
& CORNEAL INJURY, WHICH MAY RETURN TO NORMAL W/I

N DAY/TWO. INGEST:  
(ING 7)

Medical Cond Aggravated by Exposure:PERSONS W/BRONCHITIS, ASTHMA,  
KIDNEY, LIVER, BLOOD, HEART OR CIRCULATORY DISORDERS ARE AT  
INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:INHAL:REMOVE TO FRESH AIR IMMED. PERFORM ARTF RESP IF NEC.  
KEEP PERS WARM & AT REST. TREAT SYMPTOMATICALLY & SUPPORTIVELY. GET  
MED ATTN. SKIN:REMOVE CONTAM CLTHG & SHOES IMMED. WASH W/SOAP &  
WATER UNT IL NO EVID

OF CHEM REMAINS (AT LST 15-20 MINS). GET MED

ATTN. EYES:WASH IMMED W/LG AMTS OF WATER/NORMAL SALINE, OCCAS  
LIFTING UPPER & LOWER LIDS, UNTIL NO EVID OF CHEM REMAINS (AT LST  
15-20 (ING 20)

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:56.0F,13.3C

Lower Limits:6.2%

Upper Limits:16%

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR  
REGULAR FOAM. FOR LARGER FIRES, USE WATER SPRAY, FOG OR REGULAR  
FOAM.

Fire

Fighting Procedures:USE NIOSH APPRVD SCBA & FULL PROT EQUIP . MOVE  
CNTNR FROM FIRE AREA IF W/OUT RISK. APPLY COOLING WATER TO SIDES OF  
CNTNRS EXPOS TO FLAMES UNTIL (SUPDAT)

Unusual Fire/Explosion Hazard:DANGEROUS FIRE HAZ WHEN EXPOS TO HEAT,  
FLAME/OXIDIZERS. VAP-AIR MIXTS ARE EXPLO ABOVE FLASH POINT. VAPS  
MAY TRAVEL CONSIDERABLE DIST TO SOURCE OF IGNIT (SUPDAT)

===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF IGNIT SOURCES; N  
O FLARES,

SMOKING/FLAMES IN HAZ AREA. STOP LEAK IF W/OUT RISK. WATER SPRAY  
MAY REDUCE VAP; BUT MAY NOT PVNT IGNIT IN CLSD SPACES. SM

SPIILLS:TAKE UP W/SAND OR OTHER NONCOMBUST ABSORB MATL & PLACE INTO  
CNTNRS FOR LATER (SUPDAT)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:OBSERVE ALL FED, STATE & LOC REGS WHEN  
STORING THIS SUBSTANCE. STORE AWAY FROM INCOMPAT SUBSTANCES.  
PROT

AGAINST PHYSICAL DMG. FLAMM LIQ, POISON.

Other Precautions:OUTSIDE/DETACHED STOR IS PREF. INSIDE STORE SHOULD BE  
IN STD FLAMM LIQS STOR ROOM/CABINET. SEPARATE FROM OXIDIZING MATLS.  
VAPS MAY BE EXPLO & POIS; DO NOT ALLOW UNNEC PERS IN AREA. DO NOT  
OVERHEAT CNT NRS; CNTNRS MAY VIOLENTLY (ING 22)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SPECIFIC RESP SELECTED MUST BE BASED ON CONTAM  
LEVELS FOUND IN WORK PLACE, MUST NOT EX

CEED WORKING LIMS OF RESP &

BE NIOSH APPRVD: AT ANY DETECTABLE CONC-ANY SCBA W/FULL-FACEPIECE OPERATED IN PRESS-DE MAND/OTHER POS-PRESS MODE; ANY (ING 23)

Ventilation:PROVIDE LOCAL EXHAUST OR PROCESS ENCLOSURE VENTILATION TO MEET PELS. VENTILATION EQUIPMENT MUST BE EXPLOSION-PROOF.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGS &(SUPDAT)

Other Protective Equipment:ANSI APPRVD EYE WASH FOUNTAIN & DELUGE SHOWER . APPROP PROT (IMPERVIOUS) CLTHG & EQUIP TO PVNT CONT W/SUBSTANCE.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

EXPLO HAZ:& FLASH BACK. EXPLAN OF CARCIN:CARCIN. ANIMAL:GI, SKIN, LUNGS. SPILL PROC:DISP. LGR SPILLS:DIKE FAR AHEAD OF SPILL FOR LATER DISP. ISOLATE HAZ AREA & DENY ENTRY. STAY UPWIND. RQ:5000 LBS. FO R MORE INFO CONT NEHC. EYE PROT:FULL LENGTH FACESHIELD . FIRE FIGHT PROC:WELL AFTER FIRE IS OUT. STAY(ING 2)

=====  
===== Physical/Chemical Properties  
=====

Boiling Pt:B.P. Text:183F,84C

Melt/Freeze Pt:M.P/F.P Text:-32F,-36C

Vapor Pres:87 @ 25C

Vapor Density:3.35

Spec Gravity:1.256

Evaporation Rate & Reference:1.3 (CCL\*4=1)

Solubility in Water:0.8%

Appearance and Odor:CLEAR, COLORLESS, OILY LIQUID W/PLEASANT CHLOROFORM-LIKE ODOR & SWEET TASTE.

=====  
===== Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

ALUMINUM, LIQ AMMONIA, STRONG CAUSTICS, METALS, STRONG OXIDIZERS. F OR

COMPLETE LIST OF MATLS TO AVOID CONT NEHC .

Stability Condition to Avoid:AVOID CONTACT W/HEAT, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION.

Hazardous Decomposition Products:THERMAL DECOMP PRODUCTS MAY INCL HIGHLY TOXIC FUMES OF PHOSGENE. TOXIC & CORR FUMES OF CHLORIDES & OXIDES OF CARBON.

=====  
===== Disposal Considerations  
=====

Waste Disposal Methods:OBSERVE ALL FED, STATE & LOC REGS WHEN DISP OF THIS SUBSTANCE. MATLS WHICH CNTN 1,2-DICHLOROET

HANE AT/ABOVE THE

TCLP REGULATORY LEVEL MEET THE EPA TOX CHARACT & MUST BE DISP OF  
I/A/W 40 CFR PART 262. EPA HAZ WASTE NUMBER:D028.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document shou

ld seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.