

FISHER SCIENTIFIC CHEMICAL -- BARIUM CHLORIDE DIHYDRATE, ACC02371 -- 6810-00-236-5336

=====
Product Identification
=====

Product ID: BARIUM CHLORIDE DIHYDRATE, ACC02371

MSDS Date: 07/31/1991

FSC: 6810

NIIN: 00-236-5336

MSDS Number: CDWZT

=== Responsible Party ===

Company Name: FISHER SCIENTIFIC CHEMICAL

Address: 1 REAGENT LANE

City: FAIR LAWN

State: NJ

ZIP: 07410

Country: US

Info Phone Num: 201-796-7100

Emer

gency Phone Num: 800-424-9300 (CHEMTREC)

CAGE: 1B464

=== Contractor Identification ===

Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address: 1 REAGENT LANE

Box: City: FAIRLAWN

State: NJ

ZIP: 07410-2802

Country: US

Phone: 201-796-7100

CAGE: 1B464

=====
Composition/Information on Ingredients
=====

Ingred Name: BARIUM CHLORIDE DIHYDRATE LD50 (ORAL RAT): 118 MG/KG

CAS: 10326-27-9

RTECS #: CQ8751000

OSHA PEL: 0.5 MG BA/M3

ACGIH TLV: 0.5 MG BA/M3

Ingred Name: SUP DAT: DEPRESSED. HEMORRS M

AY OCCUR IN STOM, INTESTINES &
KIDNEYS. KIDNEY DMG & KIDNEY FAILURE HAVE BEEN (ING 3)
RTECS #:9999999ZZ

Ingr Name:ING 2: DESCRIBED. COLLAPSE & DEATH FROM RESP FAILURE, SEV
HYPOKALEMIA & CARD ARREST MAY OCCUR. CHRONIC: INHAL: (ING 4)
RTECS #:9999999ZZ

Ingr Name:ING 3: NO DATA AVAIL. SKIN: RPTD & PRLNG CONT W/IRRITANTS
MAY CAUSE DERM. EYE: RPTD & PRLNG CONT W/IRRITANTS MAY (ING 5)
RTECS #:9999999ZZ

Ingr Name:ING 4: CAUSE CONJ. INGEST: NO DATA AVAILABLE.
RTECS #:9999999ZZ

Ingr
ed Name:FIRST AID PROC: (APPROX 15-20 MIN). GET MED ATTN IMMED.
INGEST:INDUCE VOMIT IMMED WHEN SOL BARIUM CMPDS INGESTED.(ING 7)
RTECS #:9999999ZZ

Ingr Name:ING 6: TREAT SYMPTOMATICALLY & SUPPORTIVELY. GET MED ATTN
IMMED. ANTIDOTE:POIS FROM BARIUM CMPDS:GIVE 30 G OF (ING 8)
RTECS #:9999999ZZ

Ingr Name:ING 7: SODIUM SULFATE IN 250 ML OF WATER ORALLY & REPEAT IN
1 HR. GIVE BY GASTRIC TUBE IF SYMPS HAVE APPEARED. (ING 9)
RTECS #:9999999ZZ

Ingr Name:ING 8: ADMIN OF SULFATE SALTS
INTRAVENOUSLY IS HAZ, SINCE
THEY INDUCE PRECIPITATION OF BARIUM SULFATE IN KIDNEY,(ING 10)
RTECS #:9999999ZZ

Ingr Name:ING 9: W/SUBSEQUENT RENAL FAILURE. ADMIN OF POTASSIUM IS
CRITICAL. ANTIDOTE SHOULD BE ADMIN BY QUALIFIED MED PERS.
RTECS #:9999999ZZ

Ingr Name:SPILL PROC: AHEAD OF SPILL FOR LATER DISP. ISOLATE HAZ AREA
& DENY ENTRY. VENT CLSD SPACES BEFORE ENTERING.
RTECS #:9999999ZZ

===== Hazards Identification =====

LD50 LC50 Mixture:SEE

INGREDIENT 1.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHAL: 250 MG(BA)/M3 IMMED

DANGEROUS TO LIFE/HLTH. MAY CAUSE IRRIT OF RESP TRACT, SORE THROAT, COUGHING & LABORED BRTHG. SKIN: MAY CAUSE IRRIT & DERM. IF SUFFICIENT AMTS ARE ABSORBED, EFTS MAY OCCUR AS IN ACUTE INGEST. EYE: APPLICATION OF 0.08-0.01 M SOLN, FOR 10 MIN, ON RABBIT EYES, CAUSED (EFTS OF OVEREXP)

Expla

nation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:HLTH HAZ: CONSIDERABLE IRITIS, WHICH SUBSIDES

IN FEW DAYS. INGEST: SEV GI IRRIT INCL NAUS, VOMIT & DIARR W/OR W/OUT ABDOM COLIC, & EXCESS SALIVATION. THERE MAY ALSO BE DRYNESS & SENSE OF CONSTRICTION OF MOUTH & THROAT & METALLIC TASTE. SYSTEMIC EFTS FOLLOW & MAY INCL OCULAR CHANGES, CAUSING BLURRED VISION. (SUP DAT)

Medical Cond Aggravated by Exposure:PERSONS WITH CHRONIC RESPIRATORY CARDIOVASCULAR OR SKIN DISEASES.

===== First Aid Measures =====

First Aid:INHAL:REMOVE TO FRESH AIR IMMED. IF BRTHG STOPPED, GIVE ARTF RESP. KEEP WARM & AT REST. TREAT SYMPTOMATICALLY & SUPPORTIVELY. GET MED ATTN. SKIN:REMOVE CONTAM CLTHG & SHOES IMMED. WASH AFFECTED AREA W /SOAP & WATER UNTIL NO EVIDENCE OF CHEMREMAINS (APPROX 15-20 MIN). GET MED. EYE:WASH IMMED W/LGE AMTS OF WATER/NORM SALINE, OCCAS LIFTING UPPER & LOWER LIDS, UNTIL NO EVIDENCE OF CHEM REMAINS (ING 6)

===== Fire Fighting Measures =====

Extinguishing Media:DRY CHEMICAL, WATER SPRAY OR REGULAR FOAM. FOR LARGER FIRES, USE WATER SPRAY, FOG OR REGULAR FOAM.

Fire Fighting Procedures:WEAR NIOSH APPRVD SCBA & FULL PROT EQUIP . MOVE CONTR FROM FIRE AREA IF W/OUT RISK. FIGHT FIRE FROM MAX DIST. STAY AWAY FROM ENDS OF TANKS. (SUP DAT)

Unusual Fire/Explosion Hazard:NEGLIGIBLE FIRE HAZARD WHEN EXPOSED TO HEAT OR FLAME.

=====

Accidental Release Measures =====

Spill Release Procedures:DO NOT TOUCH MATL. STOP LEAK IF W/OUT RISK.
USE WATER SPRAY TO REDUCE VAPS. SML SPILLS: TAKE UP W/ABSORB MATL &
PLACE INTO CONTRS FOR LATER DISP. SML DRY SPILLS: W/CLEAN SHOVEL
PLACE MATL INTO CLEAN, DRY CONTRS & COVER. LGE SPILLS: DIKE FAR
(ING 11)
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:MAY
BURN BUT DOES NOT IGNITE READILY.
CONTAINERS MAY EXPLODE IN HEAT OF FIRE. STORE AWAY FROM
INCOMPATIBLE SUBSTANCES.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SPECIFIC RESPIRATOR SELECTED MUST BE BASED ON
CONTAMINATION LEVELS FOUND IN THE WORK PLACE, MUST NOT EXCEED THE
WORKING LIMITS OF THE RESPIRATOR AND BE NIOSH APPROVED. FOR A LIST
OF SPECIFIC RESPIRATORS, CONTACT NEHC .

Ventilation:PROVIDE LOCAL EXHAUST OR PROCESS ENCLOSURE VENTILATION TO
MEET PUBLISHED EXPOSURE LIMITS.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES .

Other Protective Equipment:ANSI APPRVD EMER EYEWASH & DELUGE SHOWER .
APPROP PROT CLTHG & EQUIP TO PVNT CONT W/SUBSTANCE.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

FIRE FIGHT PROC: DIKE FIRE-CTL WATER FOR LATER DISP; DO NOT SCATTER
MATL. EFTS OF OVEREXP:

HYPOKALEMIA MAY OCCUR & RSLT IN ABNORM OF
MYOCARDIAL FUNC & IMPAIRED NEUROMUSCULAR FUNC. OTHER EFTS MAY INCL
ANXIETY, WEAK, & GRADUALLY INCREASING SLEEPINESS W/MENTAL
CONFUSION. CNS MAY BE FIRST STIMULATED & THEN (ING 2)

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:96.0F,35.6C

Melt/Freeze Pt:M.P/F.P Text:235F,113C

Spec Gravity:3.097

Solubility in Water:58.7% @ 100C

Appearance and Odor:COLORLESS FLAT CRYSTALS WITH A BITTER, SALTY TASTE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

BROMINE TRIFLUORIDE, COMBUSTIBLE MATERIALS, 2-FURAN PERCARBOXYLIC ACID, ORGANIC MATTER.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: MAY INCLUDE TOXIC AND HAZARDOUS OXIDES OF BARIUM, AND CORROSIVE HYDROCHLORIC ACID.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.