View NSN Online: https://aerobasegroup.de/nsn/4730-01-414-6976

Product ID:1104/0180 BELZONA 1111(SUPPER METAL)SOLIDIFIER MSDS Date:07/14/1994 FSC:4730 NIIN:01-414-6976 Kit Part:Y MSDS Number: CDXNZ === Responsible Party === **Company Name: BELZONA INC** Address:2000 NW 88 COURT City:MIAMI State:FL ZIP:33172 Country:US Info Phone Num:305-594-4994 Eme rgency Phone Num:800-424-9300(CHEMTREC) Preparer's Name:W. FAUPEL CAGE:67020 === Contractor Identification === Company Name: BELZONA INC. Address:2000 N. W. 88 COURT Box:City:MIAMI State:FL ZIP:33172 Country:US Phone:305-594-4994 CAGE:0PX05 Company Name: BELZONA INC. Address:2000 N.W. 88 COURT City:MIAMI State:FL ZIP:33172 Country:US Phone:305-594-4994 CAGE:67020 Company Name: BELZONA VIRGINIA INC (804-463-1222) **Box:UNKNOW** CAGE:01CL4

======= Composition/Information on Ingredients =======

=====

Ingred Name:DIETHYLENETRIAMINE CAS:111-40-0 RTECS #:IE1225000 Fraction by Wt: 10-30% Other REC Limits:NONE RECOMMENDED OSHA PEL:1 PPM ACGIH TLV:S, 1 PPM; 9596

Ingred Name:TALC CAS:14807-96-6 RTECS #:MW2700000 Fraction by Wt: 40-70% Other REC Limits:NONE RECOMMENDED OSHA PEL:0.2 FIBERS/CC ACGIH TLV:0.2 FIBER/CC,A1;9596

Ingred Name:TITANIUM DIOXIDE CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9596

Ingred Name:PHENOL (SARA 302/313) (CERCLA) CAS:108-95-2 RTECS #:SJ3327000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED OSHA PEL:S, 5 PPM ACGIH TLV:S, 5 PPM; 9596 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:2,4,6-TRIS(DIMETHYLAMINO METHYL) PHENOL CAS:90-72-2 RTECS #:SN3500000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalati

on:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:CORROSIVE.ACUTE:CAUSES BURNS TO
SKIN/EYES.CHRONIC:CHEMICAL BURNS AND SENSITIZATION.
Explanation of Carcinogenicity: PER MSDS: NO INFO FOR MIXTURE HOWEVER
NONE OF INGREDS ARE LISTED AS CARCINOGENS BY OSHA/NTP/ACGIH/IARC.
Effects of Overexposure:BURNS TO SKIN/EYES. CHEMICAL BURNS, SENSITIZATION.
Medical Cond Aggravated by Exposure:SKIN AND EYE CONDITIONS.
================

First Aid:INHAL:SYMPT EXPERIENCED REMOVE SOURCE OF CONTAMIN &/OR MOVE TO FRESH AIR.RECOVERY DELAYED/SIGNS OF DISTRESS PRESENT OBTAIN MED ATTN IMMED.EYE:FLUSH W/WATER FOR 15MINS.IMMED 1STAID NECESSARY TO PREVENT DMG.IRRIT PERSIST GET MED ADVICE.SKIN:IMMED REMOVE EXCESS W/CLOTH.WASH WELL W/SOAP/WATER.IRRIT/INFLAMM PERSIST GET MED ADVICE.INGEST:DONT INDUCE VOMIT.RINSE MOUTH W/ATER.DRINK 1C OF WATER(SUPPLEMENT)

Flash Point Method:SCC Flash Point:>212F,>100C Autoignition Temp:Autoignition Temp Text:NP Lower Limits:NA Upper Limits:NA Extinguishing Media:WATER FOG (NOT A DIRECT STREAM OF WATER), FOAM, CARBON DIOXIDE, DRY CHEMICAL. Fire Fighting Procedures:WEAR PROTECTIVE CLOTH/USE SELF-CONTAINED BREATHING APPARATUS.FULL BUNKER GEAR SHOULD BE WORN IN EXTREME CASES.USE SAND TO CONTAIN BURNING MATL. Unusual Fire/Explosion Hazard:DECOMPOSI TION & COMBUSTION PRODUCTS MAY BE HAZARDOUS.

Spill Release Procedures: ABSORB W/INERT MATL(E.G.EARTH, SAND). SWEEP UP, PLACE IN SUITABLE LABELLED CNTNRS, SEAL, DISPOSE OF PROPERLY. FLUSH AREA W/DETERGENT & WATER. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:OVERHEATING MAY CAUSEA CNTNR TO RUPTURE.CNTNR SHOULD B E STORE UNDER COOL DRY CONDITIONS.EMPTY CNTNR WLL RETAIN RESIDUE AND MAY BE DANGEROUS. Other Precautions:CHEK ALL CNTNR FOR LEAKS @REGULAR INTERVALS/BEF USE.AVOID BRAETH VAP/CONTACT W/SKIN/EYES.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:CONFINED AREAS/GOOD NAT/MECH VENTI NOT AVAI LEADING TO RISK OF EXCEEDING TLV INDICATED APPROPR NIOSH/MSHA APPROVED RESPIRATOR SHOULD BE WORN.WEAR NIOSHA/MSHA RESP WHEN MACHINING/SANDING CURED

MATL LEA DS TO RESP &/OR NUISANCE DUST

PRODUCTIOM

Ventilation:WHERE ADEQUATE NATURAL VENTILATION IS NOT AVAILABLE PROVIDE SUITABLE LOCAL EXHAUST VENTILATION.

Protective Gloves: IMPERMEABLE (NEOPRENE, NITRILE, PVC)

Eye Protection:SAF GLASSES/GOGG.

Other Protective Equipment:SUITABLE PROTECTIVE CLOTHING TO MIN SKIN CONTACT.EYEWASH STATION.SAFETY BOOTS & CLEANED WELL BEF REUSE.

Work Hygienic Practices: WHEN USING DONT EAT/DRINK/SMOKE.REMOVE CONTAM

CLOTH; LAUNDER BEF REUSE. WASH HANDS W/SOA

P/WATER AFT HDNLG PRODUCT.

Supplemental Safety and Health

KEY1:B2. 1ST AID:EVERY 10MINS FOR 30MINS.CALL POIS CNTR &/OR SEEK MED ADVICE. 2-PART KIT,PNIND:B(BASE).

HCC:B2

Boiling Pt:B.P. Text:>347F,>175C Melt/Freeze Pt:M.P/F.P Text:NP Decomp Temp:Decomp Text:NP Vapor Pres:0.22 @25C Vapor Density:>AIR Spec Gravity:1.66 pH:NP Viscosity:NP Evaporation Rate & amp; Reference:NA Solubility in Water:SLIGHT (0.1-1.0%) Appearance and Odor:LIGHT GRAY PASTE WITH AMMONICAL ODOR. Percent Volatiles by Volume:0 Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS,ACIDS,EPOXY RESINS AND ISOCYANATES. Hazardous Decomposition Products:GASEOUS CONTAMINATIONS OF CARBON,HYDROGEN,NITROGEN AND OXYGEN MAY OCCUR @ELEVATED TEMPERATURES.

Waste Disposal Methods:CHEM SUBJ TO SARA TITLE III SEC 313 REPORTING REQMTS:PEHNOL 1.7%BY WT.DISPOSE OF IAW LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competen t professional advice to verify and assume responsibility for the suitability of this information to their particular situation.