View NSN Online: https://aerobasegroup.com/nsn/8040-00-753-4800

BONDED PRODUCTS INC -- MMM-A-187B, EPI PLUS B -- 8040-00-753-4800

Product ID:MMM-A-187B, EPI PLUS B MSDS Date:01/02/1996 FSC:8040 NIIN:00-753-4800 Kit Part:Y MSDS Number: CDXTJ === Responsible Party === Company Name: BONDED PRODUCTS INC Address:439 S BOLMAR ST Box:39 **City:WEST CHESTER** State:PA ZIP:19382-4933 Country:US Preparer's Name: JOHN BARTUSIAK CAGE:19092 == = Contractor Identification === Company Name: ABBEY COLOR INC DBA ABBEY PRODUCTS AND BONDED Address:400 E TIOGA ST Box:City:PHILADELPHIA State:PA ZIP:19134-1127 Country:US Phone:215-739-9960 CAGE:19092 Ingred Name: ALIPHATIC AMIDO AMINE (VP =1) Other REC Limits:NONE RECOMMENDED Ingred Name:CALCIUM CARBONATE CAS:1317-65-3 RTECS #:EV9580000 Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3 Ingred Name:SILIC

ON DIOXIDE AMORPHOUS CAS:112945-52-5 RTECS #:VV7310000 Other REC Limits:NONE RECOMMENDED OSHA PEL:20 MPPCF ACGIH TLV:10 MG/M3

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHAL: HEADACHE, IRRITATION. SKIN; DERMATITIS, RASH. EYE: IRRITAION. INGEST: STOMACH DISCOMFORT. Medical Cond Aggravated by Exposure:ALLERGIES, HEAD COLD, S KIN

ABRASIONS

First Aid:INHAL: REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NECESSARY. CALL DR. EYE: FLUSH W/PLENTY OF WATER >15 MINUTES. CALL DR. SKIN: WASH W/SOAP AND WATER. GET MED AID. INGEST: IF CONSCIO US GIVE WATER/MILK. INDUCE VOMIT. NEVERGIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. REMOVE CONTAM CLOTHES, WASH BEFORE REUSE.

======= Fire Fighting Measures =====

\_\_\_\_\_

Flash Point Method:CC Flash Point:>250F,>121C Lower Limits:1.0 Upper Limits:12.0 Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:COOL FIRE EXPOSED CONTAINERS W/WATER. USE SCBA. REMAIN UPWIND OF FIRE. Unusual Fire/Explosion Hazard:CONTAINERS MAY BURST IN HEAT OF FIRE

Spill Release Procedures: DIKE. REMOVE IGNITS. VENTILATE AREA, USE ABSORBANT, SCRAPE INTO METAL CONTAINER

## S. WEAR PROTECTIVE CLOTHING.

Handling and Storage Precautions:STORE IN COOL PLACE. KEEP AWAY FROM IGNITS. KEEP CONTAINER CLOSED.

Other Precautions: REMOVE AND LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. DISCARD CONTAMINATED LEATHER SHOES.

Respiratory Protection:NIOSH APPROVED MASKS. Ventilation:ADEQUATE Protective Gloves:IMPERVIOUS Eye Protection:SPLAS H PROOF GOGGLES OR FACE SHIELD Other Protective Equipment:IMPERVIOUS RUBBER GARMENTS. SAFTEY SHOWER, EYE BATH. Work Hygienic Practices:WASH W/SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING. Supplemental Safety and Health NK

Boiling Pt:B.P. Text:NOT EST. Vapor Pres:NA Spec Gravity:1.78 Evaporation Rate & amp; Reference:NA Solubility in Water:VERY SLIGHT Appearance and Odor:BLACK PASTE W/SLIGHT AMONIA ODOR.

===

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:TEMPERATURES >90F Hazardous Decomposition Products:NITROGEN OXIDES, AMMONIA, PHENOLICS, OXIDES OF CARBON

Waste Disposal Methods:REACT W/PART B AND DISPOSE IN ACCORDANCE W/FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by th

e compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.