

ORGANIC PRODUCTS CO. -- F-900 TORQUE SEAL -- 8030-01-125-0055

=====
Product Identification
=====

Product ID:F-900 TORQUE SEAL

MSDS Date:01/01/1995

FSC:8030

NIIN:01-125-0055

MSDS Number: CDXVJ

=== Responsible Party ===

Company Name:ORGANIC PRODUCTS CO.

Address:1963 IRVING BOULEVARD

Box:428

City:IRVING

State:TX

ZIP:75060-4555

Country:US

Info Phone Num:214-438-7321

Emergency Phone Num:972-438-7321

C

AGE:01195

=== Contractor Identification ===

Company Name:ORGANIC PRODUCTS CO.

Address:1963 E. IRVING BOULEVARD

Box:428

City:IRVING

State:TX

ZIP:75060-4555

Country:US

Phone:214-438-7321

CAGE:01195

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 30-60%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:200PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:ETHYL ALCOHOL (ETHANOL)

C

AS:64-17-5
RTECS #:RQ6300000
Fraction by Wt: 10-40%
ACGIH TLV:1000 PPM

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MINOR IRRITATION FROM PROLONGED
BREATHING. MINOR IRRITATION TO SKIN AND EYES, NAUSEA, VOMITING.

=====
First Aid Measures
=====

First Aid:REMOVE TO FRESH AIR. WASH AFFECTED
AREAS WITH WATER. IF
SWALLOWED, INDUCE VOMITING. CALL PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:TOC
Flash Point:109F,43C
Extinguishing Media:CARBON DIOXIDE OR DRY CHEMICAL FOR SMALL FIRES,
ALCOHOL FOAM FOR LARGE FIRES.
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WITH
FULL FACEPIECE WITH PRESSURE DEMAND.
Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR, KEEP AWAY
FROM SOURCES OF IGNITION.

=====
=====
Accidental Release Measures
=====

Spill Release Procedures:ABSORB LIQUID; USE ABSORBENT MATERIAL AND
TRANSFER TO HOOD. ELIMINATE ALL IGNITION SOURCES, DESTROY REMAINING
MATERIAL BY INCINERATION.
Neutralizing Agent:NA

=====
Handling and Storage
=====

Handling and Storage Precautions:WEAR RESISTANT GLOVES SUCH AS
NEOPRENE, EYE PROTECTION, CHEMICAL SPLASH GOGGLES, PROTECTIVE
EQUIPMENT TO PREVENT PROLONGED SKIN CONT

ACT.

===== Exposure Controls/Personal Protection =====

Protective Gloves:NEOPRENE.

Eye Protection:SAFETY GOGGLES.

Other Protective Equipment:SAFETY SHOWER AND EYE BATH.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text: 150F,66C

Vapor Pres:42.0

Appearance and Odor:HEAVY THICK PASTE, ALCOHOL ODOR.

Percent Volatiles by Volume:50.0

===== Stability and Reactivity Data =====

Sta

bility Indicator/Materials to Avoid:YES

NK

Stability Condition to Avoid:AVOID HEAT, SPARKS, FIRES.

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE
CARBON MONOXIDE AND/OR CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN FURNANCE, OR BY LIQUID
INCINERATION. DEPOSIT IN TOXIC LANDFILL IN ACCORDANCE WITH LOCAL,
STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the comp
iling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.