

CSD INC -- THINNER, AIRCRAFT COATING -- 8010-01-168-0684

=====
Product Identification
=====

Product ID:THINNER, AIRCRAFT COATING

MSDS Date:10/01/1990

FSC:8010

NIIN:01-168-0684

MSDS Number: CDXVM

=== Responsible Party ===

Company Name:CSD INC

Address:5 HACKBERRY LANE

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Info Phone Num:409-756-1065

Emergency Phone Num:409-756-1065

Preparer's Name:DAVID

SHIPP

CAGE:4N760

=== Contractor Identification ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

CAGE:4N760

=====
Composition/Information on Ingredients
=====

Ingred Name:PROPYLENE GLYCOL MONOMETHYL ETHER

CAS:107-98-2

RTECS #:UB7700000

Fraction by Wt: 31.0%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:100 PPM/150STEL

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA

313) (CERCLA)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 52.0%

Other REC Limits:200PPM NIOSH

OSHA PEL:200 PPM/300 STEL

ACGIH TLV:200 PPM/300STEL

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:4-METHYL-2-PENTANONE (SARA 313)

CAS:108-10-1

RTECS #:SA9275000

Fraction by Wt: 17.0%

Other REC Limits:50 PPM NIOSH

OSHA PEL:100 PPM/75 STEL

ACGIH TLV:50 PPM/75 STEL

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

Routes of Entry: In

halation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: IRRIT, RED, TEAR. SKIN: IRRIT,
DEFATTING, DERMATITIS. INHAL: NASAL/RESPIRATORY IRRIT, CNS EFFECTS,
(DIZZY, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, UNCONSCIOUSNESS,
DEATH). INGEST: GI IRRIT, NAUSEA, VOMIT, DIARRHEA.

=====
===== First Aid Measures =====

First Aid:SKIN: WASH THOROUGHLY W/SOAP & WATER. REMOVE CONTAM CLOTHES,

WASH BEFORE REUSE. EYES: FLUSH W/LARGE AMOUNTS WATER, LIFT LIDS.
GET MED AID. INGEST: DO NOT INDUCE VOMIT. KEEP WARM/QUIET, GET MED
AID. IN HAL: GET FRESH AIR, IF BREATHING DIFF, GIVE OXYGEN. IF
BREATHING STOPPED GIVE ARTIF RESP. KEEP WARM/QUIET, GET MED AID.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:32.0F,0.0C

Autoignition Temp:Autoignition Temp Text:NA

Lower Limits:1.7

Extinguishing Media:REGULAR FOAM, WATER FOG, CARB

ON DIOXIDE OR DRY
CHEMICAL.

Fire Fighting Procedures:USE SCBA W/FULLFACE PIECE W/POSITIVE PRESSURE
DEMAND MODE.

Unusual Fire/Explosion Hazard:VAPORS >AIR. MAY TRAVEL ALONG GROUND & BE
IGNITED BY IGNITION SOURCES.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILL: ABSORB. LARGE SPILL: ELIMINATE
IGNITS. EVAC AREA. STOP SPILL AT SOURCE. DIKE, PUMP TO SALVAGE
TANK. ABSORB REMAINING LIQUID. CONTAINERIZE. PREVENT RUNOFF TO

SEWERS/STREAMS/OTHER BODIES OF WATER. NOTIFY PROPER AUTHORITIES AS
REQUIRED.

===== Handling and Storage =====

Other Precautions:CONTAINERS RETAIN RESIDUE & MAY BE HAZARDOUS EVEN
WHEN EMPTY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR.
Ventilation:SUFFICIENT MECHANICAL (GENERAL &/OR LOCAL) TO MAINTAIN
EXPOSURE