View NSN Online: https://aerobasegroup.de/nsn/8030-01-330-0730

Product ID:PR-1826 A-1/2 BLACK #1826A1 MSDS Date:10/21/1993 FSC:8030 NIIN:01-330-0730 Kit Part:Y MSDS Number: CDXWC === Responsible Party === Company Name: COURTAULDS AEROSPACE, INC Address:5430 SAN FERNANDO RD. Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Info Phone Num:818-240-2 060 Emergency Phone Num:800-424-9300 (CHEMTREC) CAGE:83574 === Contractor Identification === Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:818-240-2060 CAGE:83574

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE) CAS:1317-65-3 RTECS #:EV9580000 Fraction by Wt: 20.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M 3 TDUST ACGIH TLV:10 MG/M3 TDUST

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA 313) (CERCLA) VP = 70 CAS:78-93-3 RTECS #:EL6475000 Fraction by Wt: 10.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:200 PPM/300 STEL ACGIH TLV:200 PPM/300 STEL EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:MERCAPTAN TERM. POLYTHIOETHR (NONHAZARDOUS) CAS:119147-78-3 Other REC Limits:NONE RECOMMENDED

Ingred Name:ALUMINUM HYDROXIDE (NONHAZARDOUS) CAS:21645-51-2 RTECS #:BD0940000 Other REC Limit s:NONE RECOMMENDED

Ingred Name:MAGNESIUM OXIDE (NONHAZARDOUS) CAS:1309-48-4 RTECS #:OM3850000 Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC = 119 G/L COMBINED PARTS A & B RTECS #:9999999VO Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: BURNING

, TEARING, REDDENING, POSSIBLE TRANSIENT CORNEAL CLOUDING. SKIN: REDNESS, BURNING, DRYING, CRACKING. INHAL: COUGHING, CHEST PAIN, THROAT IRRIT, HEADACHE, DIZZINESS, ANESTHETIC & OTHER CNS EFFECTS. REVERSIBLE LIVER DAMAGE. INGEST: DROWSINESS, DIZZINESS, NAUSEA. First Aid:EYE: FLUSH W/LUKEWARM WATER 15 MINUTES. IF SYMPTOMS PERSIST. CALL DR. SKIN: WASH W/SOAP & WATER. IF SYMPTOMS PERSIST. CALL DR. INHAL: GET FRESH AIR. IF SYMPTOMS PRESENT, CALL DR. INGEST: DO NOT INDUCE VOMIT. CALL DR. Flash Point Method: PMCC Flash Point:25.0F,-3.9C Lower Limits:1.8 Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures: USE AIR SUPLIED RESPIRATOR. Unusual Fire/Explosion Hazard: HIGH TEMPERATURES MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINER. =========== Accidental Release Measures ========= \_\_\_\_\_ Spill Release Procedures: REMOVE ALL IGNITION SOURCES. WEAR AIR SUPPLIED RESPIRATOR FOR MAJOR UNVENTED SPILL. COVER W/ABSORBENT. SCOOP INTO CONTAINER. CLEAN UP RESIDUE W/SUITABLE SOLVENT. CERCLA RQ FOR MEK, 5000 LBS. Other Precautions: EMPTY DRUMS MAY CONTAIN EXPLOSIVE VAPORS, DONT CUT, PUNCTURE, WELD ON/NEAR DRUMS. VAPOR >AIR, MAY COLLECT IN LOW/CONFINED AREAS. ======= Exposure Controls/Pe rsonal Protection ======== Respiratory Protection: WHEN SPRAYING OR APPLYING IN ANY CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVELS OF HAZARDOUS INGREDIENTS IN EXCESS OF TLV USE AN ORGANIC VAPOR CARTRIDGE OR AIR SUPPLIED **RESPIRATOR.** Ventilation: GENERAL VENTILATION TO MAINTAIN VAPORS BELOW PEL. Protective Gloves:SOLVENT RESISTANT. Eye Protection:SAFETY GLASSES. Other Protective Equipment:NONE Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING

OR EATING,

AVOID INGESTION. Supplemental Safety and Health NK

Vapor Density:>AIR Spec Gravity:1.304 Evaporation Rate & amp; Reference:NA Appearance and Odor:WHITE PASTE Percent Volatiles by Volume:18.3

	Stability	and	Reactivity	y Data	
--	-----------	-----	------------	--------	--

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Hazardous Decomposition Products:OXIDES OF CARBON, SULFUR DIOXIDE & TRACES OF HYDROGEN SULFIDE.

Waste Disposal Methods: EPA D-001 & D-035 HAZARDOUS WASTE. DISPOSE OF IN COMPLIANCE W/FEDERAL/STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use

. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.