

COURTAULDS AEROSPACE, INC -- PR-1826 A-1/2 BLACK #1826A1 -- 8030-01-330-0730
===== Product Identification =====

Product ID:PR-1826 A-1/2 BLACK #1826A1

MSDS Date:10/21/1993

FSC:8030

NIIN:01-330-0730

Kit Part:Y

MSDS Number: CDXWC

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2

060

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 20.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M

3 TDUST
ACGIH TLV:10 MG/M3 TDUST

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA 313) (CERCLA)
VP = 70
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 10.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300 STEL
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:MERCAPTAN TERM. POLYTHIOETHR (NONHAZARDOUS)
CAS:119147-78-3
Other REC Limits:NONE RECOMMENDED

Ingred Name:ALUMINUM HYDROXIDE (NONHAZARDOUS)
CAS:21645-51-2
RTECS #:BD0940000
Other REC Limit
s:NONE RECOMMENDED

Ingred Name:MAGNESIUM OXIDE (NONHAZARDOUS)
CAS:1309-48-4
RTECS #:OM3850000
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC = 119 G/L COMBINED PARTS A & B
RTECS #:9999999VO
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: BURNING

, TEARING, REDDENING,
POSSIBLE TRANSIENT CORNEAL CLOUDING. SKIN: REDNESS, BURNING,
DRYING, CRACKING. INHAL: COUGHING, CHEST PAIN, THROAT IRRIT,
HEADACHE, DIZZINESS, ANESTHETIC & OTHER CNS EFFECTS. REVERSIBLE
LIVER DAMAGE. INGEST: DROWSINESS, DIZZINESS, NAUSEA.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH W/LUKEWARM WATER 15 MINUTES. IF SYMPTOMS PERSIST,
CALL DR. SKIN: WASH W/SOAP & WATER. IF SYMPTOMS PERSIST. CALL DR.
INHAL:
GET FRESH AIR. IF SYMPTOMS PRESENT, CALL DR. INGEST: DO NOT
INDUCE VOMIT. CALL DR.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:25.0F,-3.9C
Lower Limits:1.8
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER.
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR.
Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE
BUILDUP IN CLOSED CONTAINER.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. WEAR AIR SUPPLIED
RESPIRATOR FOR MAJOR UNVENTED SPILL. COVER W/ABSORBENT. SCOOP INTO
CONTAINER. CLEAN UP RESIDUE W/SUITABLE SOLVENT. CERCLA RQ FOR MEK,
5000 LBS.

=====
===== Handling and Storage =====

Other Precautions:EMPTY DRUMS MAY CONTAIN EXPLOSIVE VAPORS, DONT CUT,
PUNCTURE, WELD ON/NEAR DRUMS. VAPOR >AIR, MAY COLLECT IN
LOW/CONFINED AREAS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN SPRAYING OR APPLYING IN ANY CIRCUMSTANCES
LIKELY TO PRODUCE AIRBORNE LEVELS OF HAZARDOUS INGREDIENTS IN
EXCESS OF TLV USE AN ORGANIC VAPOR CARTRIDGE OR AIR SUPPLIED
RESPIRATOR.

Ventilation:GENERAL VENTILATION TO MAINTAIN VAPORS BELOW PEL.

Protective Gloves:SOLVENT RESISTANT.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING
OR EATING,

AVOID INGESTION.
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Vapor Density:>AIR
Spec Gravity:1.304
Evaporation Rate & Reference:NA
Appearance and Odor:WHITE PASTE
Percent Volatiles by Volume:18.3

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products:OXIDES OF CARBON, SULFUR DIOXIDE &
TRACES OF HYDROGEN SULFIDE.

===== Disposal Considerations =====

Waste Disposal Methods:EPA D-001 & D-035 HAZARDOUS WASTE. DISPOSE OF IN
COMPLIANCE W/FEDERAL/STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use
. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.