View NSN Online: https://aerobasegroup.de/nsn/6850-01-416-7995

A-QC GROUP, WORLD HEADQUARTERS -- GRAPHICS 4 L (PX) REPLACEMENT TONER (FX 2) -- 6850-01-416-7995

0050-01-410-7995

Product ID:GRAPHICS 4 L (PX) REPLACEMENT TONER (FX 2)

MSDS Date:12/01/1994

FSC:6850

NIIN:01-416-7995

MSDS Number: CDYKJ

=== Responsible Party ===

Company Name: A-QC GROUP, WORLD HEADQUARTERS Address: 200 PARK CENTRAL BLVD, SOUTH SUITE 5

City:POMPANO BEACH

State:FL ZIP:3 3064

Country:US

Info Phone Num:305-970-8989

Emergency Phone Num:305-970-8989

CAGE:AQCGR

=== Contractor Identification ===

Company Name: A-QC GROUP, WORLD HEADQUARTERS

Address: 200 PARK CENTRAL BLVD, SOUTH SUITE 5

Box:City:POMPANO BEACH

State:FL ZIP:33064 Country:US

Phone:305-970-8989

CAGE:AQCGR

Company Name: AUTOMATION AIDS INC (800-234-2790)

Address: 420 BABYLON RD, SUITE B

Box:UNKNOW City:HORSHAM State:PA

ZIP:19044 Country:US

Phone:800-817-4448

CAGE:01QM9

Company Name: LASERTONE CORP (508-358-1200)

Box:UNKNOW CAGE:076G9

====== Composition/Information on Ingredients ========

Ingred Name: STYRENE ACRYLIC COPOLYMER

Fraction by Wt: 45 - 60%

Other REC Limits: NONE RECOMMENDED

Ingred Name: MAGNETIC OXIDE

Fraction by Wt: 25 - 35%

Other REC Limits: NONE RECOMMENDED

Ingred Name: CCA/BENZOIC ACID, 2-((2-CARBOXYPHENYL) AMINO)-4-CHLORO-,

DISODIUM SALT CAS:64808-48-6 RTECS #:DG4975520 Fraction by Wt: 1 - 2%

Other REC Limits: NONE RECOMMENDED

Ingred Name:POLYWAX Fraction by Wt: 1 - 4%

Ot

her REC Limits: NONE RECOMMENDED

Ingred Name: POST ADDITIVES

Fraction by Wt: 1 - 2%

Other REC Limits: NONE RECOMMENDED

========== Hazards Identification ===============

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES, RESPIRATORY TRACT.

ACUTE- NO KNOWN HEALTH HAZARD WHEN USED AS INTENDED. EYES:MAY CAUSE TRANSIE

NT IRRITATION. SKIN:LOW HAZARD FOR RECOMMENDED HANDLING.

INHALE:MAY CAUSE COUGH. ORAL: EXPECTED TO BE A LOW INGESTION

HAZARD. CHRONIC- UNKNOWN.


Explanation of Carcinogenicity:NONE

Effects of Overexposure: IRRITATION, GASPING, COUGHING

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING EYE

PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid:GET M



========== Fire Fighting Measures ===============

Flash Point:NONE

Lower Limits:NOT RELEVANT Upper Limits:NOT RELEVANT

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL. WATER SPRAY M

AY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED.

Unusual Fire/Explosion Hazard:POWDERED MATERIAL MAY FORM EXPLOSIVE DUST-AIR MIXTURES.

======== Accidental Release Measures ===========

Spill Release Procedures: CAREFULLY, SWEEP MATERIAL ONTO PAPER AND PLACE IN A FIBER CARTON. CLEAN SPILL AREA THOROUGHLY TO REMO VE RESIDUAL

CONTAMINATION. DO NOT USE A VACUUM CLEANER TO CLEAN UP SPILL OF POWDERED TONERS. THE VE RY FINE PARTICLES CAN CAUSE A FIRE OR EXPLOSION.

Neutralizing Agent: NOT RELEVANT

============= Handling and Storage ==========================

Handling and Storage Precautions:KEEP CONTAINER CLOSED. STORE AWAY FROM STRONG OXIDIZING AGENTS. MINIMIZE DUST GENERATION AND ACCUMULATION. Other Precautions:AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY

AFTER HANDLING. KEEP OUT OF REACH OF CHILDREN. DO NOT BREATHE DUST.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE SHOULD BE NEEDED.

Ventilation: GOOD GENERAL VENTILATION (TYPICALLY 4-6 RM VALUME/HR)

SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS.

Protective Gloves:LATEX. IF STAINED WASH WITH SOAP & WATER

Eve Protection: GOGGLES RECOMMENDED

Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER Work Hygi

enic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health
========= Physical/Chemical Properties ===========
HCC:N1 NRC/State Lic Num:NOT RELEVANT Melt/Freeze Pt:M.P/F.P Text:>212F,>100C Spec Gravity:1.25 - 1.65 Viscosity:NOT RELEVANT Evaporation Rate & Deference:NOT RELEVANT Solubility in Water:NEGLIGIBLE Appearance and Odor:FINE POWDER - SLIGHT ODOR
======== Stability and Reactivity Data ==================================
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:DUST FORMATION Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

======= Disposal Considerations ===========

Waste Disposal Methods: DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS. REUSE, RECYCLE, INCINERATE OR LANDFILL.

Disclaimer (provided with this information by the compiling agencies): This inform

ation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.