

A-QC GROUP, WORLD HEADQUARTERS -- GRAPHICS 4 L (PX) REPLACEMENT TONER (FX 2) --
6850-01-416-7995

===== Product Identification =====

Product ID:GRAPHICS 4 L (PX) REPLACEMENT TONER (FX 2)

MSDS Date:12/01/1994

FSC:6850

NIIN:01-416-7995

MSDS Number: CDYKJ

=== Responsible Party ===

Company Name:A-QC GROUP, WORLD HEADQUARTERS

Address:200 PARK CENTRAL BLVD, SOUTH SUITE 5

City:POMPANO BEACH

State:FL

ZIP:3

3064

Country:US

Info Phone Num:305-970-8989

Emergency Phone Num:305-970-8989

CAGE:AQCGR

=== Contractor Identification ===

Company Name:A-QC GROUP, WORLD HEADQUARTERS

Address:200 PARK CENTRAL BLVD, SOUTH SUITE 5

Box:City:POMPANO BEACH

State:FL

ZIP:33064

Country:US

Phone:305-970-8989

CAGE:AQCGR

Company Name:AUTOMATION AIDS INC (800-234-2790)

Address:420 BABYLON RD, SUITE B

Box:UNKNOW

City:HORSHAM

State:PA

ZIP:19044

Country:US

Phone:800-817-4448

CAGE:01QM9

Company Name:LASERTONE CORP (508-358-1200)

Box:UNKNOWN
CAGE:076G9

=====
Composition/Information on Ingredients
=====

Ingred Name:STYRENE ACRYLIC COPOLYMER
Fraction by Wt: 45 - 60%
Other REC Limits:NONE RECOMMENDED

Ingred Name:MAGNETIC OXIDE
Fraction by Wt: 25 - 35%
Other REC Limits:NONE RECOMMENDED

Ingred Name:CCA/BENZOIC ACID,2-((2-CARBOXYPHENYL)AMINO)-4-CHLORO-,
DISODIUM SALT
CAS:64808-48-6
RTECS #:DG4975520
Fraction by Wt: 1 - 2%
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYWAX
Fraction by Wt: 1 - 4%
Other REC Limits:NONE RECOMMENDED

Ingred Name:POST ADDITIVES
Fraction by Wt: 1 - 2%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:EYES, RESPIRATORY TRACT.
ACUTE- NO KNOWN HEALTH HAZARD WHEN USED AS INTENDED. EYES:MAY CAUSE
TRANSIENT IRRITATION.
SKIN:LOW HAZARD FOR RECOMMENDED HANDLING.
INHALE:MAY CAUSE COUGH. ORAL: EXPECTED TO BE A LOW INGESTION
HAZARD. CHRONIC- UNKNOWN.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, GASPING, COUGHING
Medical Conditions Aggravated by Exposure:PERSONS WITH PRE-EXISTING EYE
PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE
TO THE EFFECTS OF THIS PRODUCT.

=====
First Aid Measures
=====

First Aid:GET MEDICAL ATTENTION IMMEDIATELY

EDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point:NONE

Lower Limits:NOT RELEVANT

Upper Limits:NOT RELEVANT

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL. WATER SPRAY MAY

BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED.

Unusual Fire/Explosion Hazard:POWDERED MATERIAL MAY FORM EXPLOSIVE DUST-AIR MIXTURES.

===== Accidental Release Measures =====

Spill Release Procedures:CAREFULLY, SWEEP MATERIAL ONTO PAPER AND PLACE IN A FIBER CARTON. CLEAN SPILL AREA THOROUGHLY TO REMOVE RESIDUAL

CONTAMINATION.

DO NOT USE A VACUUM CLEANER TO CLEAN UP SPILL OF POWDERED TONERS. THE VERY FINE PARTICLES CAN CAUSE A FIRE OR EXPLOSION.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. STORE AWAY FROM STRONG OXIDIZING AGENTS. MINIMIZE DUST GENERATION AND ACCUMULATION.

Other Precautions:AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. KEEP OUT OF REACH OF CHILDREN. DO NOT BREATHE DUST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:GOOD GENERAL VENTILATION (TYPICALLY 4-6 RM VOLUME/HR)

SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS.

Protective Gloves:LATEX. IF STAINED WASH WITH SOAP & WATER

Eye Protection:GOGGLES RECOMMENDED

Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER

Work Hygiene

enic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NOT RELEVANT

Melt/Freeze Pt:M.P/F.P Text:>212F,>100C

Spec Gravity:1.25 - 1.65

Viscosity:NOT RELEVANT

Evaporation Rate & Reference:NOT RELEVANT

Solubility in Water:NEGLIGIBLE

Appearance and Odor:FINE POWDER - SLIGHT ODOR

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:DUST FORMATION

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT
TO FEDERAL, STATE OR LOCAL REGULATIONS. REUSE, RECYCLE, INCINERATE
OR LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This inform

ation is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.