

3M CO - ENGINEERING SYSTEMS DIV. -- SCOTCHCAST BRAND ELECTRICAL INSULATING RESIN  
2104,PART B -- 5970-00-959-2096

===== Product Identification =====

Product ID:SCOTCHCAST BRAND ELECTRICAL INSULATING RESIN 2104,PART B

MSDS Date:08/22/1996

FSC:5970

NIIN:00-959-2096

Kit Part:Y

MSDS Number: CDZWG

=== Responsible Party ===

Company Name:3M CO - ENGINEERING SYSTEMS DIV.

Address:3M CENTER

City:SAINT PAUL

S

tate:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency Phone Num:612-733-1110

CAGE:1BY21

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO ELECTRICAL PRODUCTS DIV

Address:3M AUSTIN CTR

Box:City:AUSTIN

State:TX

ZIP:78769-2963

Country:US

Phone:512-984-1800

CAGE:75037

Company Name:MINNESOTA MINING AND MFG CO ENGINEERING DOCUMENT SYSTEMS  
DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:612-737-4114

CAGE:1BY21

=====

Composition/Information on Ingredients =====

Ingred Name:PROPYLENE GLYCOL GLYCEROL TRIETHER  
CAS:25791-96-2  
RTECS #:MD0915000  
Fraction by Wt: 55 - 65%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:N,N BIS-(2-HYDROXYPROPYL)-ANILINE  
CAS:3077-13-2  
Fraction by Wt: 10 - 20%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:DITRIDECYL PHTHALATE  
CAS:119-06-2  
RTECS #:TI1950000  
Fraction by Wt: 10 - 20%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:DIPROPYLENE GLYCOL  
CAS:110-98-5  
RTECS #:UB87850  
00  
Fraction by Wt: 5 - 10%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT KNOWN.  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN,  
GASTROINTESTINAL TRACT. ACUTE- EYE CONTACT MAY CAUSE MILD  
IRRITATION. PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE MILD  
IRRITATION AND ALLERGIC  
REACTION. LOW HAZARD BY INHALAT ION.  
INGESTION OF LARGE AMOUNTS IS UNLIKELY TO CAUSE SERIOUS ILLNESS OR  
DEATH. CHRONIC- UNKNOWN.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:MILD IRRITATION, REDNESS, SWELLING, PAIN,  
TEARING, ITCHING, COUGHING, NAUSEA, VOMITING

===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH  
AIR. EYES:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELI

DS

OPEN. CALL PHYSICIAN. SKIN:WASH WITH PLENTY OF SOAP & WATER.  
ORAL:DO NOT INDUCE VOMITING. IF CONSCIOUS, DRINKTWO GLASSES OF  
WATER. SEEK IMMEDIATE MEDICAL ATTENTION. IF VOMITING OCCURS, KEEP  
HEAD BELOW HIPS. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS  
PERSON.

===== Fire Fighting Measures =====

Flash Point:>270F,>132C

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING, INCLUDI  
NG

HELMET AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH  
FULL FACEPIECE OPERATED IN POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard:TOXIC GASES CAN BE FORMED.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR AN ORGANIC VAPOR MASK. COVER SPILL WITH  
NEUTRALIZER OR WATER. WAIT FOR 10 MINUTES (LONGER FOR WATER TO  
REACT). COVER WITH INERT ABSORBENT. COLLECT AND PLACE IN DRUM FOR  
DISPOSAL. WAIT FOR 24 HOUR S BEFOR  
E SEALING DRUM.

Neutralizing Agent:8% CONCENTRATED AMMONIA + 2% LIQUID DETERGENT + 90%  
WATER

===== Handling and Storage =====

Handling and Storage Precautions:STORE AT ROOM TEMPERATURE.

Other Precautions:WASH HANDS BEFORE EATING AND AFTER HANDLING. KEEP OUT  
OF REACH OF SMALL CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF NEEDED, WEAR  
NIOSH-APPROVED HALF-MASK SUPPLIE  
D AIR RESPIRATOR.

Ventilation:ADEQUATE

Protective Gloves:RUBBER RECOMMENDED

Eye Protection:CHEMICAL GOGGLES RECOMMENDED

Other Protective Equipment:EYE WASH FOUNTAIN, WASHING FACILITY

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES.

Supplemental Safety and Health

KEY1:N1. THIS PRODUCT IS A KIT CONSISTING OF TWO PARTS. PART A, HAS PNI  
A; PART B HAS PNI B, SAME NSN.

===== Physical/Chemical Properties =====

HCC:N1

NRC

/State Lic Num:NOT RELEVANT  
Spec Gravity:1.00  
Viscosity:6 P  
Evaporation Rate & Reference:NOT RELEVANT  
Solubility in Water:REACTS  
Appearance and Odor:AMBER LIQUID  
Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:EXCESSIVE HEAT  
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,  
OXIDES OF NITROGEN, HYDROGEN CYANIDE, ISOCYANATES, TOXIC VAPORS,  
GASES OR  
PARTICULATES

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL OR INCINERATE IN ACCORDANCE WITH LOCAL,  
STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for i  
ts use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.