

SYON CORPORATION -- 39-900000-195 SEAL-N-PLACE, PART B -- 8040-01-108-6660

=====
Product Identification
=====

Product ID:39-900000-195 SEAL-N-PLACE, PART B

MSDS Date:01/01/1995

FSC:8040

NIIN:01-108-6660

Kit Part:Y

MSDS Number: CDZXT

=== Responsible Party ===

Company Name:SYON CORPORATION

Address:280 ELIOT STREET

City:ASHLAND

State:MA

ZIP:01721

Country:US

Info Phone Num:800-255-3924

Emergency Phon

e Num:800-255-3924

CAGE:SYONC

=== Contractor Identification ===

Company Name:SYON CORPORATION

Address:280 ELIOT STREET

City:ASHLAND

State:MA

ZIP:01721

Country:US

Phone:508-881-8852

CAGE:SYONC

=====
Composition/Information on Ingredients
=====

Ingred Name:NO HAZARDOUS INGREDIENTS

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

LD50 LC50 Mixture:ORAL LD50 2500 MG/KG RAT.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:

NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRITATION SKIN: ALLERGIC
SENSITIZATION, DERMATITIS.

=====
First Aid Measures
=====

First Aid:EYE: FLUSH IMMED W/PLENTY WATER >15 MINUTES. SKIN: REMOVE
CONTAM CLOTHES. WASH W/SOAP & WATER, CALL DR. INHAL: REMOVE TO
FRESH AIR.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:315F,157C
Extinguishin
g Media:CO2, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:USE SCBA.
Unusual Fire/Explosion Hazard:NONE.

=====
Accidental Release Measures
=====

Spill Release Procedures:WEAR APPROPRIATE PROTECTIVE CLOTHING AND
RESPIRATOR. SCOOP UP EXCESS AND REMOVE. RESIDUAL CAN BE REMOVED
WITH NONFLAMMABLE SOLVENT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR RESPIRATOR.
Ventilation:LOCAL & MECHANICAL EXHAUST.
Protective Gloves:IMPERVIOUS GLOVES.
Eye Protection:SPLASH-PROOF GOGGLES.
Other Protective Equipment:SAFETY SHOWER AND EYE WASH FACILITIES.
Supplemental Safety and Health
NK

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:NA
Melt/Freeze Pt:M.P/F.P Text:NA
Vapor Pres:NA
Vapor Density:NA
Spec Gravity:1.14
Evaporation Rate & Reference:NA
Solubility in Water:SLIGHT.
Appearance and Odor:AMBER LIQUID.
Percent Volatiles by Volume:NA

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG ACIDS

Stability Condition to Avoid: ELEVATED TEMPERATURES

Hazardous Decomposition Products: CO, CO₂, OXIDES OF NITROGEN, OXIDES OF SULFUR.

Conditions to Avoid Polymerization: EXCESSIVE EXOTHERMS WHEN CURED

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATE IN ACCORDANCE WITH LOCAL POLLUTION REGULATIONS AND ORDINANCES.

Disclaim

r (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.