

INTERSPIRO USA INC -- COMPRESSED AIR,BREATHABLE GRADE D,336-890-179 --
4240-01-390-6988

=====
===== Product Identification =====

Product ID:COMPRESSED AIR,BREATHABLE GRADE D,336-890-179

MSDS Date:12/30/1996

FSC:4240

NIIN:01-390-6988

MSDS Number: CFCGV

=== Responsible Party ===

Company Name:INTERSPIRO USA INC

Address:31 BUSINESS PARK DR

City:BRANFORD

State:CT

ZIP:06405

Country:US

Info Phone Num:203-481-3

899/800-468-7788

Emergency Phone Num:203-641-3712

CAGE:47432

=== Contractor Identification ===

Company Name:INTERSPIRO INC

Address:31 BUSINESS PARK DRIVE

Box:City:BRANFORD

State:CT

ZIP:06405

Country:US

Phone:800-468-7788

CAGE:47432

=====
===== Composition/Information on Ingredients =====

Ingred Name:AIR,REFRIGERATED LIQUID/AIR,COMPRESSED

RTECS #:AX5271000

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD

50 LC50 Mixture:NOT RELEVANT

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:NONE. ACUTE AND CHRONIC-NONE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:NONE

Medical Cond Aggravated by Exposure:NONE.

=====
===== First Aid Measures =====

First Aid:NONE NEEDED.

=====
===== Fire Fighting Measures =====

Lower Lim

its:NOT RELEVANT

Upper Limits:NOT RELEVANT

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL FOR SURROUNDING FIRE. AIR CANNOT CATCH FIRE.

Fire Fighting Procedures:AS WITH ANY FIRE, WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS IF NEEDED.

Unusual Fire/Explosion Hazard:EACH CYLINDER IS EQUIPPED WITH A CYLINDER VALVE OVER PRESSURE RELIEF DEVICE. AS INTERNAL AIR PRESSURE EXCEEDS THE BURST RATING OF BURST DISK, DISK WILL RUPTURE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:RAPID RELEASE OF AIR MAY CAUSE FROST BUILD UP ON CYLINDER VALVE. ESCAPING AIR WILL CAUSE A LOUD NOISE. AIR IS NOT TOXIC AND IS NEEDED FOR LIFE.

Neutralizing Agent:NOT RELEVANT

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE CYLINDERS SECURE, IN DRY AREA BELOW 125F. PROTECT CYLINDERS FROM PHYSICAL DAMAGE.

Other Precautions:VENTING

OF AIR FROM CYLINDER MUST BE ACCOMPLISHED SLOWLY. SECURE CYLINDER PRIOR VENTING.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED.

Ventilation:NONE

Protective Gloves:LEATHER WHEN VENTING AIR

Eye Protection:SAFETY GLASSES/GOGGLES WHEN VENTING AIR

Other Protective Equipment:EAR PROTECTION WHEN VENTING AIR

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

=====
=====

===== Physical/Chemical Properties =====

HCC:G3

NRC/State Lic Num:NOT RELEVANT

Spec Gravity:NOT RELEVANT

Viscosity:NOT RELEVANT

Evaporation Rate & Reference:NOT RELEVANT (GAS)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS, ODORLESS COMPRESSED GAS (AIR) IN
CYLINDER

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CAUSTIC CHEMICALS OR CLEANING AGENTS (REAC
TS WITH CYLINDER)

Stability Condition to Avoid:EXCESSIVE HEAT

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:EAR, HANDS AND EYE PROTECTION MUST BE WORN WHEN
VENTING AIR FROM CYLINDERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or im
plied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.