

CITY CHEMICAL CORPORATION -- 60180 POTASSIUM CYANIDE -- 6810-00-237-2910

=====  
Product Identification  
=====

Product ID:60180 POTASSIUM CYANIDE

MSDS Date:08/28/1996

FSC:6810

NIIN:00-237-2910

MSDS Number: CFCSB

=== Responsible Party ===

Company Name:CITY CHEMICAL CORPORATION

Address:100 HOBOKEN AVE

City:JERSEY CITY (FORMALLY IN NEW YORK, NY)

State:NJ

ZIP:07310

Country:US

Info Phone Num:201-653-6900/

FAX -4468

Emergency Phone Num:201-653-6900/800-424-9300(CHEMTREC)

CAGE:83628

=== Contractor Identification ===

Company Name:CITY CHEMICAL CORPORATION

Address:100 HOBOKEN AVE

City:JERSEY CITY

State:NJ

ZIP:07310

Country:US

Phone:201-653-6900/800-248-2436

CAGE:83628

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POTASSIUM CYANIDE (SARA 302/313) (CERCLA)

CAS:151-50-8

RTECS #:TS8750000

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG(CN)/M3

ACGI

H TLV:S, 5 MG(CN)/M3; 9596

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 RAT:5MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY BE FATAL IF INHALED, SWALLOWED OR ABSORBED THROUGH SKIN. CAN CAUSE SKIN IRRITATION & SEVERE EYE IRRITATION. EXPOSURE MAY CAUSE NAUSEA, DIZZINESS, HEADACHE, LUNG

IRRITATION, CYANOSIS, CNS DEPRESSION. TARGET ORGANS: CNS, BLOOD, HEART.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:SKIN-IRRITATION. EYES-SEVERE IRRITATION.

INHALED/SWALLOWED/SKIN ABSORBED-CYANOSIS, NAUSEA, DIZZINESS, HEADACHE, CNS DEPRESSION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:IN ALL CASES GET IMMEDIATE EMERGENCY MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. FLUSH WITH WATER THEN WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. INGESTED-WASH OUT MOUTH IF CONSCIOUS.

===== Fire Fighting Measures =====

Extinguishing Media:APPROPRIATE FOAM. DO NOT USE CARBON DIOXIDE EXTINGUISHER ON THIS MATERIAL.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR. PREVENT CONTACT WITH EYES. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE AREA. WEAR SCBA, RUBBER BOOTS & HEAVY RUBBER GLOVES. SWEEP UP, PLACE IN A BAG & HOLD FOR HAZARDOUS WASTE DISPOSAL. AVOID RA

ISING DUST. VENTILATE AREA & WASH SPILL SITE  
AFTER MATERIAL PICKUP IS COMPLETE.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP TIGHTLY CLOSED.AIR & MOISTURE  
SENSITIVE.STORE IN A DRY AREA.KEEP AWAY FROM INCOMPATIBLE  
MATERIALS.DO NOT BREATH DUST.AVOID SKIN & EYE CONTACT.  
Other Precautions:DISPOSAL CONT'D: ADDITIONAL EQUIVALENTS OF  
HYPOCHLORITE MAY BE NEEDED IF THE REACTI  
ON SHOULD BE CARRIED OUT  
UNDER NITROGEN. OBSERVE ALL LOCAL, STATE AND FEDERAL ENVIRONMENTAL  
REGULATIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE  
OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR OR  
AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR  
1910.134.

Ventilation:USE ONLY IN CHEMICAL FUME HOOD.

Protective Gloves:CHEM-RESISTANT GLOVES-NEOPRENE,  
PVC.

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES.

Other Protective Equipment:WEAR OTHER PROTECTIVE CLOTHING. DLA-HMIS:  
EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING,  
DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

FIREFIGHT:DIRECT CONTACT OF MATERIAL W/WATER/STEAM WILL CAUSE  
DECOMPOSITION, LIBERATING HIGHLY TOXIC HYDROGEN CYANIDE GAS &  
HIGHLY HAZARDOUS SOLUTION OF DIS  
SOLVED CYANIDE WHICH MUST BE KEPT  
OUT OF SEW ERS/WATERCOURSES. CYANIDE FORMS EXPLOSIVE MIXTURE  
SPONTANEOUS W/CHLORATES,NITRATES,NITROGEN TRICHLORIDE PLUS AMMONIA.

===== Physical/Chemical Properties =====

HCC:T2

Melt/Freeze Pt:M.P/F.P Text:1174F,635C

Spec Gravity:1.520

Appearance and Odor:WHITE GRANULAR POWDER.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS. AVOID CONTAC

T WITH ACID.

Stability Condition to Avoid:MAY DECOMPOSE ON EXPOSURE TO MOIST AIR OR WATER. ABSORBS CARBON DIOXIDE FROM AIR.

Hazardous Decomposition Products:TOXIC FUMES OF HYDROGEN CYANIDE, CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES.

===== Disposal Considerations =====

Waste Disposal Methods:TREAT DILUTE BASIC SOLUTION (PH9-10) W/50% EXCESS OF COMMERCIAL LAUNDRY BLEACH. LET STAND OVERNIGHT. CAUTIOUSLY ADJUST PH TO 7. FILTER ANY SOLIDS FOR B

URIAL IN A

CHEMICAL LANDFILL. PRECIPITATE HEAVY METALS W/ADDS OF SULFIDE & ISOLATE FOR BURIAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice

to verify and

assume responsibility for the suitability of this information to their particular situation.