

ASHLAND CHEMICAL CO -- SODIUM DICHROMATE TECHNICAL -- 6810-00-281-2686

=====  
Product Identification  
=====

Product ID:SODIUM DICHROMATE TECHNICAL

MSDS Date:01/01/1998

FSC:6810

NIIN:00-281-2686

MSDS Number: CFCSL

=== Responsible Party ===

Company Name:ASHLAND CHEMICAL CO

Box:2219

City:COLUMBUS

State:OH

ZIP:43216

Country:US

Info Phone Num:614-790-3333

Emergency Phone Num:606-324-1133

CAGE:5A188

=== C

Contractor Identification ===

Company Name:ASHLAND CHEMICAL CO

Address:5200 PAUL BLAZEL MEMORIAL PARKWAY

Box:City:DUBLIN

State:OH

ZIP:43017

Country:US

Phone:614-889-4505

CAGE:5A188

Company Name:PHOENIX INDUSTRIES INC

Address:1519 CHAMBERLAYNE PARKWAY

Box:City:RICHMOND

State:VA

ZIP:23222

Country:US

Phone:804-264-5183/FAX: 264-5535

CAGE:0YED2

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SODIUM DICHROMATE DIHYDRATE

CAS:7789-12-0

RTECS #:HX7750000

Fraction by Wt:

100%  
OSHA PEL:C, 0.1 MG/M3 (CRO3)  
ACGIH TLV:0.05 MG/M3 (CR);8990

===== Hazards Identification =====

LD50 LC50 Mixture:HIGHLY TOXIC (PER ALDRICH)  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:ACUTE:CAN CAUSE SEVERE  
IRRITATION,REDNESS, TEARING,BLURRED VISION OF EYES,IRRITATION AND  
CHROME SORE;PERFORATION OF NASAL SEPTUM.INGESTION MAY CAUSE MUCOUS  
ME  
MBRANES AND DEEP TISSUES.  
Explanation of Carcinogenicity:HEXAVALENT CHROMIUM (CHROMIUM VI) IS A  
SUSPECTED HUMAN CARCINOGEN.  
Effects of Overexposure:EYES:SEVERE ITTITNT.SKIN:IRRTNT,CHROME  
SORES.INHAL:NASAL PERFORATION.INGEST:MUCOSA,VISCERA DAMAGE.  
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE  
WORSEN.

===== First Aid Measures =====

First Aid:SKIN:WASH S.SOAP AND WATER.EYES:FLUSH W/ LARGE AMTS  
WATER.INGEST GIVE 2 GLASSES W  
ATER,INDUCE VOMITING.INHAL:MOVE TO  
FRESH AIR.OBTAIN DR. ATTENTION.

===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:USE SUITABLE MEDIA FOR SURROUNDING FIRE.  
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED  
AREA.  
Unusual Fire/Explosion Hazard:DECOMPOSITION RELEASES O2(SUPPORTS  
COMBUSTION)AND REDUCES SUFFOCATION TYPE EXTINGUISHER EFFECTVNESS

===== Accidental Release Measures =====

=

Spill Release Procedures:SMALL SPILL:SWEEP UP MATERIAL ONTO PAPER.  
LARGE SPILL:SHOVEL MATERIAL INTO CONTAINERS.THOROUGHLY SWEEP AREA  
OF SPILL TO CLEAN UP ANY RESIDUAL MATERIAL.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:CONTAINERS MAY BE HAZARDOUS WHEN  
EMPTIED(RETAIN PRODUCT RESIDUES)ALL HAZARD PRECAUTIONS MUST BE  
OBSERVED.  
Other Precautions:NONE SPECIFIED BY MFR.

==

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST/MIST (HIGH EFFICIENCY) RESPIRATOR IF ABOVE PEL/TLV.  
Ventilation:MECHANICAL(GEN/LOCAL EXHAUST)TO MAINTAIN EXPOSURE BELOW TLV  
Protective Gloves:NEOPRENE  
Eye Protection:CHEM SPLASH GOGGLES  
Other Protective Equipment:NORMAL WORK CLOTHING/BOOTS COVERING ARMS AND LEGS.  
Work Hygienic Practices:AVOID CONTACT WITH EYES & SKIN;DO NOT BREATHE VAPOR/DUST OR MIST;WASH THOROUGHLY AFTR EACH USE;USE FULL PERSONAL PROTECT  
Supplemental Safety and Health  
HCC = D2 ASSIGNED BASED UPON THE FACT THAT ITEM IS AN OXIDIZER AND TOXIC, ALSO HAS ACUTE & CHRONIC HEALTH EFFECTS (SEE TABLE B-3 OF DLAI 4145.11).

===== Physical/Chemical Properties =====

HCC:D2  
Spec Gravity:2.52  
Solubility in Water:APPRECIABLE  
Appearance and Odor:RED OR RED-ORANGE DELIQUESCENT CRYSTALS.

===== Stability and Reactivity Data =====

==

Stability Indicator/Materials to Avoid:YES  
AVOID CONTACT WITH ALKALI METALS.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products:MAY FORM TOXIC CHROMIUM FUMES,ETC.

===== Disposal Considerations =====

Waste Disposal Methods:SMALL SPILL:PACKAGE AND DEPOSIT IN LANDFILL IAW LOCAL,STATE,FEDERAL REGULATIONS.LARGE SPILL:DEPOSIT IN LANDFILL IAW LOCAL, STATE,AND FEDERAL REGULATIONS.

Disclaimer (provided with this in

formation by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.