

TURCO PRODUCTS INC SUB ELF ATOCHEM NORTH AMERICA -- HOT TANK SOLVENT PAINT STRIPPER ADDITIVE 6252-A -- 6850-01-246-2010

===== Product Identification =====

Product ID:HOT TANK SOLVENT PAINT STRIPPER ADDITIVE 6252-A

MSDS Date:01/30/1995

FSC:6850

NIIN:01-246-2010

MSDS Number: CFCWC

=== Responsible Party ===

Company Name:TURCO PRODUCTS INC SUB ELF ATOCHEM NORTH AMERICA

Address:2700 TEMPLE AVE SUITE B

City:LONG BEACH

State:CA

ZIP:90806-2280

Country:US

Info Phone Num:310-981-8300 OR 310-981-8303

Emergency Phone Num:800-424-9300 CHEMTREC(215-245-3128)

Preparer's Name:H.D. MCLAUGHLIN JR.

CAGE:61102

=== Contractor Identification ===

Company Name:ELF ATOCHEM NORTH AMERICA INC

Address:2375 STATE ROAD

Box:City:BENSALEM

State:PA

ZIP:19020

Country:US

Phone:215-245-3128

CAGE:02BJ0

Company Name:TURCO PRODUCTS, INC. DIVISON OF ELF ATOCHEM NORTH AMERICA

Address:2000 MARKET ST

Box:City:PHILADELPHIA

State:

PA

ZIP:19103-3222

Country:US

Phone:215-419-7890

CAGE:61102

===== Composition/Information on Ingredients =====

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)

CAS:1310-58-3

RTECS #:TT2100000

Fraction by Wt: 300F,>149C

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL, EARTH OR SAND, WATER FOG.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:CLOS

ED CONTAINERS MAY RUPTURE/EXPLODE
WHEN EXPOSED TO EXTREME HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:CONFINE SPILL. STOP LEAK AT SOURCE IF CAN BE
DONE SAFELY. KEEP AREA WELL VENTILATED. TRANSFER MATERIAL TO DRUMS
FOR DISPOSAL. WASH AREA WITH WATER. RESIDUAL AMOUNTS SHOULD BE
FLUSHED TO CHEMICAL WASTE TREATMENT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

=====

Handling and Storage Precautions:STORE IN TIGHTLY CLOSED CONTAINERS.
KEEP CONTAINER CLOSED. MINIMUM CONTACT WITH THIS & ALL CHEMICALS IS
RECOMMENDED AS A GOOD GENERAL POLICY.

Other Precautions:WASH THOROUGHLY AFTER HANDLING. DO NOT GET IN EYES,
ON SKIN OR CLOTHING. DO NOT BREATH DUST, MIST, GAS, VAPOR.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE
OR AN EMERGENCY OCCURS; WEAR A
N MSHA/NIOSH APPROVED RESPIRATOR OR
AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR
1910.134.

Ventilation:USE LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).
CONSULT AN INDUSTRIAL HYGIENIST OR ENVIRONMENTAL HEALTH SPECIALIST.

Protective Gloves:NEOPRENE, NITRILE.

Eye Protection:GOGGLES, FACE SHIELD.

Other Protective Equipment:APRON. EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:WASH HANDS AND FACE WITH SOAP AND WATER BEFORE
SMOKING, EATING. LAUNDRER C
ONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:B3

Boiling Pt:B.P. Text:>200F,>93C

Spec Gravity:1.08

Solubility in Water:APPRECIABLE.

Appearance and Odor:DIPHASE DARK BROWN LIQUID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS, STRONG ACIDS.

Stability Condition to Avoid:HEAT, IGNITION SOURCES.

Hazardous Decomposition Prod

ucts:THERMAL- OXIDES OF CARBON, NITROGEN
AND SULFUR COMPOUNDS.

Conditions to Avoid Polymerization:FLAMES.

===== Disposal Considerations =====

Waste Disposal Methods:ABSORB WITH NON-COMBUSTIBLE MATERIAL AND PLACE
IN A DOT-APPROVED WASTE CONTAINERS. KEEP OUT OF SEWERS, STORM
DRAINS AND SURFACE WATERS. CONSULT FEDERAL, STATE, OR LOCAL
AUTHORITIES FOR PROPER DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies)

:

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.