

F & L COMPANY, INC. -- TECTYL 846, CLASS I #500100846 -- 8030-00-062-5866

=====
Product Identification
=====

Product ID:TECTYL 846, CLASS I #500100846

MSDS Date:02/10/1995

FSC:8030

NIIN:00-062-5866

MSDS Number: CFCZR

=== Responsible Party ===

Company Name:F & L COMPANY, INC.

Address:1537 E. DEL AMO BLVD

City:CARSON

State:CA

ZIP:90746

Country:US

CAGE:JO940

=== Contractor Identification ===

Company

Name:F & L COMPANY

Address:1537 E DEL AMO BLVD

Box:City:CARSON

State:CA

ZIP:90746

Country:US

Phone:310-603-2200

CAGE:0KWT9

Company Name:F & L COMPANY, INC.

Address:1537 E. DEL AMO BLVD

Box:City:CARSON

State:CA

ZIP:90746

Country:US

CAGE:JO940

Company Name:VALVOLINE OIL CO

Address:3499 BLAZER PKY

Box:14000

City:LEXINGTON

State:KY

ZIP:40512

Country:US

Phone:606-357-7206 / 800-274-5263

CAGE:72527

=====
Composition/Information on Ingredients
=====

Ingred Name:ALIPHATIC HYDROCARBO

NS (STODDARD TYPE)

CAS:8052-41-3

Fraction by Wt: 40-45%

Other REC Limits:350 MG/M3 NIOSH

OSHA PEL:100 PPM

ACGIH TLV:100 PPM

Ingred Name:RUST PROOFING COMPOUND

Fraction by Wt: 55-60%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: IRRITATION, (STINGING, TEARING, REDNESS, SWELLING). SKIN: I

RRIT, DRYING, (REDNESS, BURNING, DRYING,

CRACKING, BURNS, DAMAGE). ALLERGIC SKIN REACTION. INHAL: HARMFUL,

(RESP TRACT IRRIT, CNS DEPRESION). INGEST: HARMFUL, (GI IRRIT,

NAUSEA, VOMIT, DIARRHEA). LUNG INFLAMMATION/DAMAGE.

Medical Cond Aggravated by Exposure:SKIN/LUNG DISORDERS.

=====
===== First Aid Measures =====

First Aid:SKIN: REMOVE CONTAM CLOTHES, WASH BEFORE REUSE. WASH W/SOAP & WATER. GET MED AID. EYE: MOVE TO FRESH AIR. FLUSH GENTLY W/W WATER.

GET MED AID. INGEST: DONT INDUCE VOMIT. IF DROWSY/UNCONSCIOUS, PLACE ON LEFT SIDE W/HEAD DOWN. GET MED AID. DONT LEAVE VICTIM UNATTENDED. INGEST: MOVE TO FRESH AIR. GET MED AID. KEEP PERSON WARM/QUIET. IF NOT BREATHING, GIVE ARTIF RESP. IF BREATHING DIFF, GIVE OXYGEN.

=====
===== Fire Fighting Measures =====

Flash Point:106F,41C

Lower Limits:1.0

Extinguishing Media:REGULAR FOAM OR CARBON DIOXIDE OR DRY CHEMICAL

Fire Fighting Procedures:USE

SCBA W/FULLFACE PIECE IN POSITIVE PRESSURE
DEMAND MODE W/APPROPRIATE TURNOUT GEAR & CHEM RESISTANT PERSONAL
PROT EQPT. WATER/FOAM MAY CAUSE FROTHING.

Unusual Fire/Explosion Hazard:VAPORS ARE >AIR & MAY BE IGNITED A
DISTANCE FROM HANDLING SITE.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILL: ABSORB. LARGE SPILL: ELIMINATE
IGNITS. WEAR PROTECTIVE EQUIP, EVAC AREA. STOP SPILL AT SOURCE,
DIKE AREA. PUMP LIQUID TO SALVAG
E TANK. ABSORB/SHOVEL INTO
CONTAINERS

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM IGNITS. USE/STORE ONLY
W/ADEQUATE VENT. GROUND/BOND CONTAINER WHEN TRANSFERRING.
Other Precautions:DONT USE CUT/WELD TORCH ON CONTAINER (EVEN EMPTY).

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR.
Ventilation:SUFFIIENT MECHANICAL (GENERAL) &
/OR LOCAL EXHAUST
VENTILATION

Protective Gloves:IMPERVIOUS GLOVES

Eye Protection:CHEM SPLASH GOGGLES/SAFETY GLASSES

Other Protective Equipment:WEAR NORMAL WORK CLOTHING COVERING ARMS AND
LEGS.

Work Hygienic Practices:GOOD PERSONAL HYGIENE PRACTICES

Supplemental Safety and Health
MORE INFORMATION ON FILE.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:315F,157C

Vapor Pres:2.0

Spec Gravity:0.876

Evaporation Rate & Reference:SLOWER THAN ETHER

Appearance and Odor:LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NK

Stability Condition to Avoid:STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:CARBON DIOXIDE & MONOXIDE, VARIOUS
HYDROCARBONS, SULFUR COMPOUNDS, ETC.

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE WITH LOCAL, STATE & FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.